

КАТАЛОГ



ПРОФЕССИОНАЛЬНЫЙ ИНСТРУМЕНТ

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://fixtec.nt-rt.ru> || fcg@nt-rt.ru

FCD2001XC

F20+

DESCRIPTION
CORDLESS DRILL
1500mAh Li-Ion battery
Chuck capacity: Φ 10mm
No load speed: 0-350/0-1600rpm
Clutch style: 20+1
Max torque: 30N.m
LED Working light



FCD2001X

F20+



24



FCD2001X-221

F20+




221



FCD20LFX

F20+

DESCRIPTION
CORDLESS IMPACT DRILL
2000mAh Li-Ion battery x 2
Chuck capacity: Φ 13mm
No load speed: 0-500/0-1800rpm
Impact rate: 0-8500/0-30600bpm
Clutch style: 20+1+1
Max torque: 40N.m
LED Working light



FCD2002LX

F20+

DESCRIPTION
CORDLESS IMPACT DRILL
Chuck capacity: Φ 13mm
No load speed: 0-400/0-1600rpm
Impact rate: 0-6000/0-24000bpm
Clutch style: 20+1+1+1
Max torque: 50N.m
LED Working light



FCD2002X

F20+


DESCRIPTION
CORDLESS IMPACT DRILL KIT
2000mAh Li-Ion battery x 2
Chuck capacity: Φ 13mm
No load speed: 0-400/0-1600rpm
Impact rate: 0-6000/0-24000bpm
Clutch style: 20+1+1+1
Max torque: 50N.m
LED Working light



FCID150LFX

F20+

DESCRIPTION
CORDLESS IMPACT DRIVER
Chuck : 1/4" HEX
No load speed: 0-1900rpm
Impact rate: 0-3100bpm
Max torque: 150N.m
LED Working light



FCID230LX

F20+

DESCRIPTION
CORDLESS BRUSHLESS IMPACT DRIVER
Chuck capacity: 1/4" HEX
No load speed:
1200/1900/2500/3200 rpm
Impact rate: 1400/1800/3500/4000 bpm
Max torque: 230N.m
LED Working light




FCID230LX-2

INDUSTRIAL

F20+


DESCRIPTION
CORDLESS BRUSHLESS IMPACT DRIVER KIT



FCID250LX

F20+

DESCRIPTION
CORDLESS BRUSHLESS IMPACT DRIV
Chuck capacity: 1/4" HEX
No load speed:
0-2400/0-1800/0-1100 rpm
0-3200/0-2600/0-1300 bpm
Max torque: 250N.m
LED Working light



FCIW300LFX

F20+


DESCRIPTION
CORDLESS BRUSHLESS IMPACT WRENCH



FCIW300LFX-2

F20+

DESCRIPTION
CORDLESS BRUSHLESS IMPACT WRENCH SET



FCIW400LX

INDUSTRIAL

F20+

DESCRIPTION
CORDLESS BRUSHLESS
IMPACT WRENCH

Max. Torque
400N.m

BRUSHLESS
MOTOR



FCIW400LX-2

INDUSTRIAL

F20+

DESCRIPTION
CORDLESS BRUSHLESS
IMPACT WRENCH KIT

BRUSHLESS
MOTOR
Max. Torque
400N.m



FCRH22LFX-4

F20+

DESCRIPTION
CORDLESS BRUSHLESS
ANGLE GRINDER

BRUSHLESS
MOTOR
4.0 Ah x 2



FCAG100X / FCAG115 X

F20+

DESCRIPTION
CORDLESS BRUSHLESS
ANGLE GRINDER
No load speed:7000 rpm
Disc Dia.: Ø100 /115 mm



FCIW550LX

INDUSTRIAL

F20+

DESCRIPTION
CORDLESS BRUSHLESS
IMPACT WRENCH

Max. Torque
550N.m

BRUSHLESS
MOTOR



FCIW750LX


INDUSTRIAL

F20+

DESCRIPTION
CORDLESS BRUSHLESS
IMPACT WRENCH

Max. Torque
750N.m

BRUSHLESS
MOTOR



FCAG100X1/FCAG115X1/FCAG115X1U

F20+

DESCRIPTION
CORDLESS BRUSHLESS
ANGLE GRINDER
Disc Dia.: Ø100 /115 mm
M10 / M14

6 Speed
9,000
7,700
6,880
6,080
5,200
4,300

BRUSHLESS
MOTOR



FCAG100LFX/FCAG115LFX/FCAG125LFX

F20+

DESCRIPTION
CORDLESS BRUSHLESS
ANGLE GRINDER
No load speed:10000rpm
Disc Dia.:
Ø100/115/125mm
M10/M14



FCRH13LFX

F20+

DESCRIPTION
CORDLESS ROTARY HAMMER
No load speed:0-850rpm
Impact rate:0-5000bpm
Impact energy: 1.3 J
Max. drilling diameter:
steel:10mm
concrete:13mm
wood:16mm



FCRH22LFX

F20+

DESCRIPTION
CORDLESS BRUSHLESS ROTARY HAMMER
No load speed:0-1400rpm
Impact rate:0-4500bpm
Impact energy: 2.0 J
Max. drilling diameter:
steel:13mm
concrete:22mm
wood:28mm

BRUSHLESS
MOTOR



FCAG115LFX-4

F20+

DESCRIPTION
CORDLESS BRUSHLESS
ANGLE GRINDER

BRUSHLESS
MOTOR
4.0 Ah x 2



FCCS115X

F20+

DESCRIPTION
CORDLESS CIRCULAR SAW
No load speed: 4500 rpm
Blade dia.: Ø115mm | 24T
Blade Arbor: Ø 9.5 mm
Adjustable cutting angle:0-45°



FCCS165LFX

F20+

DESCRIPTION
CORDLESS CIRCULAR SAW
No load speed:4000rpm
Blade Diameter:Φ165mm 18T
Blade Arbor:16mm
Max cutting depth at 0-45°



FCJS80LFX

F20+

DESCRIPTION
CORDLESS JIG SAW
No load speed:0-3000spm
Stroke length:20mm
Max cutting capacity:
80mm in wood
6mm in steel
12mm in plastic



FCMT20LFX

F20+


DESCRIPTION
CORDLESS MULTI-TOOL
No-load Speed:10000-17000rpm
Oscillating angle: 3° LED light
3pcs sanding paper
1pc sanding base
1pc scraper
1pc plunge cutter



FCRS100LFX

F20+

DESCRIPTION
CORDLESS RECIPROCATING SAW
No load speed:0-3000spm
Recipro stroke:22mm
cutting capacity for wood :100mm
cutting capacity for metal:6mm



FCPL822X

F20+

DESCRIPTION
CORDLESS PLANER
No load speed :16000 RPM
Planing width : 82mm(3-1/4")
Planing depth : 0-2mm
Rabbeting depth : 8mm



FCRS125LX

F20+

DESCRIPTION
CORDLESS ROTARY SANDER
No load speed:12,000rpm
Pad size: 125mm
Include 1 pcs sand paper



FCTB20LX

F20+

DESCRIPTION
CORDLESS TILE VIBRATOR
No load speed:500-12000RPM
Sucker Dia:130mm
Vibration Range:300-1200mm Tiles
Package: BMC+Color box
include 1pcs 2000mAh Battery



FCGG20LFX

F20+

DESCRIPTION
CORDLESS GLUE GUN
Pre-heating time:90s
inside heating temp.:170±10 °C
Automatic shut-down after 5 minutes
Include 3pcs
Φ 11.5x150mm Glue stick



FCSG20LFX

F20+

DESCRIPTION
CORDLESS SPRAY GUN
Motor speed: 30000rpm
Container Volume:800mL
Nozzle:1.8mm
Max. Viscosity:40 DIN



FCMX201

F20+

DESCRIPTION
CORDLESS CONCRETE MIXER
No load speed:
250-400/350-650 rpm
Shaft dia.: Φ120mm
M14 Thread



FCHG20X

F20+

DESCRIPTION
CORDLESS HEAT GUN
Max. Temperature: 550°C
Max. Air Flow: 200L/min
LED Working light



FCHPW20LX

F20+

DESCRIPTION
CORDLESS HIGH PRESSURE WASHER
Rated flow: 2L/min
Working pressure: 22bar/320psi
Working time: 15min
Discharging Types:0°, 15°, 25°, 40°, Shower, UP



FCHPW20LX-2

F20+

DESCRIPTION
CORDLESS HIGH PRESSURE WASHER
Rated flow: 2L/min
Working pressure: 22bar/320psi
Working time: 15min
Discharging Types: 0°, 15°, 25°, 40°, Shower, UP

2.0 Ah x 2



FCVC06LFX

F20+

DESCRIPTION
CORDLESS VACUUM CLEANER
Max air flow: 0.7 m³/min
Dust Canister Capacity: 650ml
Weight (bare tool): 0.85Kg



FCF230LFX

F20+


DESCRIPTION
CORDLESS FAN
No-load speed:
Hi- 1700rpm, Lo- 1000rpm
Air volume:
Hi- 450CFM, Lo- 280CFM
Fan Dia.: φ230mm
with 3 x fan blades



FCFL280X

F20+

DESCRIPTION
CORDLESS FLASH LIGHT
280 Lumens
Run time: 8 Hrs (2Ah)
Tilt adjustment 0-90°



FCVC12LX

F20+

DESCRIPTION
CORDLESS WET & DRY
VACUUM CLEANER
Max air flow: 0.7 m³/min
Dust Canister Capacity: 650ml
Weight (bare tool): 0.85Kg



FCIF11LFX

F20+

DESCRIPTION
CORDLESS AIR COMPRESSORS & INFLATORS
12V DC cigar-lighter
Max pressure: 160PSI/11Bar/1100kpa
Hose Length: 790mm
Pump Hose Length: 360mm
Cigar-lighter Cable & Plug: 3M-18AWG



FCFL30LFX

F20+

DESCRIPTION
CORDLESS FLASH LIGHT
2200/1500 Lumens
Run time: 2Hr/30W, 3Hr/20W
Tilt adjustment 0-360°



FCCS100LX

F20+

DESCRIPTION
CORDLESS MINI CHAINSAW
Chain speed: 3.7m/s
Chain bar size: 4"



FCAP150LX

F20+


DESCRIPTION
CORDLESS AIR PUMP
Maximum pressure: 150 PSI
Maximum flow speed: 14 L/Min
With 3 different kinds nozzles



FCST50LFX

F20+


DESCRIPTION
CORDLESS 2-IN-1 NAILER/STAPLER
Max Firing Speed:
100nails /staples per minute
Max Magazine capacity:
holds up to 100 nails / staples
Max Length of nails: 50mm
18 Gauge Brad Nail
Max Length of staples: 60mm
18 Gauge light duty staple



FCCS100LX-1

F20+


DESCRIPTION
CORDLESS MINI CHAINSAW
Chain speed: 3.7m/s
Chain bar size: 4"
Include 1pc: 2000mAh Battery



FCCS150X

F20+

DESCRIPTION
CORDLESS CHAINSAW
No load speed: 4.8m/s
Guide bar length: 4" (150mm)
Chain pitch for Chain: 1/4"
Adjustable Angle: ±45°
Oil Tank Capacity: 50 ml



FCPS25X

F20+



DESCRIPTION
CORDLESS PRUNING SHEARS
Cutting capacity (hardwood)
max. Ø20mm
Cutting capacity (softwood)
max. Ø25mm
Cutting cycle time : 2,5 s



FCBL28LFX

F20+



DESCRIPTION
CORDLESS BLOWER/ VACUUM
Rated Air flow: 2.8 m³/min
No load speed:
8,500/11,000/17,000 rpm



FCGB200LFX

F20+



DESCRIPTION
CORDLESS BLOWER
Air volume:54.7CFM
Air speed:62m/s



FCPS32X

F20+



DESCRIPTION
CORDLESS PRUNING SHEARS
Cutting capacity (hardwood)
max. Ø25mm
Cutting capacity (softwood)
max. Ø32mm
Cutting cycle time : 1.0 s

BRUSHLESS MOTOR



FCBL02LX

F20+



DESCRIPTION
CORDLESS BLOWER/ VACUUM
Rated Air flow: 2.8 m³/min
No load speed:
8,500/11,000/17,000 rpm



FCGT300LFX

F20+



DESCRIPTION
CORDLESS GRASS TRIMMER
No load speed:7500rpm
Cutting width: 250/300mm
Cutting line diameter: Ø 1.6mm




FCHT450LFX

F20+



DESCRIPTION
CORDLESS HEDGE TRIMMER
No Load Speed:2000/min
Blade length: 450/510mm
Cutting capacity: 18mm




FCSR12LX

F20+



DESCRIPTION
CORDLESS BACKPACK SPRAYER
Ideal for spraying water,
fertilisers,herbicides,pesticides etc.
Can also be used for spraying
cleaning detergents or solvent-
free preservative treatments.




FBP2000LX / FBP4000LX / FBP5000LX

F20+



DESCRIPTION
2000mAh/4000mAh Li-Ion
Battery pack
• Quick Charge
• Low Power Consumption
• Real Capacity
• Steady Output



FCCS355LFX

F20+



DESCRIPTION
BRUSHLESS CHAIN SAW
Voltage :40V (2x20V)
Chain speed :16m/s & 12m/s.
Output power: 1000W
Brushless motor
Motor speed: 8500RPM ±5%
Chain bar size:14"

BRUSHLESS MOTOR



FBCH20001

F20+



DESCRIPTION
BATTERY CHARGER
Input:220-240V-50/60Hz
65W
Output:20V=2.4A



FTB27/FTB43

F20+



DESCRIPTION
TOOL BAG
MATERIAL:
Polyester Oxford Fabric PVC Coated

Item No.	SIZE(cm)
FTB27	27x23x20
FTB43	43x19x29



FSD036L02



DESCRIPTION
CORDESS SCREWDRIVER
 3.6V 1300mAh Li-Ion battery
 Chuck capacity: Φ 6.35mm
 No load speed: 180rpm
 Max torque: 3.5N.m
 LED Working light
 With 4pcs Accessories

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 20 PCS Carton size: 36.5x27.5x14.5cm

3.6V Lithium 200 180rpm 3.5Nm LED Working Light

FCD036L03



DESCRIPTION
CORDESS SCREWDRIVER
 3.6V 800mAh Li-Ion battery
 Chuck capacity: Φ 6.35mm
 No load speed: 260rpm
 Max torque: 2.5N.m
 LED Working Light

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 36 PCS Carton size: 48.5x27x19.5cm

3.6V Lithium 260 260rpm 2.5Nm LED Working Light

FSD036L04

DESCRIPTION
CORDESS PRECISION SCREWDRIVER
 3.6V Li-Ion 200mA
 No load speed: 200 rpm
 Chunk size: 1/8" (4.4mm)
 Max torque: 0.2 Nm(Full Battery)
 Micro-USB charging cable
 Include 20PCS Screwdriver bits
 Plastic Window case



LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 20 PCS Carton size: 42x32x14cm

3.6V Lithium S2 200 200rpm 0.2Nm LED Working Light

FSD040L01



DESCRIPTION
4V CORDESS SCREWDRIVER
 1300mAh Li-Ion battery
 Chuck capacity: Φ 6.35mm
 No load speed: 230rpm
 Max torque: 5N.m
 LED Working Light

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 10 PCS Carton size: 73x27.5x21cm

4.0V Lithium 230 230rpm 5Nm LED Working Light

FSD040L02



DESCRIPTION
4V CORDESS SCREWDRIVER
 1500mAh Li-Ion battery
 Chuck capacity: Φ 6.35mm
 No load speed: 250rpm
 Max torque: 3N.m
 LED Working light

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 10 PCS Carton size: 36.5x27.5x14.5cm

4.0V Lithium S2 250 250rpm 3Nm LED Working Light

FCMG0401



DESCRIPTION
MINI GRINDER SET
 4.0V Li-Ion 2000 mAh
 No-Load speed: 5,000-25,000 rpm
 Dia. of chuck: Φ 3.2mm

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 10 PCS Carton size: 56.5x32x14.5cm

4.0V Lithium 5000 25000rpm LED Working Light

FCGG0401



DESCRIPTION
CORDESS GLUE GUN
 4.0V 1500mAh Li-Ion battery
 1PC USB cable
 Pre-heating time: 25s \pm 5s
 Inside heating temp.: 170 \pm 15 $^{\circ}$ C
 Automatic shut-down after 5 minutes
 include 6PCS
 Φ 7 mm x 150mm Glue stick

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 10 PCS Carton size: 48.5x27x19.5cm

4.0V Lithium 25s 170 \pm 15 $^{\circ}$ C LED Working Light

FCD1207K60



DESCRIPTION
CORDESS DRILL KIT
 1500mAh Li-Ion battery
 Chuck capacity: Φ 10mm
 No-load speed: 0-400/0-1400rpm
 Max torque: 20N.m
 Clutch: 18+1 setting

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 5 PCS Carton size: 65.5x32x20cm

12V Lithium 400/1400 20Nm LED Working Light

FCD12L04



DESCRIPTION
CORDESS DRILL
 1500mAh Li-Ion battery x 2
 Chuck capacity: Φ 10mm
 No load speed: 0-350/0-1300rpm
 Max torque: 20N.m
 Clutch style: 20+1

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 5 PCS Carton size: 61.5x32x20.5cm

12V Lithium 350/1300 20Nm LED Working Light

FCWL220500/FCWL881800

DESCRIPTION
CORDESS WORK LIGHT



MODEL NO.	POWER	LUMINOUS	RUN TIME
FCWL220500	1W/120mAh	3060lm	2H 15s
FCWL881800	2W/1800mAh	10000lm	2H 15s

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 4 PCS Carton size: 64.5x32x20.5cm

3.7V Lithium 3000k 6400K 180 $^{\circ}$ IP65 LED Working Light

FCD12L041



DESCRIPTION
CORDESS DRILL
 1500mAh Li-Ion battery
 Chuck capacity: Φ 10mm
 No load speed: 0-700rpm
 Max torque: 16N.m
 Clutch style: 20+1

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 4 PCS Carton size: 64.5x32x20.5cm

12V Lithium 0-700/0 16Nm LED Working Light

FCD12L04T



DESCRIPTION
CORDESS IMPACT DRILL
 1500mAh Li-Ion battery x 2
 Chuck capacity: Φ 13mm
 No load speed: 0-350/0-1300rpm
 Impact rate: 0-5250/0-19500bpm
 Clutch style: 18+1+1+1
 Max torque: 25N.m
 LED Working Light

LITHIUM ION **AVAILABLE** **CE** **RoHS** **RECYCLE**

QTY: 4 PCS Carton size: 64.5x32x20.5cm

12V Lithium 0-350/1300 25Nm LED Working Light

FCD12L07



DESCRIPTION
CORDLESS DRILL
1500mAh Li-Ion battery x 2
Chuck capacity: Φ 10mm
No load speed: 0-400/0-1400rpm
Max torque: 20N.m
Clutch style: 18+1

LITHIUM ION AVAILABLE QTY: 5 PCS Carton size: 46.5x30.5x21.5cm

12V Lithium 0-400/1400 Φ 10mm F R Auto stop 18+1 LED

FCD12L07C



DESCRIPTION
CORDLESS DRILL
1500mAh Li-Ion battery
Chuck capacity: Φ 10mm
No load speed: 0-400/0-1400rpm
Max torque: 20N.m
Clutch style: 18+1

LITHIUM ION AVAILABLE QTY: 5 PCS Carton size: 46.5x30.5x21.5cm

12V Lithium 0-400/1400 Φ 10mm F R Auto stop 18+1 LED

FCD12L06



DESCRIPTION
12V CORDLESS DRILL
1500mAh Li-Ion battery x 2
Chuck capacity: Φ 10mm
No load speed: 0-350/0-1400rpm
Max torque: 25N.m
Clutch style: 20+1
1 Hour quickly charging

LITHIUM ION AVAILABLE QTY: 5 PCS Carton size: 41.5x34.5x21.5cm

12V Lithium 0-350/1400 Φ 10mm F R Auto stop 20+1 LED

FCD20L04



DESCRIPTION
CORDLESS DRILL
2000mAh Li-Ion battery x 2
Chuck capacity: Φ 10mm
No load speed: 0-400/0-1400rpm
Clutch style: 21+1
Max torque: 40N.m
LED Working light

LITHIUM ION AVAILABLE QTY: 5 PCS Carton size: 42.5x37.7x24cm

20V Lithium 0-400/1400 Auto stop 10mm 21+1 F R 1 hour LED

FCTM201



DESCRIPTION
CORDLESS WIRE THREADING MACHINE
4000mAh Li-Ion battery x 2
Line speed: 40m/min
Max. Pulling: 65Kgs
Wire reel: 20m

LITHIUM ION AVAILABLE QTY: 2 PCS Carton size: 57.5x34x21cm

20V Lithium 4000mAh 4.2V 40m/min 65Kgs 20m LED

FED35002



DESCRIPTION
ELECTRIC DRILL
220-240V-50/60Hz
Power: 350W
Chuck capacity: Φ 10mm
No load speed: 0-500/0-1200rpm
Drilling capacity: steel: 10mm wood: 20mm

AVAILABLE QTY: 10 PCS Carton size: 48.5x27x40.5cm

230V 230-240V 350W 0-500/1200 F R 10mm

FED400061



DESCRIPTION
ELECTRIC DRILL
220-240V-50/60Hz
Power: 400W
Chuck capacity: Φ 6mm
No load speed: 0-3000rpm
Drilling capacity: steel: 6mm wood: 20mm

AVAILABLE QTY: 10 PCS Carton size: 47.5x34.5x22cm

230V 230-240V 400W 0-3000 F R 6mm

FED400101



DESCRIPTION
ELECTRIC DRILL
220-240V-50/60Hz
Power: 400W
Chuck capacity: Φ 10mm
No load speed: 0-3000rpm
Drilling capacity: steel: 10mm wood: 20mm

AVAILABLE QTY: 10 PCS Carton size: 47.5x34.5x22cm

230V 230-240V 400W 0-3000 F R 10mm

FED55002



DESCRIPTION
ELECTRIC DRILL
220-240V-50/60Hz
Power: 550W
Chuck capacity: 10mm
No load speed: 0-3000rpm
Drilling capacity: steel: 10mm wood: 20mm

AVAILABLE QTY: 10 PCS Carton size: 49x40x26cm

230V 230-240V 550W 0-3000 F R 10mm

FID60002



DESCRIPTION
IMPACT DRILL
220-240V-50/60Hz
Power: 600W
Chuck capacity: Φ 13mm
No load speed: 0-3000rpm
Impact rate: 0-4800bpm
Drilling capacity: steel: 13mm concrete: 13mm wood: 25mm

AVAILABLE QTY: 10 PCS Carton size: 47.5x34.5x22cm

230V 230-240V 600W 0-3000 0-4800 F R 13mm

FID60003



DESCRIPTION
IMPACT DRILL
220-240V-50/60Hz
Power: 600W
Chuck capacity: Φ 13mm
No load speed: 0-2600rpm
Impact rate: 0-41500bpm
Drilling capacity: steel: 13mm concrete: 13mm wood: 25mm

AVAILABLE QTY: 10 PCS Carton size: 43x40x26cm

230V 230-240V 600W 0-2600 0-41500 F R 13mm

FID600K50



DESCRIPTION
IMPACT DRILL
220-240V-50/60Hz
Power: 600W
Chuck capacity: Φ 13mm
No load speed: 0-2600rpm
Impact rate: 0-41500bpm
Drilling capacity: steel: 13mm concrete: 13mm wood: 25mm

AVAILABLE QTY: 4-SET Carton size: 48.5x36.5x34cm

230V 230-240V 600W 0-2600 0-41500 F R 13mm

FID75001



DESCRIPTION
IMPACT DRILL
Power:750W
Chuck capacity:Φ 13mm
No load speed:0-3000rpm
Impact rate:0-48000bpm
Drilling capacity:
steel:13mm
concrete:13mm
wood:25mm

AVAILABLE



FID80002



DESCRIPTION
IMPACT DRILL
220-240V-50/60Hz
Power:800W
Chuck capacity:Φ 13mm
No load speed:0-3000rpm
Impact rate:0-48000bpm
Drilling capacity:
steel:13mm
concrete:13mm
wood:25mm

AVAILABLE



FID85001



DESCRIPTION
IMPACT DRILL
220-240V-50/60Hz
Power:850W
Chuck capacity:Φ 13mm
No load speed:0-3000rpm
Impact rate:0-48000bpm

AVAILABLE



FID10501



DESCRIPTION
IMPACT DRILL
220-240V-50/60Hz
Power:1050W
Chuck capacity:Φ 13mm
No load speed:
0-1100/0-2800rpm
Impact rate:0-17600/0-48000bpm
Drilling capacity:
steel:13mm
concrete:20mm
wood:30mm

AVAILABLE



FEIW500



DESCRIPTION
Impact wrench
220-240V-50/60Hz
Power:710W
No load speed: 3300RPM
Max Torque:500NM
1/2" square connector

AVAILABLE



FEIW11001



DESCRIPTION
IMPACT WRENCH
220-240V-50/60Hz
Power:1100W
Chuck capacity:1/2"
No load speed:2200rpm
Max torque:450N.m
Socket:
17/19/21/22mm

AVAILABLE




FRH50001



DESCRIPTION
ROTARY HAMMER
220-240V-50/60Hz
Power:500W
No load speed:0-1000rpm
Impact rate:0-3900bpm
Impact Joules:1.5J
Drilling capacity:
steel:13mm
concrete:20mm
wood:30mm

AVAILABLE



FRH80001



DESCRIPTION
ROTARY HAMMER
220-240V-50/60Hz
Power:800W
No load speed:0-1100rpm
Impact rate:0-4000bpm
Impact Joules:3J
Drilling capacity:
steel:13mm
concrete:26mm
wood:30mm

AVAILABLE



FRH80001-2



DESCRIPTION
ROTARY HAMMER
220-240V-50/60Hz
Power:800W
No load speed:0-1100rpm
Impact rate:0-4000bpm
Impact Joules:3J
Drilling capacity:
steel:13mm
concrete:26mm
wood:30mm

AVAILABLE



FRH85001



DESCRIPTION
ROTARY HAMMER
220-240V-50/60Hz
Power:850W
No load speed:0-1300rpm
Impact rate:0-5100bpm
Impact Joules:3.2J
Drilling capacity:
steel:13mm
concrete:28mm
wood:30mm

AVAILABLE




FRH90001



DESCRIPTION
ROTARY HAMMER
220-240V-50/60Hz
Power:900W
No load speed:850rpm
Impact rate:4200bpm
Impact Joules:5J
Drilling capacity:
steel:13mm
concrete:26mm
wood:42mm

AVAILABLE



FRH281050



DESCRIPTION
ROTARY HAMMER
220-240V-50/60Hz
Power:1050W
No load speed:770rpm
Impact rate:4200bpm
Impact Joules:4.5J
Drilling capacity:
concrete:28mm
wood:45mm

AVAILABLE



FRH321500



DESCRIPTION
ROTARY HAMMER
220-240V-50/60Hz
Power:1500W
No load speed:780rpm
Impact rate:6300bpm
Impact Joules:5.5J
Drilling capacity:
concrete:32mm
wood:50mm



AVAILABLE



FRH401250



DESCRIPTION
ROTARY HAMMER
Power:1250W
Chuck:SDS-MAX
No load speed:
150-500rpm
Impact rate:
1500-3700bpm
Impact Joules:9.0J



AVAILABLE



FDH130135



DESCRIPTION
DEMOLITION BREAKER
220-240V-50/60Hz
Power:1300W
Chuck:17mm HEX
Max impact rate:3850bpm
Impact Joules:19J



AVAILABLE



FRH3616000



DESCRIPTION
ROTARY HAMMER
Power:1600W
Chuck:SDS-PLUS
No load speed:
50-950rpm
Impact rate:
1500-4500bpm
Impact Joules:10.0J



AVAILABLE



FDH110130

DESCRIPTION
DEMOLITION BREAKER
220-240V-50/60Hz
Power:1100W
Chuck:17mm HEX
Max Impact rate:3800bpm
Impact Joules:13J
Cylinder size:30mm



AVAILABLE



FDH18001



DESCRIPTION
DEMOLITION BREAKER
220-240V-50/60Hz
Power:1800W
Max Impact rate:
1000-1900bpm
Impact Joules:25J



AVAILABLE



FDH150145

DESCRIPTION
DEMOLITION BREAKER
220-240V-50/60Hz
Power:1500W
Chuck:30mm HEX
Max Impact rate:1800bpm
Impact Joules:55J
Cylinder size:45mm




AVAILABLE



FDH170145

DESCRIPTION
DEMOLITION BREAKER
220-240V-50/60Hz
Power:1700W
Chuck:30mm HEX
Max Impact rate:1900bpm
Impact Joules:68J
Cylinder size:45mm



AVAILABLE



FDH20003

DESCRIPTION
DEMOLITION BREAKER
220-240V-50/60Hz
Power:2000W
Chuck:28mm HEX
Max Impact rate:1300bpm
Impact Joules:90J



AVAILABLE



FDH1500M

DESCRIPTION
DEMOLITION BREAKER
220-240V-50/60Hz
Power:1500W
Chuck:SDS MAX
Max impact rate:900-2100bpm
Impact Joules:9-25J



AVAILABLE



FDH190065

DESCRIPTION
DEMOLITION BREAKER
Power:1900W
Chuck:30mm HEX
Max impact rate:2200BPM
Impact Joules:75J




AVAILABLE



FAG7001001

DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:700W
No-Load speed:11000 rpm
Diameter:φ 100 mm
Thread of grinder spindle:M10



AVAILABLE



FAG750100/FAG750115



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:750 W
No-Load speed:11000 rpm
Diameter:Φ 100/115 mm
Thread of grinder spindle:M10/M14

AVAILABLE




FAG750100R



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:750 W
No-Load speed:11000 rpm
Diameter:Φ 100 mm
Thread of grinder spindle:M10

110V-60Hz AVAILABLE




FAG900100/FAG900115/FAG900125



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:900 W
No-Load speed:11000 rpm
Diameter:Φ 100/115/125 mm
Thread of grinder spindle:M10/M14

10-13-15-125mm AVAILABLE



FAG900100V/FAG900115V/FAG900125V



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:900 W
No-Load speed:3800-11000 rpm
Diameter:Φ 100/115/125 mm
Thread of grinder spindle:M10/M14

VARIABLE SPEED

10-13-15-125mm AVAILABLE




FAG900100R



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:900 W
No-Load speed:11000 rpm
Diameter:Φ 100 mm
Thread of grinder spindle:M10

10-13-15-125mm AVAILABLE




FAG11507



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:1050W
No-Load speed:12000rpm
Diameter:Φ 115mm
Thread of grinder spindle:M14

10-13-15-125mm AVAILABLE




FAG11507V



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:1050W
No-Load speed:4000-12000rpm
Diameter:Φ 115mm
Thread of grinder spindle:M14

VARIABLE SPEED

10-13-15-125mm AVAILABLE




FAG12504V



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:1200W
No-Load speed:4000-12000rpm
Diameter:Φ 125mm
Thread of grinder spindle:M14

VARIABLE SPEED

AVAILABLE




FAG12504



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:1200W
No-Load speed:12000rpm
Diameter:Φ 125mm
Thread of grinder spindle:M14

10-13-15-125mm AVAILABLE




FAG18005



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:1800W
No-Load speed:8000rpm
Diameter:Φ 180mm
Thread of grinder spindle:M14

AVAILABLE




FAG18004



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:2000W
No-Load speed:8500rpm
Diameter:Φ 180mm
Thread of grinder spindle:M14

10-13-15-125mm AVAILABLE




FAG23004



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:2000W
No-Load speed:6500rpm
Diameter:Φ 230mm
Thread of grinder spindle:M14

10-13-15-125mm AVAILABLE



FAG18002

DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:2350W
No-Load speed:8000rpm
Diameter:Φ180mm
Thread of grinder spindle:M14



AVAILABLE QTY:2 PCS Carton size:48x27x17cm

FAG23002

DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:2350W
No-Load speed:6000rpm
Diameter:Φ230mm
Thread of grinder spindle:M14



AVAILABLE QTY:2 PCS Carton size:48x27x17cm

FMG13501

DESCRIPTION
MINI GRINDER
220-240V-50/60Hz
Power:135W
No-Load speed:
10000-32000rpm
Dia.of chuck:Φ3.2mm



AVAILABLE QTY:12 PCS Carton size:45x19x33.5cm

FMG17001

DESCRIPTION
MINI GRINDER
220-240V-50/60Hz
Power:170W
No-Load speed:
8000-35000rpm
Dia.of chuck:Φ3.2mm



AVAILABLE QTY:12 PCS Carton size:45x19x33.5cm

FSG40001

DESCRIPTION
STRAIGHT GRINDER
220-240V-50/60Hz
Power:400W
Collect:6mm
No load speed:15000-26000rpm
Anti-slip handle



AVAILABLE QTY:12 PCS Carton size:47x48x17cm

FSG75001

DESCRIPTION
STRAIGHT GRINDER
220-240V-50/60Hz
Power:750W
Collect:6mm
No load speed:7000-30000rpm
Slide switch
Anti-slip handle



AVAILABLE QTY:4 PCS Carton size:48x27x17cm

FCP24001

DESCRIPTION
CAR POLISHER
220-240V-50/60Hz
Power:110W
No Load speed:3000rpm
Pad size:Φ240mm



AVAILABLE QTY:4PCS Carton size:52x28x48cm

FPO1400180

DESCRIPTION
POLISHER
220-240V-50/60Hz
Power:1400W
No-Load speed:
800-3300rpm
Diameter:Φ180mm
Soft start



AVAILABLE QTY:4 PCS Carton size:51x27x48cm

FEV80001

DESCRIPTION
Concrete Vibrator
220-240V-50/60Hz
Power: 800 W
No-load speed: 4200 rpm
Max: Φ35 mm
Net weight:1.8 kgs



AVAILABLE QTY:10 PCS Carton size:49x31x36cm

FEV12001

DESCRIPTION
Concrete Vibrator
220-240V-50/60Hz
Power: 1200 W
No-load speed: 4600 rpm
Max: Φ50mm
Net weight:2.1 kgs



AVAILABLE QTY:10 PCS Carton size:48x33.5x36cm

FEV12002

DESCRIPTION
Concrete Vibrator
220-240V-50/60Hz
Power: 1200 W
No-load speed: 4200 rpm
Max: Φ50 mm
Net weight:2.1 kgs



AVAILABLE QTY:4 PCS Carton size:33x28x48cm

FWC110040

DESCRIPTION
WALL CHASEL
Power:1100W
Grooving depth: 35mm
Grooving width: 35mm
5M Cable
BMC+Color sleeve



AVAILABLE QTY:2 PCS Carton size:48x48x30.5cm

FVS35150

DESCRIPTION
Concrete vibrator shaft
size: $\phi 35\text{mm} \times 1.5\text{m}$



QTY: 10 PCS
Carton size: 1.5m x 1.5cm

FMX16002

DESCRIPTION
ELECTRIC MIXER
220-240V-50/60Hz
Power: 1600W
No-Load speed: 250-500/400-800rpm
Diameter: $\phi 160\text{mm}$
Maximum stirring capacity: 85L



AVAILABLE



FRS12502

DESCRIPTION
RANDOM ORBIT SANDER
220-240V-50/60Hz
Power: 350W
No-Load speed: 6000-13000 OPM
Pad size: $\phi 125\text{mm}$



AVAILABLE



FRS12501

DESCRIPTION
RANDOM ORBIT SANDER
220-240V-50/60Hz
Power: 450W
No-Load speed: 6000-12500 OPM
Pad size: $\phi 125\text{mm}$



AVAILABLE



FDS08001L

150/180/240Grit x2pcs

DESCRIPTION
DRYWALL SANDER
220-240V-50/60Hz
Power: 800W
No-Load speed: 1200-2300rpm
Diameter: $\phi 180\text{mm}$
With LED working light



AVAILABLE



FDS08002L

60/80/120/150/180/240Grit

DESCRIPTION
DRYWALL SANDER
220-240V-50/60Hz
Power: 800W
No-Load speed: 900-1800rpm
Diameter: $\phi 215\text{mm}$
With LED working light



AVAILABLE



FPS24002

DESCRIPTION
PALM SANDER
220-240V-50/60Hz
Power: 240W
No load speed: 14000opm
Sanding plate dimensions: 110x100mm



AVAILABLE



FBS90001

DESCRIPTION
BELT SANDER
220-240V-50/60Hz
Power: 900W
Sanding speed:
120-380m/min
Sanding size:
76x533mm



AVAILABLE



FMT30001

DESCRIPTION
MULTI-TOOL
220-240V-50/60Hz
Power: 300W
Oscillating degree: 3.0°
No load speed: 15000-22000 opm
Variable speed control: 6 speed



AVAILABLE



FFS22001

DESCRIPTION
PALM SANDER
220-240V-50/60Hz
Power: 220W
No load speed: 6000-12000min⁻¹
Sanding plate dimensions: 187x90mm



AVAILABLE



FBS12001

DESCRIPTION
BELT SANDER
220-240V-50/60Hz
Power: 1200W
Sanding speed: 500m/min
Sanding size: 100x610mm



AVAILABLE



FPL550821

DESCRIPTION
ELECTRIC PLANNER
220-240V-50/60Hz
Power: 550W
Planing speed: 15800rpm
Planing depth: 0-1.0mm
Planing width: max: 92mm
Aluminum base



AVAILABLE



FPL60001



DESCRIPTION
ELECTRIC PLANER
220-240V-50/60Hz
Power:600W
Planing speed:16700rpm
Planing depth:0-1.0mm
Planing width,max:82mm
Aluminum base

AVAILABLE



FPL90001



DESCRIPTION
ELECTRIC PLANER
220-240V-50/60Hz
Power:900W
Planing speed:14500rpm
Planing depth:0-3mm
Planing width,max:82mm
Aluminum base

AVAILABLE



FCS1851201



DESCRIPTION
CIRCULAR SAW
220-240V-50/60Hz
Power:1200W
Blade size:185mm
No Load speed:5000rpm
Bevel cut:0-45°
Cutting capacity:
90°:61mm
45°:42mm

AVAILABLE




FCS18515001



DESCRIPTION
CIRCULAR SAW
220-240V-50/60Hz
Power:1500W
No Load speed:5500rpm
Bevel cut:0-45°
Cutting capacity:
90°:61mm
45°:42mm

AVAILABLE



FLT55002



DESCRIPTION
LAMINATE TRIMMER
220-240V-50/60Hz
Power:550W
No-Load speed:28000rpm
Milling cutter diameter:φ6mm & 1/4"

AVAILABLE




FRT18002



DESCRIPTION
ROUTER
220-240V-50/60Hz
Power:1800W
No load speed:23000rpm
Diameter of collet:12/8/6mm
Plunge:0-50mm
With constant power
Soft start

AVAILABLE



FCS2352201



DESCRIPTION
CIRCULAR SAW
220-240V-50/60Hz
Power:2200W
No Load speed:4200rpm
Bevel cut:0-45°
Cutting capacity:
90°:80mm
45°:55mm

AVAILABLE




FRS10501



DESCRIPTION
RECIPROCATING SAW
220-240V-50/60Hz
Power:1050W
Stroke length:28mm
No load speed:0-2500SPM
Bevel cut:0-45°
Cutting capacity:150mm

AVAILABLE



FRT2000121



DESCRIPTION
ROUTER
220-240V-50/60Hz
Power:2000W
No load speed:12,000-22,000rpm
Diameter of collet:12mm
Plunge:0-50mm
With Soft start

AVAILABLE




FCS16501



DESCRIPTION
TRACK CIRCULAR SAW
220-240V-50/60Hz
Power:1200W
Blade size:165mm
No Load speed:5200rpm
Bevel cut:0-45°
Cutting capacity:
Depth of cut 90°with track: 52mm
Depth of cut 90°without track: 57mm
Depth of cut 45°with track: 37mm
Depth of cut 45°without track: 46mm

AVAILABLE




FJS55001



DESCRIPTION
JIG SAW
220-240V-50/60Hz
Power:550W
Stroke length:26mm
No load speed:500-2700SPM
Bevel cut:0-45°
Orbital setting:4 sections
Cutting capacity:
wood:110mm
steel:10mm

AVAILABLE




FJS60001



DESCRIPTION
JIG SAW
220-240V-50/60Hz
Power:600W
Stroke length:18mm
No load speed:800-3000SPM
Bevel cut:0-45°
Orbital setting:4 sections
Cutting capacity:
wood:65mm
metal:8mm

AVAILABLE



FJS85001

DESCRIPTION

JIG SAW
220-240V-50/60Hz
Power:850W
Stroke length:20mm
No load speed:800-3000SPM
Bevel cut:0-45°
Orbital setting:4 sections
Cutting capacity:
wood:100mm
metal:10mm



10-13V-200W AVAILABLE
QTY: 5 PCS
Carton size: 448x273x241mm

FMC12401

DESCRIPTION

MARBLE CUTTER
220-240V-50/60Hz
Power:1240W
No load speed:13000rpm
Blade size:Φ110mm
Cutting capacity:34mm



AVAILABLE
QTY: 10 PCS
Carton size: 644x412x177mm

FMC13003

DESCRIPTION

MARBLE CUTTER
220-240V-50/60Hz
Power:1300W
No load speed:13000rpm
Bevel cut:0-45°
Blade size:Φ110mm
Cutting capacity:31mm



10-13V-200W AVAILABLE
QTY: 4 PCS
Carton size: 448x323x206mm

FMC14501

DESCRIPTION

MARBLE CUTTER
220-240V-50/60Hz
Power:1450W
No load speed:13000rpm
Bevel cut:0-45°
Blade size:Φ110mm
Cutting capacity:32.5mm



10-13V-200W AVAILABLE
QTY: 4 PCS
Carton size: 448x323x206mm

FHG15002

DESCRIPTION

HEAT GUN
220-240V-50/60Hz
Power:1500W
Temperature & air flow
I:50°C-400°C 300L/min
II:90°C-550°C 500L/min



10-13V-200W AVAILABLE
QTY: 5 PCS
Carton size: 471x420x280mm

FHG16001/FHG20004

DESCRIPTION

HEAT GUN
100-120V-50/60Hz
Power:1600W
220-240V-50/60Hz
Power:2000W
Temperature & air flow
I:350°C 300L/min
II:600°C 500L/min



10-13V-200W AVAILABLE
QTY: 10 PCS
Carton size: 448x412x177mm

FHG16002/FHG20005

DESCRIPTION

HEAT GUN
100-120V-50/60Hz
Power:1600W
220-240V-50/60Hz
Power:2000W
Temperature & air flow
I:60-350°C 300L/min
II:60-600°C 550L/min



10-13V-200W AVAILABLE
QTY: 10 PCS
Carton size: 448x412x177mm

FHESI030

DESCRIPTION

Electric soldering iron
220-240V-50/60Hz
Power:30W
Provided with special dual-construction
Dual insulation construction
Long life welding head



10-13V-200W AVAILABLE
QTY: 6PCS
Carton size: 132x42x100mm

FIS150/FIS200

DESCRIPTION

Hand impulse sealer
220-240V-50/60Hz
Power:160W/210W
Max seal length:150mm/200mm
Max seal width:2mm
Heating time:0.2-1.5s



10-13V-200W AVAILABLE
QTY: 10 PCS
Carton size: 448x273x241mm

FIS250/FIS300

DESCRIPTION

Hand impulse sealer
220-240V-50/60Hz
Power:310W/300W
Max seal length:250mm/300mm
Max seal width:2mm
Heating time:0.2-1.5s



10-13V-200W AVAILABLE
QTY: 10 PCS
Carton size: 448x273x241mm

FGG08001

DESCRIPTION

Glue gun
220-240V-50/60Hz
Power:80W
Preheat time :5-7min
Flow of glue :14-16g/min
Glue stick D.M 11.2mm
With 2PCS Glue stick



10-13V-200W AVAILABLE
QTY: 10 PCS
Carton size: 448x273x241mm

FBL45001

DESCRIPTION

PORTABLE BLOWER
220-240V-50/60Hz
Power:450W
No-load speed:14000rpm
Air volume:2.7m³/min



10-13V-200W AVAILABLE
QTY: 6PCS
Carton size: 448x273x241mm

FBL65001

DESCRIPTION
PORTABLE BLOWER
220-240V-50/60Hz
Power:650W
No-load speed:6000-16000rpm
Air volume:4.0m³/min



AVAILABLE

QTY: 6 PCS
Carton size: 44.5x25x38cm

450W 220-240V ~50/60Hz 6000-16000rpm 40 m³/min

FSG08001

DESCRIPTION
ELECTRIC SPRAYER
220-240V-50/60Hz
Power:80W
Water flow rate:250ml/min
Max. spraying pressure:140Bar
Max. viscosity:35DIN-s
Nozzle:0.8mm
Container Capacity:700ml



AVAILABLE

QTY: 4 PCS
Carton size: 33x27.5x28cm

80W 220-240V ~50/60Hz 250 ml/min 140 Bar 35 DIN-s 0.8mm

FET22532

DESCRIPTION
ELECTRIC TACKER
220-240V-50/60Hz
Rated current:9A
Rated firing speed:20pcs/min
Staple:TYPE 600,L=15-25mm
Nail size:TYPE F.L=15-32mm



AVAILABLE

QTY: 4 PCS
Carton size: 34.5x25cm

9A 220-240V ~50/60Hz 20 pcs/min 15-25mm 15-32mm

FPWM1500

DESCRIPTION
PIPE WELDING MACHINE
220-240V-50/60Hz 1500W
Controlling Temperature: 0-300 °C
Temperature rising time: < 15 min
Weight: 1.6 Kg
Protection class: I



AVAILABLE

QTY: 4 PCS
Carton size: 42.5x37.5x34cm

1500W 220-240V ~50/60Hz 0-300°C <15min 1.6kg

FSPG40001

DESCRIPTION
ELECTRIC SPRAYER
220-240V-50/60Hz
Power:400W
Water flow rate:700ml/min
Max. spraying pressure:140Bar
Max. viscosity:35DIN-s
Nozzle:2.5mm
Container Capacity:800ml



AVAILABLE

QTY: 10 PCS
Carton size: 46x43x32cm

400W 220-240V ~50/60Hz 700 ml/min 140 Bar 35 DIN-s 2.5mm

FSG6301

DESCRIPTION
ELECTRIC SPRAYER
Power:630W
Water flow rate:950ml/min
Max. spraying pressure:20 Kpa
Max. viscosity:120 DIN-s
Nozzle:2.2mm
Container Capacity:1200mL



AVAILABLE

QTY: 4 PCS
Carton size: 68.5x43.5x43cm

630W 220-240V ~50/60Hz 950 ml/min 20 Kpa 120 DIN-s 2.2mm

FMS21002

DESCRIPTION
MITRE SAW
220-240V-50/60Hz
Power:1500W
Blade size:Φ210mm
No load speed:5000rpm
Mitre table angles: -45° - +45°
Bevel angles:0-45°
Cutting capacity:
0°/0°: 120x55mm 45°/0°: 83x55mm
0°/45°: 120x30mm 45°/45°: 83x30mm
Aluminum base



AVAILABLE

QTY: 1 PCS
Carton size: 56x40x38cm

1500W 220-240V ~50/60Hz 5000rpm -45° +45° 0-45° 120x55mm 83x55mm 120x30mm 83x30mm Alu

FMS21003

DESCRIPTION
MITRE SAW
220-240V-50/60Hz
Power:1500W
Blade size: Φ210mm
No load speed:5000rpm
Mitre table angles: -45° - +45°
Bevel angles:0-45°
Cutting capacity:
0°/0°: 120x55mm 45°/0°: 83x55mm
0°/45°: 120x30mm 45°/45°: 83x30mm
Aluminum base



AVAILABLE

QTY: 1 PCS
Carton size: 56x40x38cm

1500W 220-240V ~50/60Hz 5000rpm -45° +45° 0-45° 120x55mm 83x55mm 120x30mm 83x30mm Alu

FSG8002

DESCRIPTION
ELECTRIC SPRAYER
220-240V-50/60Hz
Power:800W
Water flow rate:1100ml/min
Air Pressure:0.1-0.3Bar
Max. viscosity:70DIN-s
Nozzle:Φ2.5mm
Container Capacity:1200ml



AVAILABLE

QTY: 4 PCS
Carton size: 57x48x27cm

800W 220-240V ~50/60Hz 1100 ml/min 0.1-0.3 Bar 70 DIN-s 2.5mm

FET21415

DESCRIPTION
ELECTRIC TACKER
220-240V-50/60Hz
Rated current:5A
Rated firing speed:20pcs/min
Staple:TYPE 53,L=8-16mm
Nail size:TYPE F,L=15-16mm



AVAILABLE

QTY: 10 PCS
Carton size: 41.5x41.5x29cm

5A 220-240V ~50/60Hz 20 pcs/min 8-16mm 15-16mm

FMS25501

DESCRIPTION
MITRE SAW
220-240V-50/60Hz
Power:1600W
Blade size:Φ255mm
No load speed:5000rpm
Mitre table angles: -45° - +45°
Bevel angles:0-45°
Cutting capacity:
0°/0°: 140x65mm 45°/0°: 90x65mm
0°/45°: 140x38mm 45°/45°: 90x38mm
Aluminum base



AVAILABLE

QTY: 1 PCS
Carton size: 65x45x38cm

1600W 220-240V ~50/60Hz 5000rpm -45° +45° 0-45° 140x65mm 90x65mm 140x38mm 90x38mm Alu

FMS25502

DESCRIPTION
MITRE SAW
220-240V-50/60Hz
Power:1800W
Blade size: Φ255mm
No load speed:5000rpm
Mitre table angles: -45° - +45°
Double Bevel angles:
45°(left) to 45°(right)
Cutting capacity:
0°/0°: 305x90mm 45°/0°: 215x90mm
0°/45°: 305x38mm 45°/45°: 215x38mm
Aluminum base



AVAILABLE

QTY: 1 PCS
Carton size: 75x50x37cm

1800W 220-240V ~50/60Hz 5000rpm -45° +45° 45°(left) to 45°(right) 305x90mm 215x90mm 305x38mm 215x38mm Alu

FMS25503

DESCRIPTION
MITRE SAW
 220-240V-50/60Hz
 Power:2000W
 Blade size: ϕ 255mm
 No load speed:5000rpm
 Mitre table angles: -45° - +45°
 Bevel angles:0-45°
 Cutting capacity:
 0°/0° :140x35mm 45°/0° : 35x140mm
 0°/45° :100x35mm 45°/45° : 35x100mm
 Aluminum base



IN STOCK AVAILABLE

QTY: 1 PCS
Carton size: 544x410x300mm

FTS18001

DESCRIPTION
TABLE SAW
 220-240V-50/60Hz
 Power:1800W
 Blade size: ϕ 250x ϕ 30mmx24T
 No load speed:5000rpm
 Mitre table angles: 0° - 45°
 Cutting capacity:
 45° : 65mm
 90° : 85mm
 Table size:642x487mm



IN STOCK AVAILABLE

QTY: 1 PCS
Carton size: 745x502x250mm

FBS3502001

DESCRIPTION
BAND SAW
 220-240V-50Hz
 Power:350W
 No Load speed:1400rpm
 Max cutting height: 80mm
 Max cutting width: 200mm



IN STOCK AVAILABLE

QTY: 1 PCS
Carton size: 544x410x300mm

FPT162001

DESCRIPTION
JOINTER&PLANER
 220-240V-50Hz
 Power:1600W
 Knife shaft speed: 8000 r/min
 Feed Speed:6m/min
 Max planing width: 8"/204mm
 Planing depth:0-3mm
 Planing height:6-120mm



IN STOCK AVAILABLE

QTY: 1 PCS
Carton size: 844x544x300mm

FTP20001

DESCRIPTION
THICKNESS PLANER
 220-240V-50Hz
 Power:2000W
 Knife shaft speed: 8000 min⁻¹
 Feed Speed:6m/min
 Max planing width: 13"/330mm
 Planing depth:0-3mm
 Planing height:6-160mm



IN STOCK AVAILABLE

QTY: 1 PCS
Carton size: 670x564x350mm

FBG12501

DESCRIPTION
BENCH GRINDER
 220-240V-50/60Hz
 Power:150W
 No-load speed:
 2950rpm at 50Hz
 3450rpm at 60Hz
 Wheel Size:
 ϕ 125mm(5")x16x ϕ 12.7mm



AVAILABLE

QTY: 2 PCS
Carton size: 440x310x220mm

FBG15001

DESCRIPTION
BENCH GRINDER
 220-240V-50/60Hz
 Power:150W
 No-load speed:
 2950rpm at 50Hz
 3450rpm at 60Hz
 Wheel Size:
 ϕ 150mm(6")x16x ϕ 12.7mm



IN STOCK AVAILABLE

QTY: 2 PCS
Carton size: 440x310x220mm

FBG20001

DESCRIPTION
BENCH GRINDER
 220-240V-50/60Hz
 Power:350W
 No-load speed:
 2950rpm at 50Hz
 3450rpm at 60Hz
 Wheel Size:
 ϕ 200mm(8")x20x ϕ 16mm



AVAILABLE

QTY: 2 PCS
Carton size: 540x444x310mm

FC035507

DESCRIPTION
CUT OFF SAW
 220-240V-50/60Hz
 Power:2000W
 No load speed:3900rpm
 Cutting disc size: ϕ 355mm(14")
 Max cutting capacity:
 Round pipe: ϕ 105mm
 Square: 110x110mm
 Rectangle: 110x120mm



IN STOCK AVAILABLE

QTY: 10 PCS
Carton size: 544x410x300mm

FC035506

DESCRIPTION
CUT OFF SAW
 220-240V-50/60Hz
 Power:2400W
 No load speed:4100rpm
 Cutting disc size: ϕ 355mm(14")
 Max cutting capacity:
 Round pipe: ϕ 115mm
 Square: 119x119mm
 Rectangle: 110x120mm



IN STOCK AVAILABLE

QTY: 10 PCS
Carton size: 544x410x300mm

FC02635501

DESCRIPTION
CUT OFF SAW
 220-240V-50/60Hz
 Power:2600W
 No load speed:3900rpm
 Cutting disc size: ϕ 355mm(14")
 Max cutting capacity:
 Round pipe: ϕ 115mm
 Square: 119x119mm
 Rectangle: 137x100mm



IN STOCK AVAILABLE

QTY: 10 PCS
Carton size: 544x410x300mm

FDP35002

DESCRIPTION
DRILL PRESS
 220-240V-50/60Hz
 Power:350W
 Chuck capacity: ϕ 1.5-13mm
 Spindle travel:50mm
 Column diameter: ϕ 46mm
 Spindle speed:5speed:620-2620rpm
 Distance spindle/Column:105mm
 Distance spindle/Table:220mm
 Distance spindle/Base:300mm
 Table size: 160x160mm
 Base size:300x195mm



IN STOCK AVAILABLE

QTY: 1 PCS
Carton size: 440x310x220mm

FDP55016

DESCRIPTION

DRILL PRESS
220-240V-50/60Hz
Power:550W
Chuck capacity:Φ16mm
Spindle travel:80mm
Column diameter:Φ72mm
Spindle speed:16speed:
50Hz:180-2770rpm
60Hz:220-3320rpm
Distance spindle/Column:105mm
Distance spindle/Table:450mm
Distance spindle/Base:630mm
Table size:290x290mm
Base size:420x250mm



AVAILABLE



FDP75001

DESCRIPTION

DRILL PRESS
220-240V-50/60Hz
Power:750W
Chuck capacity:Φ20mm
Spindle travel:80mm
Column diameter:Φ72
Spindle speed:50Hz:180-2770RPM
60Hz:220-3320RPM
Distance spindle/Column:162.5mm
Distance spindle/Table:725mm
Distance spindle/Base:1205mm
Table size:250X250mm
Base size:460X270mm



AVAILABLE



FCB150

DESCRIPTION

CAR BATTERY CHARGER
Input voltage (V) 100-120V/220-240V
Input frequency (Hz) 50/60Hz
Charging voltage (V) 6V/12V
Rated current (A) 6
Rated capacity (W) 115
Insulation class H
Weight 3.2



AVAILABLE



FCB160

DESCRIPTION

CAR BATTERY CHARGER
Input voltage (V) 100-120V/220-240V
Input frequency (Hz) 50/60Hz
Charging voltage (V) 12V/24V
Rated current (A) 9/7
Rated capacity (W) 216/249
Insulation class H
Weight 6.5



AVAILABLE



FCD220

DESCRIPTION

CAR BATTERY CHARGER
Input voltage (V) 100-120V/220-240V
Input frequency (Hz) 50/60Hz
Charging voltage (V) 12V/24V
Rated current (A) 23/21
Rated capacity (W) 400/700
Insulation class H
Weight 14



AVAILABLE



- Digital Display
- Multiple Protection
- Easy to use & Simple to connect
- Suitable for All Kind of Vehicles

FAJS1751

DESCRIPTION

AUTOMOBILE JUMP STARTER
12V/17Ah
• JUMP START
• AIR COMPRESSOR
• LED WORKLIGHT
• USB CHARGER
• 12V DC PLUG



FHPW1002

DESCRIPTION
HIGH PRESSURE WASHER
220-240V-50/60Hz
Power:1500W
Max.pressure:100 Bar
Working pressure:65Bar
Max.rated flow:6L/min



INDUCTION MOTOR



AVAILABLE



FHPW1051

DESCRIPTION
HIGH PRESSURE WASHER
1200W
Max pressure:105bar
Max flow:6.0L/min

INDUCTION MOTOR



AVAILABLE



FHPW1202

DESCRIPTION
HIGH PRESSURE WASHER
1200W
Max pressure:120bar
Max flow:6.5L/min



AVAILABLE



FHPW1001

DESCRIPTION
HIGH PRESSURE WASHER
220-240V-50/60Hz 1600W
Pressure:70bar
Max.pressure:100bar
Flow:5 L/min
Max.flow:5.5L/min
IPX5



AVAILABLE



FHPW1201

DESCRIPTION
HIGH PRESSURE WASHER
220-240V-50/60Hz 1500W
Pressure:80bar
Max.pressure:120bar
Flow:5.5 L/min
Max.flow:6L/min
IPX5



AVAILABLE



FHPW1401

DESCRIPTION
HIGH PRESSURE WASHER
220-240V-50/60Hz 1800W
Pressure:100bar
Max.pressure:140bar
Flow:5.5 L/min
Max.flow:6.7L/min
IPX5



AVAILABLE



FHPW1601

DESCRIPTION
HIGH PRESSURE WASHER
220-240V-50/60Hz 2200W
Pressure:120bar
Max.pressure:160bar
Max.Flow:6.7 L/min(220V-240V)
Max.flow:8L/min(110V)
IPX5



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:38.5x22x19.5cm

FHPW1602

DESCRIPTION
HIGH PRESSURE WASHER
2000W
Max pressure:160bar
Max flow:7.0L/min



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:44x33x16.5cm

FHPW1701

DESCRIPTION
HIGH PRESSURE WASHER
2000W
Max pressure:170bar
Max flow:7.0L/min



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:38.5x22x19.5cm

FCHS4003

DESCRIPTION
ELECTRIC CHAIN SAW
220-240V-50/60Hz
Rated Power:2400W
Bar Length:16"(400mm)
Chain Speed:15m/s
Brake Time: < 0.12s
Max Cutting Length:350mm
Engine oil tank:150ml
Quick replace blade function(SDS)
Hand guard+soft grip+low kickback



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:60.5x35x29.5cm

FGCS58181

DESCRIPTION
GASOLINE CHAIN SAW
Engine:1-Cylinder,
2-Stroke,Air-cooling
Displacement:58cc
Rated output power:2.4Kw
Relevant speed:Max.11,000
Oil/Fuel mixture ratio:1:25
Fuel tank capacity:550ml
Oil tank capacity:260ml
Bar size:18"(450mm)
Chain pitch:3/8"
Gauge:0.058"



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:54x19x19cm

FGCS62241

DESCRIPTION
GASOLINE CHAIN SAW
Engine:1-Cylinder,
2-Stroke,Air-cooling
Displacement:62cc
Rated output power:2.7Kw
Relevant speed:Max.11,000
Oil/Fuel mixture ratio:1:25
Fuel tank capacity:550ml
Oil tank capacity:260ml
Bar size:24"(600mm)
Chain pitch:3/8"
Gauge:0.050"



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:59x19x19cm

FBGL2601

3 in 1 Function

DESCRIPTION
Petrol Leaf Blower
Air-cooled, 2 Stroke
Single cylinder
Displacement:26cc
Power:0.75 kW
Rated Speed:7000 rpm
Air Speed:255 km/h
Air Volume: 650 m³/h
Vacuum bag :60 L



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:116x32x30cm

FGGT5201

DESCRIPTION
Petrol Brush Cutter
Engine:Air-cooled
2-stroke,single cylinder
Shaft Diameter:26mm
Length:150cm
Displacement:52cc
Rated output power:1.45kw
Fuel tank capacity:1200ml



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:116x32x30cm

FWM105160

DESCRIPTION
INVERTER WELDING MACHINE
110V/220V-50/60Hz
Rated Input Power:5.8Kw
Out put Current:20-105A (110V)
Out put Current:20-160A (220V)
No-load Voltage:62V
Duty Cycle 40°C:100%
Power Factor (cosφ):0.73
Protection Class:IP21S
Insulation Class:F
Efficiency:85%
Net weight:3.7kgs



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:47x37x29.5cm

FWM120200

DESCRIPTION
INVERTER WELDING MACHINE
110V/220V-50/60Hz
Rated Input Power:6.8Kw
Out put Current:20-120A (110V)
Out put Current:20-200A (220V)
No-load Voltage:62V
Duty Cycle 40°C:100%
Power Factor (cosφ):0.73
Protection Class:IP21S
Insulation Class:F
Efficiency:85%
Net weight:4.4kgs



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:48x37x30cm

FIWM20-140LCD

DESCRIPTION
INVERTER MMA WELDING MACHINE
220-240V-50/60Hz
Rated Input Power:6.2Kw
Input Current:28A
No-load Voltage:65V
Output Current:20-140A
Duty Cycle 40°C:30%
Power Factor (cosφ):0.93
Protection Class:IP21S
Insulation Class:F
Efficiency:85%
Net weight:2.68kgs



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:48x45x28.5cm

FIWM20-160LCD

DESCRIPTION
INVERTER MMA WELDING MACHINE
220-240V-50/60Hz
Rated Input Power:7Kw
Input Current:32A
No-load Voltage:65V
Output Current:20-160A
Duty Cycle 20°C:40%
Power Factor (cosφ):0.7
Protection Class:IP21S
Insulation Class:F
Efficiency:85%
Net weight:2.7kgs



10-15 MIN AVAILABLE

QTY:1PCS
Carton size:54x45x28.5cm

FIWM20-180LCD

DESCRIPTION
INVERTER MMA WELDING MACHINE
 220-240V-50/60Hz
 Rated Input Power:8.2Kw
 Input Current:37A
 No-load Voltage:65V
 Output Current:20-180A
 Duty Cycle 20°C:40%
 Power Factor (cosφ):0.7
 Protection Class:IP21S
 Insulation Class:F
 Efficiency:85%
 Net weight:2.7kgs



AVAILABLE

QTY: 1PCS
 Carton size: 46x46x46.5cm

FIWM30-200LCD

DESCRIPTION
INVERTER MMA WELDING MACHINE
 220-240V-50/60Hz
 Rated Input Power:9.3Kw
 Input Current:42A
 No-load Voltage:65V
 Output Current:30-200A
 Duty Cycle 20°C:40%
 Power Factor (cosφ):0.7
 Protection Class:IP21S
 Insulation Class:F
 Efficiency:85%
 Net weight:3.26kgs



AVAILABLE

QTY: 1PCS
 Carton size: 56x46x36.5cm

FWM300A

DESCRIPTION
INVERTER MMA WELDING MACHINE
 380V-50Hz
 No-load Voltage:68V
 Output Current:50-300A
 Duty Cycle :60%
 Power Factor (cosφ):0.93
 Protection Class:IP21S
 Insulation Class:F
 Efficiency:85%
 Net weight:19kgs



AVAILABLE

QTY: 1PCS
 Carton size: 60x46x46.5cm

3 Phase

FVC301

DESCRIPTION
VACUUM CLEANER WET/DRY
 220-240V-50/60Hz
 1200W 30L
 Max.suction:16-19Kpa
 Max.air flow:1.8m³/min
 Portection class:IPX0/IP24



AVAILABLE

QTY: 1PCS
 Carton size: 44.8x41.6x41.6cm

FVC302

DESCRIPTION
VACUUM CLEANER WET/DRY
 1400W 30L
 Max.suction:16-19Kpa
 Max.air flow:1.8m³/min
 Portection class:IP24
 Accesories:
 1pc 2m plastic hose
 1pc metal tubes
 1pc wet&dry floor brush
 1pc crevice nozzle
 1pc round brush



AVAILABLE

QTY: 1PCS
 Carton size: 38x36.5x46.5cm

FVC601

DESCRIPTION
VACUUM CLEANER WET/DRY
 220-240V-50/60Hz
 2x1200W 60L
 Max.suction:16-19Kpa
 Max.air flow:1.7m³/min
 Portection class:IPX0/IP24



AVAILABLE

QTY: 1PCS
 Carton size: 62x46x46cm

FVC602

DESCRIPTION
VACUUM CLEANER WET/DRY
 2000W 60L
 Max.suction:16-19Kpa
 Max.air flow:1.8m³/min
 Portection class:IP24
 Accesories:
 2pcs metal AB tubes
 2pcs floor brush (Dry and Wiper)
 1pc 2.5m plastic hose
 1pc crevice nozzle
 1pc round brush



AVAILABLE

QTY: 1PCS
 Carton size: 44.8x41.6x41.6cm

FVC751

DESCRIPTION
VACUUM CLEANER WET/DRY
 220-240V-50/60Hz
 2 x 1200W 75L
 Max.suction:16-19Kpa
 Max.air flow:1.7m³/min
 Portection class:IPX0/IP24



AVAILABLE

QTY: 1PCS
 Carton size: 62x46x46cm

FPP37001

DESCRIPTION
PERIPHERAL PUMP
 220-240V-50/60Hz
 Rated Power:0.5HP(370W)
 Pump lift:35M
 Suction height:8M
 Max.capacity:35L/min
 Inlet & outlet Inside Dia:
 φ25mm(1")



AVAILABLE

QTY: 4PCS
 Carton size: 29.5x29.5x29.5cm

FPP75001

DESCRIPTION
PERIPHERAL PUMP
 220-240V-50/60Hz
 Rated Power:1.0HP(750W)
 Pump lift:65M
 Suction height:8M
 Max.capacity:50 L/min
 Inlet & outlet inside Dia:
 φ25mm(1")



AVAILABLE

QTY: 3PCS
 Carton size: 33.5x18x45cm

FCP37001

DESCRIPTION
CENTRIFUGAL PUMP
 220-240V-50/60Hz
 Rated Power:0.5HP(370W)
 Pump lift:20M
 Suction height:8M
 Max.capacity:60L/min
 Inlet & outlet Inside Dia:
 φ25mm(1")



AVAILABLE

QTY: 4PCS
 Carton size: 29.5x29.5x29.5cm

FCP75001

DESCRIPTION
CENTRIFUGAL PUMP
 220-240V-50/60Hz
 Rated Power:1.0HP(750W)
 Pump lift:32M
 Suction height:8M
 Max.capacity:110 L/min
 Inlet & outlet inside Dia:
 φ25mm(1")



AVAILABLE

QTY: 3PCS
 Carton size: 33.5x27x46cm

FSLP1001

DESCRIPTION
 SELF-PRIMING
 ELECTRIC PUMP
 220-240V-50Hz
 Rated Power:1.0HP(750W)
 Pump lift:4.5M
 Suction height:9M
 Max.capacity:60 L/min
 Inlet & outlet inside Dia:
 Ø25mm(1")



AVAILABLE



FSP37001

DESCRIPTION
 SUBMERSIBLE PUMP
 220-240V-50Hz
 Rated Power:0.5HP(370W)
 Pump lift:17.5M
 Max.capacity:80L/min
 Inlet & outlet inside Dia:Ø 25mm(1")



AVAILABLE



FSP75001

DESCRIPTION
 SUBMERSIBLE PUMP
 220-240V-50Hz
 Rated Power:1HP(750W)
 Pump lift:32M
 Max.capacity:130L/min
 Inlet & outlet inside Dia:Ø 25mm(1")



AVAILABLE



FSPP37011

DESCRIPTION
 SELF-PRIMING
 PERIPHERAL PUMP
 220-240V-50Hz
 Rated Power:0.5HP(370W)
 Pump lift:32M
 Suction height:9M
 Max.capacity:40 L/min
 Inlet & outlet inside Dia:
 Ø25mm(1")



AVAILABLE



FPDP370P

DESCRIPTION
 SEWAGE SUBMERSIBLE PUMP
 220-240V-50Hz
 Rated Power:0.5HP(370W)
 Pump lift:6.5M
 Max.capacity:108 L/min
 Inlet & outlet inside Dia:
 Ø32mm(1-1/4")



AVAILABLE



FPDP750P


DESCRIPTION
 SEWAGE SUBMERSIBLE PUMP
 220-240V-50Hz
 Rated Power:1HP(750W)
 Pump lift:7M
 Max.capacity:133 L/min
 Inlet & outlet inside Dia:
 Ø32mm(1-1/4")



AVAILABLE




3" DEEP WELL PUMP



FDWP2503	1/2HP(75W)	1 PHASE 220V-50Hz	1.5m	45 L/min	1"	IP68
FDWP3703	0.5HP(370W)	1 PHASE 220V-50Hz	1.5m	45 L/min	1"	IP68
FDWP5503	0.75HP(550W)	1 PHASE 220V-50Hz	1.5m	45 L/min	1"	IP68

FDWP7503	1HP(750W)	1 PHASE 220V-50Hz	1.5m	45 L/min	1"	IP68
FDWP11003	1.5HP(1100W)	1 PHASE 220V-50Hz	1.5m	45 L/min	1"	IP68

4" DEEP WELL PUMP



FDWP3704	0.5HP(370W)	1 PHASE 220V-50Hz	1.25m	90 L/min	1.25"	IP68
FDWP5504	0.75HP(550W)	1 PHASE 220V-50Hz	1.25m	100 L/min	1.25"	IP68
FDWP7504	1HP(750W)	1 PHASE 220V-50Hz	1.25m	100 L/min	1.25"	IP68
FDWP11004	1.5HP(1100W)	1 PHASE 220V-50Hz	1.25m	100 L/min	1.25"	IP68

FDWP15004	2HP(1500W)	1 PHASE 220V-50Hz	1.25m	100 L/min	1.25"	IP68
FDWP7504A	1HP(750W)	1 PHASE 220V-50Hz	2"	180 L/min	2"	IP68
FDWP11004A	1.5HP(1100W)	1 PHASE 220V-50Hz	2"	180 L/min	2"	IP68
FDWP15004A	2HP(1500W)	1 PHASE 220V-50Hz	2"	180 L/min	2"	IP68

FAPC01



DESCRIPTION
Automatic pump control
220-240V-50Hz
Max: 10A
Max: 1.1kw
Max: 10bar
Max: 55°C

10-12V/60W AVAILABLE

QTY: 13 PCS
Carton size: 12x44x26cm

CE, A, IP65, 220-240V, 10A, 1.1kW, 10bar, 55°C

FAPC02



DESCRIPTION
Automatic pump control
220-240V-50Hz
Max: 10A
Max: 1.1kw
Max: 10bar
Max: 55°C

10-12V/60W AVAILABLE

QTY: 12 PCS
Carton size: 12x44x25cm

CE, A, IP65, 220-240V, 10A, 1.1kW, 10bar, 55°C

FGWP101/FGWP1501



DESCRIPTION
GASOLINE WATER PUMP
Rated Power: 2.5HP(1.8kW)
Pump lift: 12M
Suction height: 6M
Max. capacity: 6m³/h
Inlet & outlet inside Dia:
Φ 25mm(1") / Φ 40mm(1.5")
Fuel tank capacity: 1.4L
Displacement: 98cc

QTY: 1 PC
Carton size: 35.5x32x19.5cm

CE, A, IP65, 2.5HP, 1.8kW, 12M, 6M, 6m³/h, 1.4L, 98cc

FGWP201



DESCRIPTION
GASOLINE WATER PUMP
Rated Power: 7HP(5kW)
Pump lift: 26M
Suction height: 7M
Max. capacity: 36m³/h
Inlet & outlet inside Dia:
Φ 51mm(2")
Fuel tank capacity: 3.6L
Displacement: 208cc

QTY: 1 PCS
Carton size: 50x43x42cm

CE, A, IP65, 7HP, 5kW, 26M, 7M, 36m³/h, 3.6L, 208cc

FGWP301



DESCRIPTION
GASOLINE WATER PUMP
Rated Power: 7HP(5kW)
Pump lift: 24M
Suction height: 7M
Max. capacity: 55m³/h
Inlet & outlet inside Dia:
Φ 80mm(3")
Fuel tank capacity: 3.6L
Displacement: 208cc

QTY: 1 PC
Carton size: 58x49x51cm

CE, A, IP65, 7HP, 5kW, 24M, 7M, 55m³/h, 3.6L, 208cc

FGWP401



DESCRIPTION
GASOLINE WATER PUMP
Rated Power: 9HP(6.5kW)
Pump lift: 24M
Suction height: 7M
Max. capacity: 96m³/h
Inlet & outlet inside Dia:
Φ 100mm(4")
Fuel tank capacity: 6L
Displacement: 242cc

QTY: 1 PCS
Carton size: 80x69x52cm

CE, A, IP65, 9HP, 6.5kW, 24M, 7M, 96m³/h, 6L, 242cc

FGG09501



DESCRIPTION
GASOLINE GENERATOR
Rated Power: 650W
Max Power: 1.0KVA/800W
DC: 12V/8.3A
Fuel tank capacity: 4.2L
Displacement: 63.6cc
Recoil start

QTY: 1 PCS
Carton size: 24.5x21.5x33cm

CE, A, IP65, 650W, 1.0KVA, 800W, 4.2L, 63.6cc, 12V/8.3A, COSφ 1, 4 Stroke Engine

FGG30001



DESCRIPTION
GASOLINE GENERATOR
Rated Power: 2.5kW
Max Power: 2.8KVA/2.8kW
DC: 12V/8.3A
Fuel tank capacity: 15L
Displacement: 196cc
Recoil start

QTY: 1 PCS
Carton size: 59x49x50cm

CE, A, IP65, 2.5kW, 2.8KVA, 2.8kW, 15L, 196cc, 12V/8.3A, AVF, 4 Stroke Engine, E.S.T, Copper Wire

FGG35001



DESCRIPTION
GASOLINE GENERATOR
Rated Power: 2.8kW
Max Power: 3.1KVA/3.1kW
DC: 12V/8.3A
Fuel tank capacity: 15L
Displacement: 208cc
Electric starter

QTY: 1 PCS
Carton size: 59x49x50cm

CE, A, IP65, 2.8kW, 3.1KVA, 3.1kW, 15L, 208cc, 12V/8.3A, AVF, 4 Stroke Engine, E.S.T, Copper Wire

FGG65001



DESCRIPTION
GASOLINE GENERATOR
220-240V-50/60Hz
Rated Power: 5.0kW
Max Power: 5.5KVA/5.5kW
DC: 12V/8.3A
Fuel tank capacity: 25L
Displacement: 389cc
Electric starter

QTY: 1 PCS
Carton size: 78x54x61cm

CE, A, IP65, 5.0kW, 5.5KVA, 5.5kW, 25L, 389cc, 12V/8.3A, AVF, 4 Stroke Engine, E.S.T, Copper Wire

FGG80001



DESCRIPTION
GASOLINE GENERATOR
220-240V-50/60Hz
Rated Power: 6.0 kW
Max Power: 6.5 kW
DC: 12V/8.3A
Fuel tank capacity: 25L
Displacement: 420 cc
Electric starter

QTY: 1 PCS
Carton size: 70x53.5x61cm

CE, A, IP65, 6.0kW, 6.5kW, 25L, 420cc, 12V/8.3A, AVF, 4 Stroke Engine, E.S.T, Copper Wire

FGG95001



DESCRIPTION
GASOLINE GENERATOR
220-240V-50/60Hz
Rated Power: 7.0 kW
Max Power: 7.5 kW
DC: 12V/8.3A
Fuel tank capacity: 25L
Displacement: 460 cc
Electric starter

QTY: 1 PC
Carton size: 70x53.5x61cm

CE, A, IP65, 7.0kW, 7.5kW, 25L, 460cc, 12V/8.3A, AVF, 4 Stroke Engine, E.S.T, Copper Wire

FDWG75001

DESCRIPTION
 DIESEL WELDER GENERATOR
 220-240V-50/60Hz
 Rated Power:4.5 kVA(Welder)
 Rated Power:5.7 kVA(Generator)
 DC:12V/30A
 Fuel tank capacity:12.5L
 Displacement:418 cc
 Electric starter

WITH WELDING FUNCTION



FDG50002S

DESCRIPTION
 DIESEL GENERATOR
 Rated Power:4.5kW
 Max Power:5.0kW
 DC:12V-30A
 Phase:Single phase
 Fuel tank capacity:15L
 Displacement:418cc
 Lube oil capacity:1.65L
 Low oil alarm system
 Electric starter



FCAC12150

DESCRIPTION
 DC12V Auto Air Compressor
 Power source:12 v cigar-lighter
 Max pressure:150 PSI/10.3BAR
 No-load current (AI):11.6A
 Max Current:12A
 Air Flow:17L/min
 Inlet hose length:800mm



COPPER WIRE MOTOR



FCAC12250

DESCRIPTION
 DC 12 V Car Air Compressor
 Air Pressure (Max): 250 PSI
 Accessories:
 2 nozzle adapters and 1 sports needle
 3m cord with 10A fuse



FAC03012SU

DESCRIPTION
 Oil-Free AIR COMPRESSOR
 300W , 1/3HP , 12 L
 Noise: < 80 dB
 Max. Pressure(Bar/PSI): 7 /100
 N.W/G.W(KG): 8/9KGS

Oil-Free



FAC2402S

DESCRIPTION
 Oil-Free AIR COMPRESSOR
 1400W , 2.0HP
 24 L (Φ 236x390mm)
 Noise: < 70dB
 Air Displacement(L/MIN): 100
 Max. Pressure(Bar/PSI): 7 /100
 N.W/G.W(KG): 18/20 KGS

Oil-Free



FAC5002S

DESCRIPTION
 Oil-Free AIR COMPRESSOR
 2800W , 2.0HP
 50 L (Φ 280x510mm)
 Noise: < 70 dB
 Air Displacement(L/MIN): 200
 Max. Pressure(Bar/PSI): 8/115
 N.W/G.W(KG): 41/43 KGS

Oil-Free



FAC55010S

DESCRIPTION
 10LOil Free Air Compressor
 Power: 550W (0.7HP)
 Tank size: 10L(2.6Gal)
 Air delivery: 60l/min
 Pressure: 8 bar(115psi)
 Speed: 1400RPM
 N.W: 15Kg

Oil-Free



FAC75024S

DESCRIPTION
 24LOil Free Air Compressor
 Power: 750W (1HP)
 Tank size: 24L(6.3Gal)
 Air delivery: 60L/min
 Pressure: 8 bar(115psi)
 Speed: 1400RPM
 N.W: 19Kg

Oil-Free



FAC150050S

DESCRIPTION
 50LOil Free Air Compressor
 Power: 1500W (2HP)
 Tank size: 50L(13.2Gal)
 Air delivery: 80L/min
 Pressure: 8 bar(115psi)
 Speed: 1400RPM
 N.W: 33Kg

Oil-Free



FAC20241

DESCRIPTION
 AIR COMPRESSOR
 220-240V-50/60Hz
 Rated Power:1.5kW(2.0HP)
 No load speed:2850rpm
 Tank volume:24L(6.3Gal)
 Work pressure:8bar(115psi)



FAC25501

DESCRIPTION
 AIR COMPRESSOR
 220-240V-50/60Hz
 Rated Power:1.8kW(2.5HP)
 No load speed:2850rpm
 Tank volume:50L(13.2Gal)
 Work pressure:8bar(115psi)



FAC31001

DESCRIPTION
 AIR COMPRESSOR
 220-240V-50/60Hz
 Rated Power:2.2kW(3.0HP)
 No load speed:1050rpm
 Tank volume:100L(26.4Gal)
 Work pressure:8bar(115psi)



AVAILABLE

QTY:1 PCS
Carton Size:120x44x91cm

FAC31501

DESCRIPTION
 AIR COMPRESSOR
 220-240V-50/60Hz
 Rated Power:2.2kW(3.0HP)
 No load speed:1050rpm
 Tank volume:150L(39.6Gal)
 Work pressure:8bar(115psi)



AVAILABLE

QTY:1 PCS
Carton Size:120x44x91cm

FAC32001

DESCRIPTION
 AIR COMPRESSOR
 220-240V-50/60Hz
 Rated Power:2.2kW(3.0HP)
 No load speed:1050rpm
 Tank volume:200L(52.8Gal)
 Work pressure:8bar(115psi)



AVAILABLE

QTY:1 PCS
Carton Size:120x44x91cm

FAC33001

DESCRIPTION
 AIR COMPRESSOR
 220-240V-50/60Hz
 Rated Power:2.2kW(3.0HP)
 No load speed:1050rpm
 Tank volume:300L(79.2Gal)
 Work pressure:8bar(115psi)



AVAILABLE

QTY:1 PCS
Carton Size:180x90x115cm

FAC753001

DESCRIPTION
 AIR COMPRESSOR
 220V-50HZ
 Rated power:3KW (4HP)
 No load speed:1030rpm
 Tank volume:300L
 Work pressure:8bar(115psi)
 Cylinder:Φ65*3
 Air Delivery(L/MIN,C.F.M.):360L/MIN



AVAILABLE

QTY:1 PCS
Carton Size:170x60x130cm

FAC350075

DESCRIPTION
 AIR COMPRESSOR
 380V-50Hz
 Rated Power:5.5kW(7.5HP)
 No load speed:920rpm
 Tank volume:500L(132Gal)
 Work pressure:8bar(115psi)



AVAILABLE

QTY:1 PCS
Carton Size:192x60x130cm

FACN5040

DESCRIPTION
 2 IN 1 Combo brad nailer
 Adjustable exhaust
 Soft grip handle reduce fatigue
 Adjustable depth-of-drive
 Quick-release nosepiece for fast clearing of jams
 Can be loaded with both 18Ga bars and 18Ga Staples



AVAILABLE

QTY:18 PCS
Carton Size:360x270x90cm

FABNF50

DESCRIPTION
 Air Brad Nailers
 Adjustable exhaust
 Soft grip handle reduce fatigue
 Quick-release nosepiece for fast clearing of jams
 Adjustable depth-of-drive



AVAILABLE

QTY:10PCS
Carton Size:540x230cm

FABN08016

DESCRIPTION
 Air Staper Nailer
 Soft grip handle reduce fatigue
 Easy-open latch-For quick and comfortable loading



AVAILABLE

QTY:10PCS
Carton Size:320x195cm

FABNOF30

DESCRIPTION
 Air Staper Nailer
 Soft grip handle reduce fatigue
 Easy-open latch-For quick and comfortable loading



AVAILABLE

QTY:10PCS
Carton Size:320x195cm

Air Ratchet Wrench

DESCRIPTION
 Free Speed:160 r.p.m.
 Max Torque:69Nm
 Air Inlet:1/4"
 Air Hose:3/8"
 Avg. Air Consumption:6.75CFM
 Working Pressure:90 psi



Item No.	Square Drive
FARW12	1/2"
FARW38	3/8"

AVAILABLE

QTY: 10PCS
Carton size:30x27x14cm

QTY: 20PCS
Carton size:30x27x14cm

FAIW12340

DESCRIPTION
 1/2" Air Impact Wrench
 Free speed: 7000RPM
 Max Torque: 340 NM
 Die cast aluminum body, Reversible
 Adjustable torque.



AVAILABLE

QTY:10PCS
Carton Size:320x270x140cm

FAIW12340 KIT

KIT CONTAINS :

- 1pc 1/2" Air impact wrench
- 10pcs Air sockets:
- 1pc 1/2" x 5" Extension bar
- 1pc Hex key wrench
- 1pc Nipple
- 1pc Mini oiler
- 1pc Oil pot
- 1pc Blow mold case




FHDAIW12680

DESCRIPTION

1/2" Heavy Duty
Air Impact Wrench
Free speed: 7000RPM
Max Torque: 680 NM
Durable twin hammer impact
Adjustable power regulator
Easy-to-service two-piece case
Super power and performance
tackle the toughest jobs with ease



Heavy Duty



FAIW341300

DESCRIPTION

3/4" Heavy Duty
Air Impact Wrench
Free speed: 5000RPM
Max Torque: 1300 N.m
Durable twin hammer impact mechanism
9.5 CFM AVG. Air Consumption



Heavy Duty



FAIW13200

DESCRIPTION

1" Heavy Duty
Air Impact Wrench
Free speed: 3200RPM
Max Torque: 3200 N.m
4.0 CFM AVG. Air Consumption



Heavy Duty



FAROS1150

DESCRIPTION

6" Random Orbit Sander
Free speed: 9000RPM
Built-in regulator for speed control,
Low vibration, lightweight and ergonomic design,
3/32" orbit pattern,
Fitted with six inch 6 hole velcro pad,
Ideal for producing fine finishes on wood, metal,
fiberglass and other compound materials,
Dust tube and dust collecting bag included,
Rear exhaust



FAT0005

- 1 Air Washing Gun 1000cc
- 1 Air Spray Gun 750cc
- 1 Air Blow Gun
- 1 Tyre Inflating Gun
- 1 Air Hose 5m



FATG0001

DESCRIPTION

TYRE INFLATING GUN
Multifunctional tire inflator
locking chuck and tire pressure gauge.
Made of zinc alloy material,
durable and practical.
Can connect with the air pump



FASG4075

DESCRIPTION


AIR PAINT SPRAY GUN
Standard Nozzle: 1.5mm
Air Inlet 1/4" BSP, 8mm Air Hose
Working Pressure: 3 - 4 bar
Air Consumption: 5.0 CFM
Aluminium Cup Capacity: 400cc



FASG4051

DESCRIPTION


AIR PAINT SPRAY GUN
Standard Nozzle: 1.5mm
Air Inlet 1/4" BSP, 8mm Air Hose
Working Pressure: 3 - 4 bar
Air Consumption: 5.0 CFM
Aluminium Cup Capacity: 500cc



FASG3101

DESCRIPTION

AIR PAINT SPRAY GUN
Standard Nozzle: 1.5mm
Air Inlet 1/4" BSP, 8mm Air Hose
Working Pressure: 3-4 bar
Air Consumption: 5.0 CFM
Aluminium Cup Capacity: 1000cc



FASG3102

DESCRIPTION


AIR PAINT SPRAY GUN
Standard Nozzle: 1.8mm
Air Inlet 1/4" BSP, 8mm Air Hose
Working Pressure: 3.5-5 bar
Air Consumption: 6.0 CFM
Aluminium Cup Capacity: 1000cc



FAWG1001

DESCRIPTION

AIR WASHING GUN
Strength and durability of metal alloy structures,
It is mainly used to clean dirt and grease on engines and machinery,
It can also be used for dust blowing, painting and other suitable work,
Copper nozzles prevent rust and last longer.



FADG1001

DESCRIPTION AIR BLOW GUN



QTY: 180 PCS
Carton size: 40x46x23cm

FHCPK06



DESCRIPTION
1/4" 6pcs quick coupler and plug kit
High quality material
Simple to use
Prevent air from escaping
Widely used



QTY: 180 PCS
Carton size: 36x43.2x25cm

AIR HOSE



Item #	L(m)	D(mm)
FAH0005	5	5/8
FAH0010	10	5/8
FAH0015	15	5/8
FAH3050	15	3/8



5m
10m
15m
QTY: 100 PCS
Carton size: 36x43.2x25cm

FAGL1201

DESCRIPTION Air Grease Lubricator

SPECIFICATIONS

MODEL NO.:	FAGL1201	AIR CONSUMPTION:	120 L/min
USAGE:	From subject	MAX. FLUID PRESSURE:	400 bar
POWER:	Pneumatic	PRESSURE RATIO:	50:1
BARREL CAPACITY:	12L	SUCTION TUBE DIAMETER:	30 mm
MATERIAL:	Steel	GREASE OUTPUT:	0.25 L/min
COLOR:	Blue	INLET AND OUTLET:	1/4"
WORKING PRESSURE:	3-4 bar	GREASE GUN HOSE:	5 m
AIR PRESSURE:	1.4-1.8 MPa	NET WEIGHT:	12 Kg



QTY: 1 PCS
Carton size: 36x43.2x25cm

FAH3850R

DESCRIPTION
Automatic retractable air hose reel
3/8" x 50ft (15m)
Thread size: 1/4"-18NPT
Temperature range:
-40 °C to +80 °C
Max pressure: 300psi



QTY: 1 PCS
Carton size: 37x46x46cm

3/8"	9.5mm	50ft	15m	1/4"	300psi
Max I.D.	Max I.D.	Max Length	Max Length	Thread Size	Max Pressure

Ga 18 crown staple



Used for FACN5040

Item No.	Crown (mm)	Length (mm)
FST1016	5.7	16
FST1025	5.7	25
FST1030	5.7	30




16
25
30
QTY: 1000 PCS
Carton size: 20x19x14.5cm

Ga18 crown staple




Used for FACN5040

Item No.	Crown (mm)	Length (mm)
FST1032	5.7	32
FST1035	5.7	35
FST1040	5.7	40



32
35
40
QTY: 500 PCS
Carton size: 20x19x14.5cm

Ga18 brad nail




Used for FABNOF30/FABNF50

Item No.	Length (mm)
FNA1035	35
FNA1040	40
FNA1050	50



35
40
50
QTY: 1000 PCS
Carton size: 32x14x13cm

Staples




Used for FHHS6414

Item No.	Crown (mm)	Length (mm)
FST1131206	11.3	6
FST1131208	11.3	8



6
8
QTY: 1000 PCS
Carton size: 20x19x14.5cm

Ga18 brad nail




Used for FABNOF30/FABNF50

Item No.	Length (mm)
FNA1015	15
FNA1020	20
FNA1025	25
FNA1030	30



15
20
25
30
QTY: 2000 PCS
Carton size: 20x19x14.5cm

Ga21 crown staple




Used for FABN08016

Item No.	Crown (mm)	Length (mm)
FST2108	12.8	8
FST2110	12.8	10
FST2112	12.8	12
FST2114	12.8	14



8
10
12
14
QTY: 2500 PCS
Carton size: 20x19x14.5cm

Staples



Used for FHHS6414

Item No.	Crown (mm)	Length (mm)
FST1131210	11.3	10
FST1131212	11.3	12



10
12
QTY: 1000 PCS
Carton size: 20x19x14.5cm

SDS PLUS HAMMER DRILL BIT



Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FHDS104110	4.0	110	50
FHDS105110	5.0	110	50
FHDS106110	6.0	110	50
FHDS108110	8.0	110	50
FHDS110110	10.0	110	50
FHDS106160	6.0	160	90
FHDS108160	8.0	160	90
FHDS110160	10.0	160	90
FHDS112160	12.0	160	90
FHDS114160	14.0	160	90
FHDS116160	16.0	160	90
FHDS106210	6.0	210	135
FHDS108210	8.0	210	135
FHDS110210	10.0	210	135
FHDS112210	12.0	210	135
FHDS114210	14.0	210	135
FHDS116210	16.0	210	135
FHDS118210	18.0	210	135
FHDS120210	20.0	210	135
FHDS106260	6.0	260	185
FHDS108260	8.0	260	185
FHDS110260	10.0	260	185
FHDS112260	12.0	260	185
FHDS114260	14.0	260	185
FHDS116260	16.0	260	185
FHDS118260	18.0	260	185
FHDS120260	20.0	260	185
FHDS122260	22.0	260	185
FHDS124260	24.0	260	185
FHDS126260	26.0	260	185
FHDS108310	8.0	310	250
FHDS110310	10.0	310	250
FHDS112310	12.0	310	250
FHDS114310	14.0	310	250
FHDS116310	16.0	310	250

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FHDS118310	18.0	310	250
FHDS120310	20.0	310	250
FHDS122310	22.0	310	250
FHDS124310	24.0	310	250
FHDS108450	8.0	450	350
FHDS110450	10.0	450	350
FHDS112450	12.0	450	350
FHDS114450	14.0	450	350
FHDS116450	16.0	450	350
FHDS118450	18.0	450	350
FHDS120450	20.0	450	350
FHDS122450	22.0	450	350
FHDS124450	24.0	450	350
FHDS110600	10.0	600	490
FHDS112600	12.0	600	490
FHDS114600	14.0	600	490
FHDS116600	16.0	600	490
FHDS118600	18.0	600	490
FHDS120600	20.0	600	490
FHDS122600	22.0	600	490
FHDS126600	25.0	600	490



Item No.	Diameter(mm)	Item No.	Diameter(mm)
FSD5DK501	5/6/8/10/12	FSD5DK502	6/8/10/12/14

SDS MAX HAMMER DRILL BIT



Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FDBSM16400	16	400	265
FDBSM18400	18	400	265
FDBSM18400	18	600	445
FDBSM20400	20	400	265
FDBSM22400	22	400	265
FDBSM25400	25	400	265
FDBSM20400	20	600	445
FDBSM22400	22	600	445
FDBSM25600	25	600	445
FDBSM28400	28	600	445
FDBSM30400	30	600	445
FDBSM32400	32	600	445
FDBSM20800	20	800	460
FDBSM25800	25	800	460
FDBSM30800	30	800	460

SDS PLUS ,HEX,SDS MAX CHISEL

- Heavy-duty quality.
- Made of high grade special steel and have a wear-resistant, shot-blasted surface finish.
- High removal capacity thanks to optimal weight distribution.
- Only used on machines with rotation stop facility.
- For light chiseling and gouging application on concrete, masonry and natural stone.



Available sizes as follow

Item No.	Shank	Dia.(mm)	Width(mm)	length(mm)
FHCS114000	SDS plus	14	0	250
FHCS114020	SDS plus	14	20	250
FHCS114040	SDS plus	14	40	250



Available sizes as follow

Item No.	Shank	Dia.(mm)	Width(mm)	length(mm)
FDCH117000	Hex	17	0	400
FDCH117300	Hex	17	0	300
FDCH128000	Hex	28	0	560
FDCH130000	Hex	30	0	410
FDCH117025	Hex	17	25	400
FDCH130040	Hex	30	40	410



Available sizes as follow

Item No.	Shank	Dia.(mm)	Width(mm)	length(mm)
FHCH2840000	SDS MAX	18	0	400
FHCH2840025	SDS MAX	18	25	400
FHCH2830000	SDS MAX	18	0	300
FHCH2830025	SDS MAX	18	25	300

MASONRY DRILL BIT

- Impact-resistant and bend-resistant drill bit, guarantees longer life.
- Wide and deeply supported plate prevents the tip from breaking out.
- High-temperature-brazed tungsten carbide blades for fast, accurate and safe drilling.




Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FDBM100031	3.0	60.0	30.0
FDBM100041	4.0	75.0	40.0
FDBM100051	5.0	85.0	50.0
FDBM100061	6.0	100.0	60.0
FDBM100081	8.0	120.0	80.0
FDBM100082	8.0	200.0	134.0
FDBM100101	10.0	120.0	80.0
FDBM100102	10.0	200.0	135.0
FDBM100121	12.0	150.0	90.0
FDBM100122	12.0	200.0	135.0

WOOD TWIST DRILL BIT

- Made of high carbon steel, hardened and tempered.
- Center location point and outer spurs give clean, accurate holes.




Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FDBW100030	3.0	41.0	33.0
FDBW100040	4.0	75.0	43.0
FDBW100050	5.0	86.0	52.0
FDBW100060	6.0	93.0	57.0
FDBW100070	7.0	109.0	69.0
FDBW100080	8.0	117.0	75.0
FDBW100090	9.0	125.0	81.0
FDBW100100	10.0	133.0	87.0
FDBW100110	11.0	142.0	94.0
FDBW100120	12.0	151.0	101.0
FDBW100130	13.0	161.0	101.0

FLAT WOOD BIT


- Carbon steel coating for capability and durability.
- The flat paddle design features a sharp cutting edge, ensures the hole smooth clean.
- Self-centering spade tip for spot-on starts, and the bit evacuate the material as it cuts.
- Good choice of hole cutter.



Item No.	Diameter(mm)	Total length(mm)
FFWB06	6.0	152
FFWB08	8.0	152
FFWB10	10.0	152
FFWB12	12.0	152
FFWB13	13.0	152
FFWB14	14.0	152
FFWB16	16.0	152
FFWB18	18.0	152
FFWB19	19.0	152
FFWB20	20.0	152
FFWB22	22.0	152
FFWB24	24.0	152
FFWB25	25.0	152
FFWB28	28.0	152
FFWB30	30.0	152
FFWB32	32.0	152
FFWB35	35.0	152
FFWB36	36.0	152
FFWB38	38.0	152
FFWB40	40.0	152

GLASS TILE DRILL BITS

- High grade tungsten carbide tip
- Alloy steel shank, hardened and tempered
- Unique spear head prevents chipping and breaking
- Thinned chisel edge facilitates precise drilling of pilot holes
- Tip was automatically welded on shank by special machinery



Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FGDB03	3.0	83	47
FGDB04	4.0	84	47
FGDB05	5.0	84	47
FGDB06	6.0	102	60
FGDB08	8.0	104	64
FGDB10	10.0	123	75
FGDB12	12.0	125	78

HSS TWIST DRILL BIT

- Twist drill bits made of high speed steel manufactured to DIN 338.
- Right-hand cutting twist drill bits, Type N, drill bit tip 118°.
- Even chip removal and reduction of chip friction.
- Extremely true running and precise round holes.
- High fracture strength and long life.



Available sizes as follow(HSS-G/M2) Package: PE bag

Item No.	Diameter (mm)	Total length (mm)	Working length (mm)	Quantity (pcs)
FDBG10010	1.0	36	12	10
FDBG10015	1.5	40	18	10
FDBG10020	2.0	49	24	10
FDBG10025	2.5	57	30	10
FDBG10030	3.0	61	33	10
FDBG10032	3.2	65	36	10
FDBG10035	3.5	70	39	10
FDBG10040	4.0	75	43	10
FDBG10042	4.2	75	43	10
FDBG10045	4.5	80	47	10
FDBG10048	4.8	84	52	10
FDBG10050	5.0	86	52	10
FDBG10055	5.5	92	57	10
FDBG10060	6.0	93	57	10
FDBG10065	6.5	101	63	10
FDBG10070	7.0	109	69	10
FDBG10075	7.5	109	69	10
FDBG05080	8.0	117	75	5
FDBG05085	8.5	117	75	5
FDBG05090	9.0	125	81	5
FDBG05095	9.5	125	81	5
FDBG05100	10.0	133	87	5
FDBG05105	10.5	133	87	5
FDBG05110	11.0	142	94	5
FDBG05115	11.5	142	94	5
FDBG05120	12.0	151	101	5
FDBG05125	12.5	151	101	5
FDBG05130	13.0	151	101	5
FDBG05140	14.0	160	108	5
FDBG05150	15.0	169	114	5
FDBG05160	16.0	178	120	5

Item No.	Diameter (mm)	Total length (mm)	Working length (mm)	Quantity (pcs)
FDBM02010	1.0	36	12	2
FDBM02015	1.5	40	18	2
FDBM02020	2.0	49	24	2
FDBM02025	2.5	57	30	2
FDBM02030	3.0	61	33	2
FDBM02032	3.2	65	36	2
FDBM02035	3.5	70	39	2
FDBM01040	4.0	75	43	1
FDBM01042	4.2	75	43	1
FDBM01045	4.5	80	47	1
FDBM01048	4.8	84	52	1
FDBM01050	5.0	86	52	1
FDBM01055	5.5	93	57	1
FDBM01060	6.0	93	57	1
FDBM01065	6.5	101	63	1
FDBM01070	7.0	109	69	1
FDBM01075	7.5	109	69	1
FDBM01080	8.0	117	75	1
FDBM01085	8.5	117	75	1
FDBM01090	9.0	125	81	1
FDBM01095	9.5	125	81	1
FDBM01100	10.0	133	87	1

Available sizes as follow(M2)

Item No.	Diameter (mm)	Total length (mm)	Working length (mm)	Quantity (pcs)
FDBM01105	10.5	133	87	1
FDBM01110	11.0	142	94	1
FDBM01115	11.5	142	94	1
FDBM01120	12.0	151	101	1
FDBM01125	12.5	151	101	1
FDBM01130	13.0	151	101	1
FDBM01140	14.0	160	108	1
FDBM01150	15.0	169	114	1
FDBM01160	16.0	178	120	1

Available sizes as follow(M35)

Item No.	Diameter (mm)	Total length (mm)	Working length (mm)	Quantity (pcs)
FDBC102010	1.0	36	12	2
FDBC102015	1.5	40	18	2
FDBC102020	2.0	49	24	2
FDBC102025	2.5	57	30	2
FDBC102030	3.0	61	33	2
FDBC102032	3.2	65	36	2
FDBC102035	3.5	70	39	2
FDBC100040	4.0	75	43	1
FDBC100042	4.2	75	43	1
FDBC100045	4.5	80	47	1
FDBC100048	4.8	84	52	1
FDBC100050	5.0	86	52	1
FDBC100055	5.5	93	57	1
FDBC100060	6.0	93	57	1
FDBC100065	6.5	101	63	1
FDBC100070	7.0	109	69	1
FDBC100075	7.5	109	69	1
FDBC100080	8.0	117	75	1
FDBC100085	8.5	117	75	1
FDBC100090	9.0	125	81	1
FDBC100095	9.5	125	81	1
FDBC100100	10.0	133	87	1
FDBC100105	10.5	133	87	1
FDBC100110	11.0	142	94	1
FDBC100115	11.5	142	94	1
FDBC100120	12.0	151	101	1
FDBC100125	12.5	151	101	1
FDBC100130	13.0	151	101	1
FDBC100140	14.0	160	108	1
FDBC100150	15.0	169	114	1
FDBC100160	16.0	178	120	1

Drill BITS (MASONRY /WOOD / HSS-G)



MASONRY DRILL BIT SET 5pcs hss twist drill bit set

Item No.	Diameter(mm)
FDBM0502K	4x75/5x85/6x100 8x120/10x120



5pcs masonry drill bits set

Item No.	Diameter(mm)
FDBM105001K	Φ4/5/6/8/10



WOOD TWIST DRILL BIT 5pcs wood twist drill bits set

Item No.	Diameter(mm)
FDBW105001K	Φ4/5/6/8/10



5pcs wood twist drill bits set

Item No.	Diameter(mm)
FDBW0502K	Φ 4/5/6/8/10



6pcs HSS twist drill bit set

Item No.	Diameter(mm)
FDBG0601K	Φ 2/3/4/5/6/8



8pcs wood twist drill bits set

Item No.	Diameter(mm)
FDBW0801K	Φ 3/4/5/6/7/8/9/10



13pcs HSS twist drill bit set

Item No.	Diameter(mm)
FDBG1301K	Φ 1.5/2/2.5/3/3.2/3.5/4/4.5/4.8/5/5.5/6/6.5



HSS TWIST DRILL BIT
5pcs HSS-G twist drill bits set

Item No.	Diameter(mm)
FDBG105001K	Φ 3/4/5/6/8



19pcs HSS twist drill bit set

Item No.	Diameter(mm)
FDBG1901K	Φ 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10



25pcs HSS twist drill bit set

Item No.	Diameter(mm)
FDBG2501K	Φ 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10/10.5/11/11.5/12/12.5/13



16pcs drill bits set

Item No.	Diameter(mm)
FDBK016	Metal 2,3,4,5,6,8mm
	Concrete 4,5,6,8,10mm
	wood 4,5,6,8,10mm

STEP DRILL BITS



Item No.	Diameter(mm)
FASDB12	4-12mm
FASDB20	4-20mm
FASDB32	4-32mm



3pcs step drill bits set

Item No.	Diameter(mm)
FSDK-3	4-12/ 4-20/4-32

TCT SAW BLADE

- TCT saw blade for wood and aluminum cutting.
- It's widely used on table saws and radical arm saw, for cutting aluminium alloy materials, soft metal.
 - These blades provides the long life at the lowest cost per cut, the segmented gullets provides faster, cleaner and cooler cuts.
 - The blade should be used where chipping is not a problem.



Available sizes as follow

Item No.	Diameter	Max. RPM	Teeth	Arbor (mm)	Application
FCSB111020	4"	13000	40T	20	Wood Cutting
FCSB111030	4"	13000	30T	20	Wood Cutting
FCSB114524	4-1/2"	8800	24T	20	Wood Cutting
FCSB118060	7"	8600	40T	25.4	Wood Cutting
FCSB118524	7-1/4"	8200	24T	16/20	Wood Cutting
FCSB118540	7-1/4"	8200	40T	16/20	Wood Cutting
FCSB118560	7-1/4"	8200	40T	16	Wood Cutting, Circular saw
FCSB218524	7-1/4"	7000	24T	20	Wood Cutting, Aluminum Cutting
FCSB121048	8-1/4"	7200	48T	30	Wood Cutting, Aluminum Cutting
FCSB221048	8-1/4"	7200	60T	30	Wood Cutting, Aluminum Cutting
FCSB123060	9"	6300	40T	30	Wood Cutting, Aluminum Cutting
FCSB123560	9-1/4"	6600	40T	25.4	Wood Cutting, Aluminum Cutting
FCSB125460	10"	6000	40T	30	Wood Cutting, Aluminum Cutting
FCSB125480	10"	6000	80T	30	Wood Cutting, Aluminum Cutting
FCSB2254100	10"	5800	100T	25.4	Wood Cutting, Aluminum Cutting
FCSB225410	10"	6000	40T	30	Wood Cutting, Aluminum Cutting
FCSB130060	12"	4800	60T	25.4	Wood Cutting, Aluminum Cutting
FCSB1300100	12"	4200	100T	25.4/30	Wood Cutting, Aluminum Cutting
FCSB1355060	14"	4200	40T	25.4	Wood Cutting, Aluminum Cutting

BAND SAW BLADE



Used for FPT162001

Item No.	Size (mm)	Material
FBSB1400	1400x6.35x6TPI	HCS

JIG SAW BLADE

- Made of high-carbon steel, high speed steel, Bi-metal steel or other materials.
- Depending on applications varying with regard to speed, precision, stability and accuracy.



Item No.	Spec	N(pcs/set)	HCS
FJSB100502	FT101D	5	
FJSB100503	FT111C	5	
FJSB100504	FT118B	5	
FJSB100505	FT244D	5	
	FT111C	2	
FJSB100501K	FT118B	2	
	FT127D	1	

RECIPROCATING SAW BLADE

Item No.	Size (mm)	Material
FRS	152x1.2x19x4T	HCS
FRSB150M	150x1.6x19x18T	HCS



Item No.	Size (mm)	Application
FMTA04	100x40x0.6x18T	WOOD SAW BLADE
	200x40x0.6x18T	WOOD SAW BLADE
	320x40x0.6x18T	WOOD SAW BLADE
	Φ 87x0.50x18T	RADIAL SAW BLADE

Item No.	Size (mm)	Application
	Φ 87x0.50x18T	RADIAL SAW BLADE
	80	DELTA SANDING PAD
	80	ALUMINUM-OXIDE DELTA SAND PAPER FOR WOOD
FMTA17	34x0.66x18T	WOOD SAW BLADE
	34x0.8x18T	METAL SAW BLADE
	34x0.66x 14T	WOOD SAW BLADE
	50	RIGID SCRAPER
	50	FLEXIBLE SCRAPER

SAW CHAIN



Item No.	Length
FKSC008A	100mm(4")
FKSC0016	400mm(16")
FKSC0022	550mm(22")
FKSC0024	600mm(24")
FKSC3814	380mm(14")
FKSC3824	600mm(24")
FKSC32918	480mm(18")

PLANER BLADES

Used for FPL550821 / MAKITA

Item No.	Size (mm)	Material
FPB8201	82x29x3	HSS

Used for FPL60001 / HITACHI

Item No.	Size (mm)	Material
FPB82H	82x28x3	HSS

Used for FPL90001

Item No.	Size (mm)	Material
FPB8202	82x5.5x1.2	HSS

FPB210 used for FPT162001 / FPB331 used for FPT20001

Item No.	Size (mm)	Material
FPB210	210x16.5x2	HSS
FPB331	331x16.5x2	HSS

DIAMOND SAW BLADE



Diamond Saw Blade Selection Chart

Material	Sagments Rim Rough Cut	Turbo Rim Smooth Cut	Continuous Rim Clean Cut
Concrete	●	●	○
Brick	●	●	○
Concrete Pavers	●	●	○
Masonry/Block	●	●	○
Hard/Reinforced Concrete	●	●	○
Limestone	○	○	○
Marble	○	○	○
Granite	○	○	○
Porcelain Tile	○	○	○
Ceramic Tile	○	○	○

● Recommended ○ Acceptable ○ Not Recommended



Available sizes as follow

Item No.	Type	Size (mm)	Max. Speed (min⁻¹) (m/s)	Application
FDBD111018	Universal segment	110x20	13800 80	Dry cutting
FDBW111018	Tiles	110x20	13800 80	Wet cutting
FDBS111020	Universal, Turbo	110x20	13800 80	Wet and Dry cutting
FDBD111520	Universal, segment	115x22.2	13200 80	Dry cutting
FDBW111520	Tiles	115x22.2	13200 80	Wet cutting
FDBS111522	Universal, Turbo	115x22.2	13200 80	Wet and Dry cutting
FDBD112520	Universal, segment	125x22.2	12200 80	Dry cutting
FDBW112520	Tiles	125x22.2	12200 80	Wet cutting
FDBS112522	Universal, Turbo	125x22.2	12200 80	Wet and Dry cutting
FDBD118024	Universal, segment	180x22.2	8400 80	Dry cutting
FDBW118022	Tiles	180x22.2	8400 80	Wet cutting
FDBS118026	Universal, Turbo	180x22.2	8400 80	Wet and Dry cutting
FDBD123026	Universal, segment	230x22.2	6600 80	Dry cutting
FDBW123024	Tiles	230x22.2	6600 80	Wet cutting
FDBS123028	Universal, Turbo	230x22.2	6600 80	Wet and Dry cutting

ABRASIVE SERIES



Available cutting disc

Item No.	Diameter(mm)	Thickness(mm)	Bore(mm)
FACD110012	100	1.2	16.0
FACD110510	105	1.0	16.0
FACD111510	115	1.0	22.2
FACD111830	118	3.0	22.2
FACD112510	125	1.0	22.2
FACD112530	128	3.0	22.2
FACD110016	100	1.6	22.2
FACD110020	100	2.0	22.2
FACD110030	100	3.0	22.2
FACD120020	230	2.0	22.2
FACD123030	230	3.0	22.2
FACD135330	305	3.0	25.4

Available grinding disc

Item No.	Diameter(mm)	Thickness(mm)	Bore(mm)
FAGD110060	100	6.0	16.0
FAGD111560	110	6.0	22.2
FAGD112560	125	6.0	22.2
FAGD118060	180	6.0	22.2
FAGD123060	230	6.0	22.2

DIAMOND GRINDING WHEEL



Item No.	Diameter(mm)	Thickness(mm)
FDGW10001	100x20	5
FDGW11501	115x22.23	5
FDGW12501	125x22.23	5
FDGW10002	100x20	5
FDGW11502	115x22.23	5
FDGW12502	125x22.23	5

ALUMINIUM OXIDE FLAP DISC



Available sizes as follow

Item No.	size(mm)	Number	Type
FFD10040A	100x16	P40	T27
FFD10060A	100x16	P60	T27
FFD10080A	100x16	P80	T27
FFD100120A	100x16	P120	T27
FFD11540A	115x22.2	P40	T27
FFD11560A	115x22.2	P60	T27
FFD11580A	115x22.2	P80	T27
FFD115120A	115x22.2	P120	T27
FFD12540A	125x22.2	P40	T27

Item No.	size(mm)	Number	Type
FFD12560A	125x22.2	P60	T27
FFD12580A	125x22.2	P80	T27
FFD125120A	125x22.2	P120	T27

ZIRCONIA OXIDE FLAP DISC



Available sizes as follow

Item No.	size(mm)	Number	Type
FFD10040Z	100x16	P40	T27
FFD10060Z	100x16	P60	T27
FFD10080Z	100x16	P80	T27
FFD100120Z	100x16	P120	T27
FFD11540Z	115x22.2	P40	T27
FFD11560Z	115x22.2	P60	T27
FFD11580Z	115x22.2	P80	T27
FFD115120Z	115x22.2	P120	T27
FFD12540Z	125x22.2	P40	T27
FFD12560Z	125x22.2	P60	T27
FFD12580Z	125x22.2	P80	T27
FFD125120Z	125x22.2	P120	T27

SANDING SHEET FOR DRYWALL SANDER



Item No.	Diameter(mm)	Holes	Grit & Number	Match with
FDSP180001	φ 190	8	5x P180	FDS08001 FDS08001L
FDSP225120	φ 225	4	5x P120	FDS06001
FDSP225150	φ 225	4	5x P150	

ORBITAL SANDER SANDPAPER 125mm



Item No.	Diameter(mm)	Holes	Grit & Number
FASP125040	φ 125	8	5pcs x P40
FASP125080	φ 125	8	5pcs x P80
FASP125100	φ 125	8	5pcs x P100
FASP125120	φ 125	8	5pcs x P120
FASP125150	φ 125	8	5pcs x P150
FASP125220	φ 125	8	5pcs x P220
FASP125320	φ 125	8	5pcs x P320
FASP125400	φ 125	8	5pcs x P400

MULTIPURPOSE SANDPAPER 230x280mm



Item No.	Size (L x W) mm	Grit & Number
FASP2328080	230 x 280	5pcs x P80
FASP2328120	230 x 280	5pcs x P120
FASP2328180	230 x 280	5pcs x P180
FASP2328240	230 x 280	5pcs x P240
FASP2328320	230 x 280	5pcs x P320

POLISHING PAD



Item No.	Diameter(mm)	Thread size
FPP18014	18	M14
FPP18058	18	5/8"

CHUCK KEY/KEY CHUCK



Item No.	Diameter(mm)
FACKK13	80mm
FACK1301	1.5-13mm
FACK1302	1.5-13mm

Electrode holder

DESCRIPTION
American Type
Upper iron, Lower brass
DMC handle



Item No.	capacity
FWEH3002	3.2-6.4mm
FWEH5002	5-9mm



Electrode holder

DESCRIPTION
Netherlands Type
Upper iron, Lower brass
DMC handle



Item No.	capacity
FWEH5003	5-9mm
FWEH8001	5-9mm



Earth clamp

DESCRIPTION
Netherlands Type
Iron teeth, Copper tape



Item No.	capacity
FWEH3001	300A
FWEH5001	500A



Wire cup brush with nut



Item No.	Diameter	Thread Size(mm)
FWB10075A	75mm(3")	M10
FWB10100A	100mm(4")	M10
FWB14075A	75mm(3")	M14
FWB14100A	100mm(4")	M14
FWB14125A	125mm(5")	M14
FWB58075A	75mm(3")	5/8-11
FWB58100A	100mm(4")	5/8-11
FWB58125A	125mm(5")	5/8-11



3" QTY: 6PCS Carton size: 54x36x40cm
 4" QTY: 4PCS Carton size: 47.5x36x44cm
 5" QTY: 2PCS Carton size: 54x36x40cm

Wire cup brush with nut



Item No.	Diameter	Thread Size(mm)
FWB10100C	100mm(4")	M10
FWB14100C	100mm(4")	M14
FWB58100C	100mm(4")	5/8-11



QTY: 6PCS Carton size: 54x36x40cm
 QTY: 4PCS Carton size: 47.5x36x44cm

Wire end brush with shank



Item No.	Diameter	Shank diameter(mm)
FWB025E	25mm(1")	6.35
FWB050E	50mm(2")	6.35
FWB075E	75mm(3")	6.35



2" QTY: 24PCS Carton size: 40x23x43cm
 3" QTY: 18PCS Carton size: 34x23x44cm
 4" QTY: 12PCS Carton size: 34x27x40cm

Wire cup brush with nut



Item No.	Diameter	Thread Size(mm)
FWB10075B	75mm(3")	M10
FWB10100B	100mm(4")	M10
FWB14075B	75mm(3")	M14
FWB14100B	100mm(4")	M14
FWB14125B	125mm(5")	M14
FWB58075B	75mm(3")	5/8-11
FWB58100B	100mm(4")	5/8-11
FWB58125B	125mm(5")	5/8-11



QTY: 6PCS Carton size: 54x36x40cm
 QTY: 4PCS Carton size: 47.5x36x44cm
 QTY: 2PCS Carton size: 54x36x40cm

Wire wheel



Item No.	Diameter	Shank diameter(mm)
FWB050D	50mm(2")	6.35
FWB075D	75mm(3")	6.35
FWB100D	100mm(4")	6.35



QTY: 24PCS Carton size: 36x33x40cm
 QTY: 14PCS Carton size: 33x33x40cm
 QTY: 8PCS Carton size: 44x29x40cm

Wire brush



Item No.	L(mm)
FHWB100	250

QTY: 6PCS Carton size: 44x29x40cm

PAINT MIXER



Available sizes as follow

Item No.	Length(mm)	Width(mm)	Thickness(mm)
FAPM4001	400	80	8
FAPM6001	600	100	9



Available sizes as follow

Item No.	Length(mm)	Width(mm)	Thickness(mm)
FAPM4002	400	80	10
FAPM6002	600	100	10



Available sizes as follow

Item No.	Length(mm)	Width(mm)	Thread size
FAPM6003	600	140	M14

ARROW MAGNETIC WELDING HOLDER



Item No.	SIZE
FHHM03	3" 25LB
FHHM04	4" 50LB
FHHM05	5" 75LB

GRASS TRIMMER HEAD



Nylon

Item No.	Wire Diameter	Wire length	pcs
FAHG51601	1.6mm	5m	2

HEX ADAPTOR



Item No.	Size
FHHA03	1/4"x65mm, 3/8"x65mm, 1/2"x70mm

SDS-PLUS ADAPTOR



Item No.	Size
FHSPA03	1/4"x65mm, 3/8"x65mm, 1/2"x75mm

1/2" ROUTER BITS SET



Item No.	Size	SHANK DIAMETER	pcs
FARB1201	1/2" 11.81mm *Length: 50mm, 60mm, 70mm, 80mm, 90mm, 100mm, 110mm, 120mm, 130mm, 140mm, 150mm, 160mm, 170mm, 180mm, 190mm, 200mm, 210mm, 220mm, 230mm, 240mm, 250mm, 260mm, 270mm, 280mm, 290mm, 300mm, 310mm, 320mm, 330mm, 340mm, 350mm, 360mm, 370mm, 380mm, 390mm, 400mm, 410mm, 420mm, 430mm, 440mm, 450mm, 460mm, 470mm, 480mm, 490mm, 500mm, 510mm, 520mm, 530mm, 540mm, 550mm, 560mm, 570mm, 580mm, 590mm, 600mm, 610mm, 620mm, 630mm, 640mm, 650mm, 660mm, 670mm, 680mm, 690mm, 700mm, 710mm, 720mm, 730mm, 740mm, 750mm, 760mm, 770mm, 780mm, 790mm, 800mm, 810mm, 820mm, 830mm, 840mm, 850mm, 860mm, 870mm, 880mm, 890mm, 900mm, 910mm, 920mm, 930mm, 940mm, 950mm, 960mm, 970mm, 980mm, 990mm, 1000mm	1/4"	12
FARB1202	1/2" 11.81mm *Length: 50mm, 60mm, 70mm, 80mm, 90mm, 100mm, 110mm, 120mm, 130mm, 140mm, 150mm, 160mm, 170mm, 180mm, 190mm, 200mm, 210mm, 220mm, 230mm, 240mm, 250mm, 260mm, 270mm, 280mm, 290mm, 300mm, 310mm, 320mm, 330mm, 340mm, 350mm, 360mm, 370mm, 380mm, 390mm, 400mm, 410mm, 420mm, 430mm, 440mm, 450mm, 460mm, 470mm, 480mm, 490mm, 500mm, 510mm, 520mm, 530mm, 540mm, 550mm, 560mm, 570mm, 580mm, 590mm, 600mm, 610mm, 620mm, 630mm, 640mm, 650mm, 660mm, 670mm, 680mm, 690mm, 700mm, 710mm, 720mm, 730mm, 740mm, 750mm, 760mm, 770mm, 780mm, 790mm, 800mm, 810mm, 820mm, 830mm, 840mm, 850mm, 860mm, 870mm, 880mm, 890mm, 900mm, 910mm, 920mm, 930mm, 940mm, 950mm, 960mm, 970mm, 980mm, 990mm, 1000mm	1/2"	12
FARB1203	1/2" 11.81mm *Length: 50mm, 60mm, 70mm, 80mm, 90mm, 100mm, 110mm, 120mm, 130mm, 140mm, 150mm, 160mm, 170mm, 180mm, 190mm, 200mm, 210mm, 220mm, 230mm, 240mm, 250mm, 260mm, 270mm, 280mm, 290mm, 300mm, 310mm, 320mm, 330mm, 340mm, 350mm, 360mm, 370mm, 380mm, 390mm, 400mm, 410mm, 420mm, 430mm, 440mm, 450mm, 460mm, 470mm, 480mm, 490mm, 500mm, 510mm, 520mm, 530mm, 540mm, 550mm, 560mm, 570mm, 580mm, 590mm, 600mm, 610mm, 620mm, 630mm, 640mm, 650mm, 660mm, 670mm, 680mm, 690mm, 700mm, 710mm, 720mm, 730mm, 740mm, 750mm, 760mm, 770mm, 780mm, 790mm, 800mm, 810mm, 820mm, 830mm, 840mm, 850mm, 860mm, 870mm, 880mm, 890mm, 900mm, 910mm, 920mm, 930mm, 940mm, 950mm, 960mm, 970mm, 980mm, 990mm, 1000mm	6mm	12
FARB1204	1/2" 11.81mm *Length: 50mm, 60mm, 70mm, 80mm, 90mm, 100mm, 110mm, 120mm, 130mm, 140mm, 150mm, 160mm, 170mm, 180mm, 190mm, 200mm, 210mm, 220mm, 230mm, 240mm, 250mm, 260mm, 270mm, 280mm, 290mm, 300mm, 310mm, 320mm, 330mm, 340mm, 350mm, 360mm, 370mm, 380mm, 390mm, 400mm, 410mm, 420mm, 430mm, 440mm, 450mm, 460mm, 470mm, 480mm, 490mm, 500mm, 510mm, 520mm, 530mm, 540mm, 550mm, 560mm, 570mm, 580mm, 590mm, 600mm, 610mm, 620mm, 630mm, 640mm, 650mm, 660mm, 670mm, 680mm, 690mm, 700mm, 710mm, 720mm, 730mm, 740mm, 750mm, 760mm, 770mm, 780mm, 790mm, 800mm, 810mm, 820mm, 830mm, 840mm, 850mm, 860mm, 870mm, 880mm, 890mm, 900mm, 910mm, 920mm, 930mm, 940mm, 950mm, 960mm, 970mm, 980mm, 990mm, 1000mm	12mm	12

3PCS Impact adaptor set

DESCRIPTION

3/4" F → 1" M
 3/4" F → 1/2" M
 1/2" F → 3/8" M



Item No.	Qty.
FSA03	3 pcs



QTY. 3 SET
 Carton Size: 40 x 24 x 23cm

4PCS 1/2" Dr. Lug Nut Impact socket set

DESCRIPTION

Socket with 17mm & 19mm
 Socket with 3/4" & 13/16"
 Socket with 21mm & 7/8"
 + 1/2" Dr. 3" Extension bar



Item No.	Qty.
FS1304	4 pcs



QTY. 4 SET
 Carton Size: 40 x 24 x 23cm

6PCS 1/4" Dr. External Torx Socket Set

DESCRIPTION

CONTENTS
 E4-E5-E6-E7-E8-E10



Item No.	Qty.
FHS040606T	6 pcs



QTY. 6 SET
 Carton Size: 40 x 24 x 23cm

6PCS 3/8" Dr. Hex Bit Socket Set

DESCRIPTION

H4-H5-H6-H7-H8-H10
 H5/32"-H3/16"-H7/32"
 -H4"-H5/16"-H3/8"



Item No.	Qty.
FHS041006HM	6 pcs
FHS041006HS	6 pcs



QTY. 6 SET
 Carton Size: 40 x 24 x 23cm

7 PCS Torx Bit Sockets Set

DESCRIPTION

T20-T25-T30-T40-T45-T50-T55



Item No.	Qty.
FHS041307T	7 pcs



QTY. 7 SET
 Carton Size: 40 x 24 x 23cm

8PCS 1/2" Dr. Hex Bit socket set

DESCRIPTION

H4-H5-H6-H7-H8
 -H10-H12-H14



Item No.	Qty.
FHS041308H	8 pcs



QTY. 8 SET
 Carton Size: 40 x 24 x 23cm

9PCS 1/2" Dr. Torx Bit socket set

DESCRIPTION

T20-T25-T27-T30-T40
 T45-T50-T55-T60



Item No.	Qty.
FHS041309T	9 pcs



QTY. 9 SET
 Carton Size: 40 x 24 x 23cm

11 PCS Torx Bit Socket Set

DESCRIPTION

T10-T15-T20-T25-T27-T30
 T40-T45-T50-T55-T60



Item No.	Qty.
FHS0411T	11 pcs



QTY. 11 SET
 Carton Size: 40 x 24 x 23cm

21" Telescoping Lug Wrench

DESCRIPTION

4 Socket Sizes
 17mm
 19mm(3/4")
 21mm(13/16")
 23mm(7/8")



Item No.	Size
FHT1.W21	21"



QTY. 1 SET
 Carton Size: 40 x 24 x 23cm

9PCS Deep Hexagonal Sockets Set (1/2" Dr.)

DESCRIPTION

CONTENTS
 10-11-13-14-16-17-19-21-22mm

3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"
 13/16"-7/8"



Item No.	Qty.
FHDS021309M	9 pcs
FHDS021309S	9 pcs



QTY. 9 SET
 Carton Size: 40 x 24 x 23cm

9PCS Deep Hexagonal Sockets Set (3/8" Dr.)

DESCRIPTION

CONTENTS
 8-9-10-11-13-14-16-17-19mm

5/16"-11/32"-3/8"-7/16"-1/2"
 -9/16"-5/8"-11/16"-3/4"



Item No.	Qty.
FHS021009M	9 pcs
FHS021009S	9 pcs



QTY. 9 SET
 Carton Size: 40 x 24 x 23cm

12 PCS Torx Bit Socket Set

DESCRIPTION

T10-T15-T20-T25-T27-T30

T40-T45-T47-T50-T55

1/2" T60



Item No.	Qty.
FHS040612T	12 pcs




QTY. 12 SET
 Carton Size: 40 x 24 x 23cm

Ratchet wrench socket set

CONTENTS

- +10PCS-1/4" DR. SOCKETS:
4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- +1PC-1/4" DR. QUICK RATCHET HANDLE
- +1PC-1/4" DR. EXTENSION BAR, 4"

Item No.	N(pcs)
FHST0612	12




QTY:10PCS
Carton Size: 46x32x11cm

Ratchet wrench socket set

CONTENTS

- +10PCS-3/8" DR. SOCKETS:
10, 11, 12, 13, 14, 15, 17, 19, 22, 24mm
- +1PC-3/8" DR. QUICK REVERSIBLE RATCHET HANDLE
- +1PC-3/8" DR. EXTENSION BAR, 3"

Item No.	N(pcs)
FHST1012	12




QTY:20PCS
Carton Size: 39x32x11cm

Ratchet wrench socket set

CONTENTS

- +10PCS-1/2" DR. SOCKETS:
10, 11, 12, 13, 14, 15, 17, 19, 22, 24mm
- +1PC-1/2" DR. QUICK REVERSIBLE RATCHET HANDLE
- +1PC-1/2" DR. EXTENSION BAR, 5"

Item No.	N(pcs)
FHST1312	12



QTY:20PCS
Carton Size: 46x32x11cm

19pcs 1/2" Dr. Socket set

DESCRIPTION

- 1pc 1/2" Ratchet wrench
- 10pcs 1/2" Sockets bits:
8-10-11-12-13-14
-15-16-17-19



Item No.	Qty.
FHST1319	19 pcs



QTY:5 SET
Carton Size: 46x32x11cm

10PCS 1/2" Dr. Impact socket set

DESCRIPTION

- 10mm-12mm-13mm-14mm-15mm
17mm-19mm-21mm-22mm-24mm

- 7/16"-1/2"-9/16"-5/8"-11/16"
3/4"-13/16"-7/8"-15/16"-1"



Item No.	Qty.
FHSD031310M	10 pcs
FHSD031310S	10 pcs



QTY:5 SET
Carton Size: 46x32x11cm

10PCS 1/2" Dr. Deep Impact socket set

DESCRIPTION

- 10mm-12mm-13mm-14mm-15mm
17mm-19mm-21mm-22mm-24mm

- 7/16"-1/2"-9/16"-5/8"-11/16"
3/4"-13/16"-7/8"-15/16"-1"



Item No.	Qty.
FHSD031310M	10 pcs
FHSD031310S	10 pcs



QTY:5 SET
Carton Size: 46x32x11cm

15PCS Torx bit set (1/2" Dr.)

DESCRIPTION

- CONTENTS
- 1 pcs: 1/2" Drive Adaptor.
- 7 pcs Short Bits (30mm):
T20-T25-T30-T40-T45-T50-T55
- 7 pcs Long Bits (75mm):
T20-T25-T30-T40-T45-T50-T55



Item No.	Qty.
FHS051015TM	15 pcs



QTY:24 SET
Carton Size: 46x32x11cm

15PCS Hex bit set (1/2" Dr.)

DESCRIPTION

- CONTENTS
- 1 pcs: 1/2" Drive Adaptor.
- 7 pcs Short Bits (30mm):
H4-H5-H6-H7-H8-H10-H12
- 7 pcs Long Bits (75mm):
H4-H5-H6-H7-H8-H10-H12



Item No.	Qty.
FHS041015HM	15 pcs



QTY:24 SET
Carton Size: 46x32x11cm

16PCS Torx Bit Socket & External Torx Socket Set (1/2" Dr.)

DESCRIPTION

- CONTENTS
- 7pcs 1/2" Dr. Torx bit sockets
T30-T40-T45-T50-T55-T60-T70
- 9pcs 1/2" Dr. External Torx sockets
E10-E11-E12-E14-E16-E18
-E20-E22-E24



Item No.	Qty.
FHST1317	16 pcs



QTY:8 SET
Carton Size: 46x32x11cm

20PCS 3/8" Socket Tools Set



Item No.	Qty.
FHST38020	20 pcs



QTY:5 SET
Carton Size: 46x32x11cm

23PCS 1/2" Socket Tools Set



Item No.	Qty.
FHST38020	20 pcs



QTY:5 SET
Carton Size: 46x32x11cm

31PCS 1/4" Dr. Socket set (S&M)



Item No.	Qty.
FHST0631	31 pcs



QTY:5 SET
Carton Size: 46x32x11cm

32PCS Socket Set(1/2" Dr.)



Item No.	Qty.
FHST1332	32 pcs



QTY:4 SET
Carton Size:40.5x24.5x33cm

36PCS 3/8" Combination Socket set



Item No.	Qty.
FHST0636	36 pcs



QTY:4 SET
Carton Size:34.5x29.5x36cm

46pcs socket set(1/4")



Item No.: FHST2046



QTY:4 BOXES
Carton Size:37.5x27.5x35.5cm

77pcs socket set(1/4")



Item No.: FHST2077



QTY:3 SET
Carton Size:40.5x24.5x33cm

94 PCS Socket set (1/2 "Dr. &1/4 "Dr.)



Item No.	Qty.
FHST2094	94 pcs



QTY:1 SET
Carton Size:44.5x33.5x33.5cm

132PCS Tools Set



Item No.	Qty.
FHST2132-5	132 pcs



QTY:4 SET
Carton Size:50x48.5x36cm

234PCS Tools Set



Item No.	Qty.
FHTK234	234 pcs



QTY:4 SET
Carton Size:50x50x40cm

TOOL CART



DESCRIPTION
FHTC02

	SIZE	LOAD CAPACITY
Top Compartment	600mm x 270mm x 25mm	10 kg
Top Drawer 1 of 1	770mm x 270mm x 50mm	13 kg each
Middle Drawer	600mm x 270mm x 70mm	22 kg
Bottom Drawer	600mm x 270mm x 100mm	22 kg
Tray	770mm x 270mm x 15mm	90 kg
Max. load capacity Do not exceed this value at:		205 kg



QTY:1 PCS
Carton Size:84x47.5x44 CM

Tool box

DESCRIPTION
Material:PP



Item No.	Size
FHTB0014	35(L)X18(W)X16(H)CM



QTY:16PCS
Carton Size:47x37x44cm

8pcs Handtools set

Contents
1pc Knife
1pc Test screw driver
1pc 3M-16mm steel measuring type
2pcs 5x100mm screwdriver
6" Long nose pliers
7" Combination pliers
8" Adjustable wrench



Item No.	N(PCS)
FHHSB008	8



QTY:12PCS
Carton Size:31x18x30cm

26pcs Hand tools set



Item No.	Size
FHTS026	42(L)X22(W)X19.5(H)CM



QTY:14PCS
Carton Size:48.5x39.5x44cm

Tool box

DESCRIPTION
Size:530*200*200mm
Thickness:0.5mm



Item No.	FHTB211M
----------	----------



QTY:1PCS
Carton Size:54x29x23cm

3PCS Adjustable Wrench Set

DESCRIPTION
6"/150mm (0-19mm)
8"/200mm (0-24mm)
10"/250mm (0-30mm)



Item No.	Size
FHAW106810	6"8"10"



QTY: 24PCS
Carbon size: 6-10, 8-20, 10-25cm

Adjustable wrench

DESCRIPTION
High quality carbon steel



Item No.	Length	Size(mm)
FHAW1006	150mm/6"	0-19
FHAW1008	200mm/8"	0-24
FHAW1010	250mm/10"	0-30
FHAW1012	300mm/12"	0-36

6" QTY: 120PCS
Carbon size: 6-15, 6-19mm
8" QTY: 48PCS
Carbon size: 7-20, 8-25, 8-30mm
10" QTY: 36PCS
Carbon size: 8-25, 10-30, 11-35mm
12" QTY: 24PCS
Carbon size: 9-30, 12-36, 14-45mm



Adjustable wrench

DESCRIPTION
Chrome Vanadium
Double color plastic handle



Item No.	L(mm)	Size(mm)
FHAW7006	160/6"	0-24
FHAW7008	210/8"	0-30
FHAW7010	260/10"	0-35
FHAW7012	310/12"	0-41

6" QTY: 110PCS
Carbon size: 6-24, 6-31, 6-35mm
8" QTY: 48PCS
Carbon size: 8-30, 8-35, 8-41mm
10" QTY: 36PCS
Carbon size: 10-35, 10-41, 11-45mm
12" QTY: 24PCS
Carbon size: 12-41, 12-47, 13-51mm

Cr-V



5pcs fixed combination gear spanner set

DESCRIPTION
High-quality carbon steel
Surface mirror finish



Item No.	Size
FHCGS0005	8/10/13/ 17/19mm



Cr-V



QTY: 15 PCS
Carbon size: 8-19, 10-21, 13-21, 17-21, 19-21mm

7PCS Fixed combination gear spanner set

8mm-10mm-12mm-13mm-14mm-17mm-19mm



Item No.	Qty.
FHCGS007	7 pcs



QTY: 4 SET
Carbon size: 8-19, 10-21, 12-21, 13-21, 14-21, 17-21, 19-21mm

8PCS Double open end spanner set

DESCRIPTION
High-quality carbon steel
Surface mirror finish



Item No.	Size
FHDO0008	6-22mm

x8



QTY: 20SET (10x 8-110PCS)
Carbon size: 6-22, 8-11mm

8PCS Combination spanner set

DESCRIPTION
High-quality carbon steel
Surface mirror finish



Item No.	Size
FHC50008	6/8/10/12/13/ 14/17/19mm

x8



QTY: 20SET (10x 110PCS)
Carbon size: 6-19, 8-17, 10-17, 12-17, 13-17, 14-17, 17-17, 19-17mm

Double open end spanner set

DESCRIPTION
High-quality carbon steel
Matt surface



Item No.	Size
FHCSS0008	6-22mm

x8



QTY: 20SET (10x 110PCS)
Carbon size: 6-22, 8-17, 10-17, 12-17, 13-17, 14-17, 17-17, 19-17mm

T-handle Hex Wrench set



Item No.	PCS	Size
FHHK4008	8	2.0x 10mm, 2.5x 10mm, 3.0x 10mm, 4.0x 10mm, 5.0x 15mm, 6.0x 15mm, 8.0x 20mm, 10x 20mm

Cr-V



QTY: 4 PCS
Carbon size: 10, 12, 15, 20mm

8PCS Offset ring spanner set

DESCRIPTION
High-quality carbon steel
Surface mirror finish



Item No.	Size
FHOR0008	6-22mm

x8



QTY: 20SET (10x 110PCS)
Carbon size: 6-22, 8-17, 10-17, 12-17, 13-17, 14-17, 17-17, 19-17mm

14Pcs Combination Spanner Set

8mm-9mm-10mm-11mm-12mm-13mm-14mm
15mm-16mm-17mm-18mm-19mm-22mm-24mm



Item No.	Qty.
FHCS0014	14 pcs

Cr-V



QTY: 4 SET
Carbon size: 8-22, 10-17, 12-17, 13-17, 14-17, 15-17, 16-17, 17-17, 18-17, 19-17, 22-17, 24-17mm

Combination spanner

DESCRIPTION
Material: Crv
Matte surface



Item No.	Size(mm)
FHCPCRV06	6
FHCPCRV07	7
FHCPCRV08	8
FHCPCRV09	9
FHCPCRV10	10
FHCPCRV11	11

Cr-V



6mm QTY: 60PCS
Carbon size: 6-10, 6-13, 6-15, 6-17, 6-19mm
7mm QTY: 60PCS
Carbon size: 7-10, 7-13, 7-15, 7-17, 7-19mm
8mm QTY: 60PCS
Carbon size: 8-10, 8-13, 8-15, 8-17, 8-19mm
9mm QTY: 60PCS
Carbon size: 9-10, 9-13, 9-15, 9-17, 9-19mm
10mm QTY: 60PCS
Carbon size: 10-13, 10-15, 10-17, 10-19mm
11mm QTY: 60PCS
Carbon size: 11-13, 11-15, 11-17, 11-19mm

Combination spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHCPCRV12	12
FHCPCRV13	13
FHCPCRV14	14
FHCPCRV15	15
FHCPCRV16	16
FHCPCRV17	17

12mm	QTY: 20PCS Carton Size: 12x11x11cm
13mm	QTY: 20PCS Carton Size: 12x11x11cm
14mm	QTY: 20PCS Carton Size: 12x11x11cm
16mm	QTY: 20PCS Carton Size: 12x11x11cm
16mm	QTY: 20PCS Carton Size: 12x11x11cm
17mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Combination spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHCPCRV18	18
FHCPCRV19	19
FHCPCRV20	20
FHCPCRV21	21
FHCPCRV22	22
FHCPCRV23	23
FHCPCRV24	24

18mm	QTY: 20PCS Carton Size: 12x11x11cm
19mm	QTY: 20PCS Carton Size: 12x11x11cm
20mm	QTY: 20PCS Carton Size: 12x11x11cm
21mm	QTY: 20PCS Carton Size: 12x11x11cm
22mm	QTY: 20PCS Carton Size: 12x11x11cm
23mm	QTY: 20PCS Carton Size: 12x11x11cm
24mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Combination spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHCPCRV25	25
FHCPCRV26	26
FHCPCRV27	27
FHCPCRV28	28
FHCPCRV29	29
FHCPCRV30	30
FHCPCRV32	32

25mm	QTY: 20PCS Carton Size: 12x11x11cm
26mm	QTY: 20PCS Carton Size: 12x11x11cm
27mm	QTY: 20PCS Carton Size: 12x11x11cm
28mm	QTY: 20PCS Carton Size: 12x11x11cm
29mm	QTY: 20PCS Carton Size: 12x11x11cm
30mm	QTY: 20PCS Carton Size: 12x11x11cm
32mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Double open end spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHDOCRV0607	6X7
FHDOCRV0809	8X9
FHDOCRV1011	10X11

6X7mm	QTY: 20PCS Carton Size: 12x11x11cm
8X9mm	QTY: 20PCS Carton Size: 12x11x11cm
10X11mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Double open end spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHDOCRV1213	12X13
FHDOCRV1415	14x15
FHDOCRV1617	16X17

12X13mm	QTY: 20PCS Carton Size: 12x11x11cm
14x15mm	QTY: 20PCS Carton Size: 12x11x11cm
16X17mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Double open end spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHDOCRV1819	18X19
FHDOCRV2022	20x22
FHDOCRV2224	22X24

18X19mm	QTY: 20PCS Carton Size: 12x11x11cm
20x22mm	QTY: 20PCS Carton Size: 12x11x11cm
22X24mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Double open end spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHDOCRV2427	24X27
FHDOCRV2730	27x30
FHDOCRV3032	30x32

24X27mm	QTY: 20PCS Carton Size: 12x11x11cm
27x30mm	QTY: 20PCS Carton Size: 12x11x11cm
30X32mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Offset ring spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHORCRV1213	12X13
FHORCRV1415	14x15
FHORCRV1617	16X17

12X13mm	QTY: 20PCS Carton Size: 12x11x11cm
14x15mm	QTY: 20PCS Carton Size: 12x11x11cm
16X17mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Offset ring spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHORCRV2427	24X27
FHORCRV2730	27x30
FHORCRV3032	30x32

24X27mm	QTY: 20PCS Carton Size: 12x11x11cm
27x30mm	QTY: 20PCS Carton Size: 12x11x11cm
30X32mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Offset ring spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHORCRV0607	6X7
FHORCRV0809	8X9
FHORCRV1011	10X11

6X7mm	QTY: 20PCS Carton Size: 12x11x11cm
8X9mm	QTY: 20PCS Carton Size: 12x11x11cm
10X11mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Offset ring spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHORCRV1819	18X19
FHORCRV2022	20x22
FHORCRV2224	22X24

18X19mm	QTY: 20PCS Carton Size: 12x11x11cm
20x22mm	QTY: 20PCS Carton Size: 12x11x11cm
22X24mm	QTY: 20PCS Carton Size: 12x11x11cm

Cr-V



Folding Hex Key set

DESCRIPTION
1.5mm-2mm-2.5mm-3mm
-4mm-5mm-6mm-8mm



Item No.	QTY
FHHK3008	8

Cr-V



QTY: 20PCS
Carton Size: 12x11x11cm

Folding Torx Key set

DESCRIPTION
T9-T10-T15-T20
-T25-T27-T30-T40



Item No.	QTY
FHHK3018	8

Cr-V



QTY: 8PCS
Carbon size: 44x38x23mm

Hex key

DESCRIPTION
Chrome vanadium
Surface matte finish

Extra long arm



Item No.	Size
FHHK0009	1.5/2/2.5/3/4 5/6/8/10mm

HEX

Cr-V

x 9



QTY: 9PCS
Carbon size: 31x27x15mm

Ball point hex key

DESCRIPTION
Chrome vanadium
Surface matte finish

Extra long arm



Item No.	Size
FHHK1009	1.5/2/2.5/3/4 5/6/8/10mm

BALL

HEX

Cr-V

x 9



QTY: 9PCS
Carbon size: 31x27x15mm

Torx key

DESCRIPTION
Chrome vanadium
Surface matte finish

Extra long arm



Item No.	Size
FHHK2009	T10/T15/T20/T25/T27 30/40/45/50

TORX

Cr-V

x 9



QTY: 9PCS
Carbon size: 31x27x15mm

Hex key

DESCRIPTION
Chrome vanadium
Surface matte finish

Mid-length



Item No.	Size
FHHK0019	1.5/2/2.5/3/4 5/6/8/10mm

HEX

Cr-V

x 9



QTY: 9PCS
Carbon size: 44x27x15mm

Ball point hex key

DESCRIPTION
Chrome vanadium
Surface matte finish

Mid-length



Item No.	Size
FHHK1019	1.5/2/2.5/3/4 5/6/8/10mm

BALL

HEX

Cr-V

x 9



QTY: 9PCS
Carbon size: 44x27x15mm

Torx key

DESCRIPTION
Chrome vanadium
Surface matte finish

Mid-length



Item No.	Size
FHHK2019	T10/T15/T20/T25/T27 30/40/45/50

TORX

Cr-V

x 9



QTY: 9PCS
Carbon size: 44x27x15mm

Fixed Ratchet Combination Wrench

Cr-V



Item No.	Size
FHRCW16	16mm
FHRCW17	17mm
FHRCW18	18mm
FHRCW19	19mm
FHRCW21	21mm
FHRCW22	22mm
FHRCW24	24mm
FHRCW27	27mm



QTY: 30 PCS
Carbon size: 31x18x20mm

Fixed Ratchet Combination Wrench

Cr-V



Item No.	Size
FHRCW06	6mm
FHRCW07	7mm
FHRCW08	8mm
FHRCW09	9mm
FHRCW10	10mm
FHRCW11	11mm
FHRCW12	12mm
FHRCW13	13mm
FHRCW14	14mm
FHRCW15	15mm



QTY: 30 PCS
Carbon size: 31x24x20mm

Ratchet wrench

Item No.	Teeth	Size
FHRW1012	72	1/2"
FHRW1038	72	3/8"
FHRW1014	72	1/4"

Cr-V

T2T



1/2" QTY: 30 PCS
Carbon size: 41x32x23mm
3/8" QTY: 40 PCS
Carbon size: 31x22x22mm
1/4" QTY: 40 PCS
Carbon size: 21x22x22mm

1/2" Hexagonal socket

Cr-V



Item No.	Length (mm)	Item No.	Length (mm)	Item No.	Length (mm)
FHHS1208	8	FHHS1216	16	FHHS1224	24
FHHS1209	9	FHHS1217	17	FHHS1225	25
FHHS1210	10	FHHS1218	18	FHHS1226	26
FHHS1211	11	FHHS1219	19	FHHS1227	27
FHHS1212	12	FHHS1220	20	FHHS1228	28
FHHS1213	13	FHHS1221	21	FHHS1229	29
FHHS1214	14	FHHS1222	22	FHHS1230	30
FHHS1215	15	FHHS1223	23	FHHS1232	32


1/2" Deep hexagonal socket

Cr-V



Item No.	Length (mm)	Item No.	Length (mm)	Item No.	Length (mm)
FHHS1208L	8	FHHS1216L	16	FHHS1224L	24
FHHS1209L	9	FHHS1217L	17	FHHS1225L	25
FHHS1210L	10	FHHS1218L	18	FHHS1226L	26
FHHS1211L	11	FHHS1219L	19	FHHS1227L	27
FHHS1212L	12	FHHS1220L	20	FHHS1228L	28
FHHS1213L	13	FHHS1221L	21	FHHS1229L	29
FHHS1214L	14	FHHS1222L	22	FHHS1230L	30
FHHS1215L	15	FHHS1223L	23	FHHS1232L	32

Adaptor



Item No.	Size
FSA3814	3/8"Fx1/4" M
FSA1238	1/2"Fx3/8" M
FSA3412	3/4"Fx1/2" M



QTY: 50 PCS
Carton size: 16x18x14cm

QTY: 30 PCS
Carton size: 16x16x14cm

QTY: 40 PCS
Carton size: 35x21x16cm

Multipurpose self-locking spanner x 2 pcs

DESCRIPTION
Material: Carbon steel
Hardness: 42-47 HRC
Handle: Rubber handle
Technical: Heat treat hardened



Item No.	Specifications
FHUW0932	9-32(mm)



QTY: 24 PCS
Carton size: 37x29x29cm

Cross rim wrench

DESCRIPTION
Material: carbon steel



Item No.	Size(mm)
FHCRW1350	17x19x21x23



QTY: 18 PCS
Carton size: 32x22x28cm

14"

Y-Type socket wrench

DESCRIPTION
Material: Crv
Matte finished



Item No.	Size(mm)
FHYSW080910	8X9X10
FHYSW081012	8X10X12
FHYSW101214	10X12X14
FHYSW121417	12X14X17



8X9X10mm QTY: 80PCS
Carton size: 6x27x27cm

8X10X12mm QTY: 80PCS
Carton size: 6x27x27cm

10X12X14mm QTY: 80PCS
Carton size: 6x27x27cm

12X14X17mm QTY: 80PCS
Carton size: 6x27x27cm

Cr-V

T-handle socket wrench

DESCRIPTION
Material: Crv
Matte finished



Item No.	Size(mm)
FHTSW008	8x200x300
FHTSW009	9x200x300
FHTSW010	10x200x300
FHTSW012	12x200x300



8x200x300mm QTY: 80PCS
Carton size: 34x24x34cm

9x200x300mm QTY: 80PCS
Carton size: 34x24x34cm

10x200x300mm QTY: 80PCS
Carton size: 34x24x34cm

12x200x300mm QTY: 80PCS
Carton size: 34x24x34cm

T-handle socket wrench

DESCRIPTION
Material: Crv
Matte finished



Item No.	Size(mm)
FHTSW013	13x200x300
FHTSW014	14x200x300
FHTSW017	17x200x300
FHTSW019	19x200x300



13x200x300mm QTY: 80PCS
Carton size: 34x24x34cm

14x200x300mm QTY: 80PCS
Carton size: 34x24x34cm

17x200x300mm QTY: 80PCS
Carton size: 34x24x34cm

19x200x300mm QTY: 80PCS
Carton size: 34x24x34cm

Cr-V

L-angled socket wrench

DESCRIPTION
Material: Crv
Matte finished



Item No.	Size(mm)
FHLSW008	8x120
FHLSW010	10x135
FHLSW012	12x150



8x120mm QTY: 18PCS
Carton size: 31x18x29cm

10x135mm QTY: 20PCS
Carton size: 31x18x29cm

12x150mm QTY: 12PCS
Carton size: 41x18x29cm

Cr-V

L-angled socket wrench

DESCRIPTION
Material: Crv
Matte finished



Item No.	Size(mm)
FHLSW013	13x160
FHLSW014	14x170
FHLSW017	17x190
FHLSW019	19x205



13x160mm QTY: 18PCS
Carton size: 41x18x29cm

14x170mm QTY: 20PCS
Carton size: 41x18x29cm

17x190mm QTY: 12PCS
Carton size: 41x18x29cm

19x205mm QTY: 12PCS
Carton size: 41x18x29cm

Cr-V

Grease gun

DESCRIPTION
10000 PSI working pressure
Compact size, easy to carry
Three ways filling grease gun applicator
suitable for suction and bulk.



Item No.	SIZE
FHGG1401	14



QTY: 18PCS
Carton size: 39x24x29cm

Hydraulic Trolley Jack

DESCRIPTION

Item No.	Capacity	Min. Height	Max. height
FJT202	2T	135	340
FJT203	3T	135	400



QTY: 1 PCS
Carton size: 46x21.5x14.5cm

QTY: 1 PCS
Carton size: 46x21.5x14.5cm



Bottle Jack



FBJ402	2 TON	180mm	330mm	480mm
FBJ404	4 TON	180mm	370mm	500mm
FBJ406	6 TON	210mm	420mm	580mm
FBJ410	10 TON	210mm	480mm	680mm
FBJ420	20 TON	240mm	580mm	800mm
FBJ432	32 TON	240mm	680mm	900mm
FBJ450	50 TON	240mm	800mm	1000mm

QTY: 4 PCS
Carton size: 21x24x34cm

QTY: 4 PCS
Carton size: 24x23x34cm

QTY: 4 PCS
Carton size: 24x23x34cm

QTY: 4 PCS
Carton size: 24x23x34cm

QTY: 4 PCS
Carton size: 24x23x34cm

QTY: 4 PCS
Carton size: 24x23x34cm

QTY: 4 PCS
Carton size: 24x23x34cm



Jack stands



DESCRIPTION

Item No.	Capacity	Min. Height (mm)	Max. Height (mm)
FJJS302	2T	260	410
FJJS303	3T	270	420



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20
QTY: 1 PCS
Capacity: 2T x 22, 3T x 23

2pcs screwdriver set

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle

Item No.	Spec
FHSD0202	SL5X100mm PH1x100mm
FHSD0203	SL6X125mm PH2x125mm
FHSD0204	SL6X100mm PH2x100mm



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20

4pcs screwdriver set

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle

Item No.	Spec
FHSD0401	SL5X100mm PH1x100mm SL6X150mm PH2x150mm



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20



6pcs screwdriver set

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle

Item No.	Spec
FHSD0602	SL3X75mm PH0x75mm SL5X100mm PH1x100mm SL6X150mm PH2x150mm



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20

6pcs screwdriver Set

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle

Item No.	Spec
FHST1006	SL5X75mm PH1x75mm SL6X38mm PH2x38mm SL6X100mm PH2x100mm



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20



8pcs screwdriver set

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle

Item No.	Spec
FHSD0801	SL3X75mm PH0x75mm SL5X100mm PH1x75mm SL6X38mm PH2x38mm SL6X150mm PH2x125mm



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20

6pcs screwdriver Set

DESCRIPTION

Magnetized Tip
Transparent plastic handle
Hardened and Tempered Blade

FHCS2006

SL3x75mm	PH0x75mm
SL5x100mm	PH1x100mm
SL6x150mm	PH2x150mm



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20

Precision screwdriver set

DESCRIPTION

Tip type: Phillips, Slotted
Shank material: Cr-v
Packing way: plastic box

Item No.	Size
FHPS07	SL2x50, 2.5x50, 3x50, PH0x50, PH0x50, T6x50 18x50



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20



Ratchet Screwdriver Set

DESCRIPTION

• 1PC Ratchet Bit Driver
• 37PCS Screwdriver Bits

Item No.	PCS
FHSDK3801	38



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20



Precision screwdriver set

DESCRIPTION

Tip type: Phillips, Slotted
Shank material: Cr-v
Packing way: plastic box

Item No.	Diameter
FHPS8006	SL1.0, SL1.4, SL1.8, SL2.4, PH0, PH1



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20



Interchangeable screwdriver set

DESCRIPTION

Chrome vanadium blade
Double injected soft handle
Magnetized tip
Hardened and tempered blade

Item No.	N(pcs)
FHIBSS08	8



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20



Ratchet Screwdriver Set

DESCRIPTION

• 26PCS Screwdriver Bits
• 9PCS Sockets
• 1PC Socket Wrench
Extension Bar(1/4x3")
• 1PC Transfer Rod
• 1PC Ratchet Wrench

Item No.	PCS
FHSDK3802	38



QTY: 1 PCS
Capacity: 2T x 19, 3T x 20



T-type Ratchet Screwdriver Set

DESCRIPTION

- 35PCS 6.3x25mm CR-V BITS
- 9PCS 25mm 1/4" DR. SOCKET
- 1PC 25mm 6-4 Transfer Rod
- 1PC 6.3X137mm BAR
- 1PC T Handle Ratchet Screwdriver



Item No.	PCS
FHSDK47	47



QTY: 35PCS
Carton size: 43x24x17.5cm

High-quality Screw Bit Kit

32PCS 25 mm BITS:

- PH1-PH2*2 PH3
- SL3 SL4 SL5 SL4
- PZ0-PZ1-PZ2-PZ3
- T10-T15-T20-T25*2-T27-T30-T40
- T110-T115-T120-T125*2-T127-T130-T140
- H3-H4-H5-H6
- 6PCS 6.3 x 45 mm BITS:
- SL6-PH2*2
- T15-T20-T25

1PC 60 mm Quick Charge

- 1PC 1/4" 80 mm SCREW GUIDE
- 3PCS 50 mm NUT DRIVER:
- 6mm-8mm-10mm



FHSDK43



QTY: 100 PCS
Carton size: 44x37x33cm

Phillips screwdriver

DESCRIPTION

- Chrome vanadium
- Magnetized tip
- Double injected soft handle



Item No.	Size	Length
FHPH075	PH0	75mm
FHPH175	PH1	75mm
FHPH5100	PH1	100mm
FHPH238	PH2	38mm
FHPH2100	PH2	100mm
FHPH6125	PH2	125mm
FHPH6150	PH2	150mm
FHPH6200	PH2	200mm
FHPH3150	PH3	150mm
FHPH3200	PH3	200mm



38mm QTY: 20PCS
Carton size: 43x24x17.5cm
75mm QTY: 20PCS
Carton size: 43x24x17.5cm
100mm QTY: 20PCS
Carton size: 43x24x17.5cm
125mm QTY: 10PCS
Carton size: 43x24x17.5cm
150mm QTY: 10PCS
Carton size: 43x24x17.5cm
200mm QTY: 10PCS
Carton size: 43x24x17.5cm


Screwdriver bits set

DESCRIPTION

Material: S2



Item No.	Size	Length
FHSD1501	PH1	25mm
FHSD1502	PH2	25mm
FHSD3001	PH1	25mm
FHSD3002	PH2	30mm
FHSD6501	PH1-PH2	65mm



QTY: 25 PCS
Carton size: 43x24x17.5cm
QTY: 25 PCS
Carton size: 43x24x17.5cm

Slotted screwdriver

DESCRIPTION

- Chrome vanadium
- Magnetized tip
- Double injected soft handle
- Hardened and tempered blade



Item No.	Size	Length
FHSS0375	3.0mm	75mm
FHSS4100	4.0mm	100mm
FHSS5100	5.0mm	100mm
FHSS575	5.0mm	75mm
FHSS638	6.0mm	38mm
FHSS4125	6.0mm	125mm
FHSS4150	6.0mm	150mm
FHSS4200	6.0mm	200mm
FHSS8150	8.0mm	150mm
FHSS8200	8.0mm	200mm



38mm QTY: 20PCS
Carton size: 43x24x17.5cm
75mm QTY: 20PCS
Carton size: 43x24x17.5cm
100mm QTY: 20PCS
Carton size: 43x24x17.5cm
125mm QTY: 10PCS
Carton size: 43x24x17.5cm
150mm QTY: 10PCS
Carton size: 43x24x17.5cm
200mm QTY: 10PCS
Carton size: 43x24x17.5cm


Pozidriv screwdriver

DESCRIPTION

- Chrome vanadium
- Magnetized tip
- Double injected soft handle



Item No.	Size	Length
FHPZ075	PZ0	75mm
FHPZ5100	PZ1	100mm
FHPZ6125	PZ2	125mm
FHPZ6150	PZ2	150mm
FHPZ6200	PZ2	200mm
FHPZ3150	PZ3	150mm



75mm QTY: 20PCS
Carton size: 43x24x17.5cm
100mm QTY: 20PCS
Carton size: 43x24x17.5cm
125mm QTY: 10PCS
Carton size: 43x24x17.5cm
150mm QTY: 10PCS
Carton size: 43x24x17.5cm
200mm QTY: 10PCS
Carton size: 43x24x17.5cm


Torx screwdriver

DESCRIPTION

- Chrome vanadium
- Magnetized tip
- Double injected soft handle



Item No.	Size	Length
FHT10100	T10	100mm
FHT15100	T15	100mm
FHT20150	T20	150mm
FHT25150	T25	150mm



100mm QTY: 20PCS
Carton size: 43x24x17.5cm
150mm QTY: 20PCS
Carton size: 43x24x17.5cm

11 IN 1 Screwdriver set

DESCRIPTION

- 10 pcs bits:
- SL3,SL5,SL6,SL7,PH1,PH2, PZ0,PZ1,T6,T10
- 1pcs AD



Item No.	QTY
FHSDK1101	11



QTY: 72 PCS
Carton size: 43x28.5x31cm

Slotted screwdriver

DESCRIPTION

- Magnetized Tip
- Transparent plastic handle
- Hardened and Tempered Blade



Item No.	Size	Length
FHCSSL0375	3.0mm	75mm
FHCSSL4100	4.0mm	100mm
FHCSSL5100	5.0mm	100mm
FHCSSL6150	6.0mm	150mm



75mm QTY: 144PCS
Carton size: 43x29x31cm
100mm QTY: 144PCS
Carton size: 43x29x31cm
100mm QTY: 144PCS
Carton size: 43x29x31cm
150mm QTY: 144PCS
Carton size: 43x29x31cm

2 in 1 Screwdriver set

DESCRIPTION

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle



Item No.	Size	Length
FHSD0201	6.0mm	150mm

FHSD0201



QTY: 20 PCS
Carton size: 43x24x17.5cm

33 IN 1 Screwdriver set

DESCRIPTION

- 32 pcs bits:
- SL3 SL4 SL5 SL5.5 SL6 SL7 PH0 PH1 PH2 PH3 PZ0 PZ1 PZ2 PZ3 T8 T10 T15 T20 T25 T27 T30 T40 S00 S01 S02 HX2 HX2.5 HX3 HX4 HX5 HX5.5 HX6



Item No.	QTY
FHSDK3301	33



QTY: 10 PCS
Carton size: 52.5x44x21.5cm

Phillips screwdriver

DESCRIPTION

- Magnetized Tip
- Transparent plastic handle
- Hardened and Tempered Blade



Item No.	Size	Length
FHCSPH075	PH0	75mm
FHCSPH1100	PH1	100mm
FHCSPH2150	PH2	150mm



75mm QTY: 144PCS
Carton size: 43x29x31cm
100mm QTY: 144PCS
Carton size: 43x29x31cm
150mm QTY: 144PCS
Carton size: 43x29x31cm

Pozidriv screwdriver

DESCRIPTION
Magnetized Tip
Transparent plastic handle
Hardened and Tempered Blade

Item No.	Size	Length
FHCSZ075	PZ0	75mm
FHCSZ1100	PZ1	100mm
FHCSZ2150	PZ2	150mm



Insulated screwdriver

DESCRIPTION
Chrome vanadium
Magnetized tip
Double injected soft handle

Item No.	Size	Length
FHIPH2100	PH2	100mm



Mini pliers set

DESCRIPTION
4.5" combination plier
4.5" long nose plier
4.5" diagonal cutting plier
High carbon steel
Surface polished finish
Comfort grip
Lifetime warranty

Item No.	Length
FHMPS003	115mm/4.5"



Insulated screwdriver

DESCRIPTION
Chrome vanadium
Magnetized tip
Double injected soft handle

Item No.	Size	Length
FHISS4100	4.0mm	100mm



Insulated screwdriver

DESCRIPTION
Chrome vanadium
Magnetized tip
Double injected soft handle


Item No.	Size	Length
FHIPZ2100	PZ2	100mm



4pcs Circlip pliers set

DESCRIPTION
External straight circlip pliers-7"
Internal straight circlip pliers-7"
External bent circlip pliers-7"
Internal bent circlip pliers-7"

Item No.	L length	Φ
FHCPS3007	180mm/7"	1.8mm



3pcs pliers set

DESCRIPTION
Chrome Vanadium
TPR double color handle
6" Diagonal cutting plier
7" Combination plier
6" Long nose plier

Item No.	PCS
FHPK031	3



Slip joint pliers

DESCRIPTION
2 Position adjustment slip joint pliers .
Heavy duty drop forged hardened steel .
Ergonomic Grip Handle .

Model	Size	Total Length	Head Length	W.K. opening Size
RS.P2006	6"	151 mm	66 mm	70 mm
RS.P2006	8"	201 mm	111 mm	81 mm
RS.P2006	10"	251 mm	151 mm	105 mm



Combination pliers

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished

Item No.	Size
FHCP1006	160mm/6"
FHCP1007	180mm/7"
FHCP1008	200mm/8"



3pcs pliers set

DESCRIPTION
High quality carbon steel
TPR double color handle
6" Diagonal cutting plier
7" Combination plier
6" Long nose plier

Item No.	PCS
FHPK032	3



15-IN-1 Multi-Function Pliers

Item No.	QTY
FHMP06	15



Combination pliers

DESCRIPTION
Chrome Vanadium
TPR double color handle

Item No.	L length
FHCP1006-B	160mm/6"
FHCP1007-B	180mm/7"
FHCP1008-B	200mm/8"



Long nose pliers

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Size
FHLN1006	160mm/6"
FHLN1008	200mm/8"

Cr-V



QTY: 50 PCS
Carton size: 6.5x3x23.7cm
QTY: 10 PCS
Carton size: 6.5x3x23.7cm

Long nose pliers

DESCRIPTION
Chrome Vanadium
TPR double color handle



Item No.	Length
FHLN1006-B	160mm/6"
FHLN1008-B	200mm/8"

Cr-V



QTY: 50 PCS
Carton size: 6.5x3x23.7cm
QTY: 10 PCS
Carton size: 6.5x3x23.7cm

Wire stripping pliers

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Size
FHWS1006	160mm/6"

Cr-V



QTY: 50PCS
Carton size: 6.5x3x23.7cm

End cutting pliers

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Size
FHEC1006	160mm/6"

Cr-V



QTY: 10 PCS
Carton size: 6.5x3x23.7cm

Bent nose plier

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Size
FHBN1006	160mm/6"

Cr-V



QTY: 50 PCS
Carton size: 6.5x3x23.7cm

Flat nose pliers

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Size
FHFN1006	160mm/6"

Cr-V



QTY: 50 PCS
Carton size: 6.5x3x23.7cm

Combination pliers

DESCRIPTION
Carbon steel
Two color handle
Polished



Item No.	Size
FHCP2006	160mm/6"
FHCP2007	180mm/7"
FHCP2008	200mm/8"



6"
QTY: 50PCS
Carton size: 6.5x3x23.7cm
7"
QTY: 50PCS
Carton size: 6.5x3x23.7cm
8"
QTY: 50PCS
Carton size: 6.5x3x23.7cm

Long nose pliers

DESCRIPTION
Carbon steel
Two color handle
Polished



Item No.	Size
FHLNP2006	160mm/6"
FHLNP2008	200mm/8"



6"
QTY: 50 PCS
Carton size: 6.5x3x23.7cm
8"
QTY: 50 PCS
Carton size: 6.5x3x23.7cm

Diagonal cutting pliers

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Size
FHDC1006	160mm/6"
FHDC1007	180mm/7"

Cr-V



6"
QTY: 50PCS
Carton size: 6.5x3x23.7cm
7"
QTY: 50PCS
Carton size: 6.5x3x23.7cm

Diagonal cutting pliers

DESCRIPTION
Chrome Vanadium
TPR double color handle



Item No.	Length
FHDC1006-B	160mm/6"
FHDC1007-B	180mm/7"

Cr-V



6"
QTY: 50 PCS
Carton size: 6.5x3x23.7cm
7"
QTY: 50 PCS
Carton size: 6.5x3x23.7cm

Diagonal cutting pliers

DESCRIPTION
Carbon steel
Two color handle
Polished



Item No.	Size
FHDCP2006	160mm/6"
FHDCP2007	180mm/7"



6"
QTY: 50PCS
Carton size: 6.5x3x23.7cm
7"
QTY: 50PCS
Carton size: 6.5x3x23.7cm

Insulated combination pliers

DESCRIPTION
Chrome Vanadium
TPR double color handle
Polished



Item No.	Size
FHCP207	180mm/7"

Cr-V

VDE



QTY: 50PCS
Carton size: 6.5x3x23.7cm

Insulated diagonal cutting pliers

DESCRIPTION
 Chrome Vanadium
 TPR double color handle
 Polished



Item No.	Size
FHDCP207	180mm/7"

Cr-V VDE



QTY: 20PCS
 Carton size: 34x29x14cm

Insulated long nose pliers

DESCRIPTION
 Chrome Vanadium
 TPR double color handle
 Polished



Item No.	Size
FHLNP206	160mm/6"

Cr-V VDE



QTY: 20PCS
 Carton size: 34x29x14cm

Pump pliers

DESCRIPTION
 Chrome Vanadium
 TPR double color handle
 Black polished



Item No.	Size
FHPP3010	250mm/10"

Cr-V



QTY: 40PCS
 Carton size: 33x23x25cm

Pump Pliers

DESCRIPTION
 Carbon steel
 Chrome plated



Item No.	Size
FHPP4010	250mm/10"

QTY: 40PCS
 Carton size: 33x23x25cm

Carpenter pliers

DESCRIPTION
 Chrome Vanadium
 Plastic enfold handle



Item No.	Size
FHCPP3008	200mm/8"

Cr-V



QTY: 50PCS
 Carton size: 40x28.5x21cm

Rabbit pliers

DESCRIPTION
 Chrome Vanadium
 Plastic enfold handle



Item No.	Length
FHRP3008	200mm/8"
FHRP3010	250mm/10"

Cr-V



QTY: 50PCS
 Carton size: 40x28.5x21cm
 QTY: 20PCS
 Carton size: 34x29x14cm

Bench vice

DESCRIPTION
 Iron, steel, non-ferrous
 Sand, precision casting



Item No.	Size	W(kg)
FHBV04	4"	5
FHBV05	5"	7
FHBV06	6"	11.5
FHBV08	8"	18

4" QTY: 2PCS
 Carton size: 32x29x18cm
 5" QTY: 1PCS
 Carton size: 32x29x18cm
 6" QTY: 1PCS
 Carton size: 32x29x18cm
 8" QTY: 1PCS
 Carton size: 40x21.5x15.5cm



Quick ratchet bar clamp

DESCRIPTION
 Material: Nylon+PE+A3
 Package: Paper card



Item No.	size
FHC1006	150mm/6"
FHC1012	300mm/12"



6" QTY: 20PCS
 Carton size: 34x23x16cm
 12" QTY: 10PCS
 Carton size: 50x32x17cm

F-Clamp

DESCRIPTION
 Handle: PP+TPR
 Package: Paper card



Item No.	size
FHC41501	50x150mm
FHC42501	50x250mm
FHC43001	120x300mm
FHC45001	120x500mm
FHC48001	120x800mm
FHC410001	120x1000mm

QTY: 20PCS
 Carton size: 37x27.5x18.5cm
 QTY: 20PCS
 Carton size: 37x27.5x18.5cm
 QTY: 10PCS
 Carton size: 30x17.5x10.5cm
 QTY: 10PCS
 Carton size: 40x17.5x10.5cm
 QTY: 10PCS
 Carton size: 40x17.5x10.5cm
 QTY: 4PCS
 Carton size: 110x17.5x10.5cm



G clamps

DESCRIPTION
 Body is malleable cast iron
 T-shaped thread, stronger and easy use



Item No.	Size
FHGC0004	4"
FHGC0005	5"
FHGC0006	6"



4" QTY: 10PCS
 Carton size: 27x20x20.5cm
 5" QTY: 10PCS
 Carton size: 27x20x20.5cm
 6" QTY: 10PCS
 Carton size: 27x20x20.5cm

F-Clamp

DESCRIPTION
 Handle: TP
 Package: Paper card



Item No.	size
FHC41502	50x150mm
FHC42502	50x250mm
FHC43002	120x300mm
FHC45002	120x500mm
FHC48002	120x800mm
FHC410002	120x1000mm



QTY: 20PCS
 Carton size: 34x23x16cm
 QTY: 20PCS
 Carton size: 34x23x16cm
 QTY: 10PCS
 Carton size: 30x17.5x10.5cm
 QTY: 10PCS
 Carton size: 40x17.5x10.5cm
 QTY: 10PCS
 Carton size: 40x17.5x10.5cm

Spring clamp sets

DESCRIPTION
 Material: PP+PE



Item No.	size	PCS
FHC2004-4	100mm/4"	4
FHC2006-4	150mm/6"	4



QTY: 30PCS
 Carton size: 40x33.5x29cm
 QTY: 30PCS
 Carton size: 40x33.5x29cm

GEAR PULLER

(BUILT TO LAST): Constructed of forged and hardened steel for strength and longevity, steel drive screw is cold-rolled and acme-threaded to give you smooth performance even under high stress.
(ADJUSTABLE PERFORMANCE): Whether you are locking to remove parts from your engine base or your wheels, jaw puller features universal and reversible jaws offer versatile inside or outside grip along with short or long reach.



MODEL NO.	SIZE	EXTENSION RANGE	JAW LENGTH	LEAD SCREW LENGTH	SCREW THREAD	WORK STROKE	TOP DIAMETER	MAX. PULLING FORCE
FHJGP23	3"/75 mm	35-75 mm	102 mm	120 mm	14 mm	72 mm	/	1000 kgs
FHJGP24	4"/100 mm	45-100 mm	137 mm	150 mm	17 mm	100 mm	7 mm	1300 kgs
FHJGP26	6"/150 mm	60-150 mm	218 mm	225 mm	19 mm	160 mm	10 mm	2300 kgs
FHJGP13	3"/75 mm	35-75 mm	102 mm	120 mm	14 mm	72 mm	/	1500 kgs
FHJGP14	4"/100 mm	45-100 mm	137 mm	150 mm	17 mm	100 mm	7 mm	2000 kgs
FHJGP16	6"/150 mm	60-150 mm	218 mm	225 mm	19 mm	160 mm	10 mm	3500 kgs

Corner clamp



DESCRIPTION
 Material: Aluminum alloy
 Package: Paper card

Item No.	Size
FHC3003	75mm/3"

AL



QTY: 50PCS
 Carton size: 34x23x24cm

Curved jaw locking plier

DESCRIPTION
 High quality carbon steel
 Surface nickel plated



Item No.	Size
FHCJT5010	250mm/10"



QTY: 50PCS
 Carton size: 40x20x20 cm

Long nose locking plier

DESCRIPTION
 High quality carbon steel
 Surface nickel plated



Item No.	Size
FHLNT5009	215mm/9"



QTY: 50PCS
 Carton size: 34x23x24cm

Curved jaw lock plier

DESCRIPTION
 Chrome Vanadium
 Surface nickel plated
 TPR handle



Item No.	Size
FHCJT4010	250mm/10"

Cr-V



QTY: 50PCS
 Carton size: 34x23x24cm

Long nose locking plier

DESCRIPTION
 Chrome Vanadium
 Surface nickel plated
 TPR handle



Item No.	Size
FHLNT4009	215mm/9"

Cr-V



QTY: 50PCS
 Carton size: 34x23x24cm

Duck mouth stripping plier

DESCRIPTION
 2 in 1 wire stripper & cutter
 Applicable wire stripper size: 0.5mm-4mm



Item No.	Cutting size
FHWOS007	0.5-4mm



Arial



QTY: 50PCS
 Carton size: 44x27x42cm

Circlips Pliers Set

DESCRIPTION
 1 x handle with 4 x interchangeable heads
 2 x straight
 1 x 45° and
 1 x 90° heads
 Ergonomic PVC handle with slip guards



Item No.	Size
FHCPS05	150mm/6"



QTY: 50PCS
 Carton size: 44x27x42cm

Chain Lock Grip Plier

DESCRIPTION
 Steel plate material
 Nickel plated



Item No.	Size
FHCLP450	450mm/18"



QTY: 20PCS
 Carton size: 34x23x24cm

Revolving Punch Pliers

DESCRIPTION
 6 punch diameters:
 2mm, 2.5mm, 3mm, 3.5mm,
 4mm and 4.5mm



Item No.	Size
FHRPL109	220mm/9"



QTY: 50PCS
 Carton size: 44x27x42cm

Wire stripper

DESCRIPTION
 Blade material: 50# carbon steel
 Dual color plastic handle



Item No.	Length	Diameter
FHWS0007	180mm/7"	0.6mm, 0.8mm 1.0mm, 1.3mm 1.6mm, 2.0mm, 2.6mm



QTY: 50PCS
 Carton size: 44x27x42cm

Multi functional wire stripper



DESCRIPTION
A3 steel
Stripping wire: 0.75-6.0mm²
Hole cutting: M2.6, M3, M3.5, M4, M5
Pressing wire: 1.5mm², 2.5mm², 6mm²
Double color soft handle
Package: Blister card

Item No.	Size
FHWS009	225mm/9"



Auto wire stripper



DESCRIPTION
A3 steel
Stripping wire: 24-10AWG/0.2-6mm²;
Pressing wire: 22-10AWG/0.5-6mm²
Package: Blister card

Item No.	Size
FHWS2001	200mm/8"



Ball pen hammer

DESCRIPTION
High-quality carbon steel
Fiber handle



Item No.	Weight
FHBP20016	16oz
FHBP20024	24oz
FHBP20032	32oz



Claw hammer

DESCRIPTION
High-quality carbon steel
Fiber handle



Item No.	Weight
FHCH20008	8oz
FHCH20016	16oz
FHCH20020	20oz



Pipe Wrench

DESCRIPTION
American Type
Drop-forged teeth
High quality carbon steel
Plastic dipped handle
Polished jaw and body painted
Easy adjustment



Item No.	Size
FHPW1008	200mm/8"
FHPW1010	250mm/10"
FHPW1012	300mm/12"
FHPW1014	350mm/14"



Pipe Wrench

DESCRIPTION
American Type
Drop-forged teeth
High quality carbon steel
Plastic dipped handle
Polished jaw and body painted
Easy adjustment



Item No.	Size
FHPW1018	450mm/18"
FHPW1024	600mm/24"
FHPW1036	900mm/36"
FHPW1048	1200mm/48"



Machinist hammer

DESCRIPTION
High-quality carbon steel
Fiber handle



Item No.	Weight
FHMH60200	200g
FHMH60300	300g
FHMH60500	500g
FHMH61000	1000g



Stoning hammer

DESCRIPTION
High-quality carbon steel
Fiber handle



Item No.	Weight
FHSH61000	1000g
FHSH62000	2000g



Bolt Cutter

DESCRIPTION
American Type
Drop-forged blades
Body heat treatment
Black finished on blades



Item No.	Size	Cutting capacity
FHBC1012	300mm/12"	Max. 4mm
FHBC1014	350mm/14"	Max. 5mm
FHBC1030	750mm/30"	Max. 10mm
FHBC1036	900mm/36"	Max. 12mm
FHBC1042	1050mm/42"	Max. 14mm
FHBC1048	1200mm/48"	Max. 16mm




Bolt cutter

DESCRIPTION
Europe Type
Drop-forged blades
Body heat treatment
Black finished on blades



Item No.	Size	Cutting capacity
FHBC2012	300mm/12"	Max. 4mm
FHBC2014	350mm/14"	Max. 5mm
FHBC2018	450mm/18"	Max. 6mm
FHBC2024	600mm/24"	Max. 8mm
FHBC2030	750mm/30"	Max. 10mm
FHBC2036	900mm/36"	Max. 12mm
FHBC2042	1050mm/42"	Max. 14mm
FHBC2048	1200mm/48"	Max. 16mm



Rubber mallet

DESCRIPTION
High-quality oil resistant rubber
Fiber handle



Item No.	Weight
FHRH90008	8 oz
FHRH90016	16oz
FHRH90024	24oz



Rubber mallet

DESCRIPTION
Rubber
Two color Fiberglass handle



Item No.	Weight
FRRHW90008	8oz
FRRHW90016	16oz
FRRHW90024	24oz



Stoning hammer

DESCRIPTION
Drop forged special tool steel hammerhead
black painted heat treatment
Fiberglass handle 900mm long



Item No.	Weight
FHSH65000	5 kgs



Sledge hammer

DESCRIPTION
Drop forged special tool steel hammerhead
black painted heat treatment
Fiberglass handle 900mm long



Item No.	Weight
FHSH72706	2.7kgs/6lb
FHSH73608	3.6kgs/8lb
FHSH74510	4.5kgs/10lb



Stoning hammer

DESCRIPTION
Black painted heat treatment
Wood handle



Item No.	Weight
FHSH61000W	1000g
FHSH62000W	2000g
FHSH65000W	5000g



Rubber mallet

DESCRIPTION
Rubber Hammer
Wood handle



Item No.	Weight
FHRH90008W	8oz
FHRH90016W	16oz
FHRH90024W	24oz



Axe

DESCRIPTION
High-quality carbon steel
Fiber handle



Item No.	Weight
FHAX60600	600g
FHAX61000	2000g
FHAX61500	1500g



Ball pen hammer

DESCRIPTION
Drop-forged hammerhead
Heat treatment ground polished
Wood handle



Item No.	Weight
FHBP20016W	16oz
FHBP20024W	24oz
FHBP20032W	32oz



Rubber mallet

DESCRIPTION
White Rubber Hammer
Wood handle



Item No.	Weight
FHRHW90008W	8oz
FHRHW90016W	16oz
FHRHW90024W	24oz



Axe

DESCRIPTION
Black painted heat treatment
Wood handle



Item No.	Weight
FHAX60600W	600g
FHAX61000W	2000g
FHAX61500W	1500g



Claw hammer

DESCRIPTION
Drop-forged hammerhead
Heat treatment ground polished
Wood handle



Item No.	Weight
FHCH20008W	8oz
FHCH20016W	16oz
FHCH20020W	20oz



Machinist hammer

DESCRIPTION
Black painted heat treatment
Wood handle




Item No.	Weight
FHMH60200W	200g
FHMH60300W	300g
FHMH60500W	500g
FHMH61000W	1000g



Wrecking bar

DESCRIPTION
Made from high carbon steel
Powder coated and heat treated



Item No.	Size
FHWB6024	600mm/24"



Wrecking Bar

DESCRIPTION
High quality carbon steel
Powder coat finish
Oval shank with notch



Item No.	Size
FHWB60030	610x30x16.0mm



Wrecking Bar

DESCRIPTION
High quality carbon steel
Powder coat finish
Oval shank with notch



Item No.	Size
FHWB90030	910x30x16.0mm



QTY: 6 PCS
Carton size: 91x16.5x8.5 cm

Crowbar

DESCRIPTION
Forged carbon steel with heat treatment
HRC 4-2-68 powder coated



Item No.	Size
FHWB60016	600x16 mm



QTY: 10 PCS
Carton size: 72x14x6 cm

Concrete Chisel

DESCRIPTION
45# carbon steel HRC48-52
Powder coated

Item No.	Size
FHCC22250	22x16x250 mm
FHCC24300	24x18x300 mm



QTY: 36 PCS
Carton size: 31x47x30cm
QTY: 36 PCS
Carton size: 31x47x30cm

Brick chisel

DESCRIPTION
100x19x216mm
Two color handle

Item No.	Diameter
FHCC100220	100x19x216mm



Cr-V



QTY: 36PCS
Carton size: 37.8x33.5x18.8cm

Flat pry bar

DESCRIPTION
High quality carbon steel
Powder coat finish
Neil slots at both ends



Item No.	Size
FHWB37535	375x35x6mm



QTY: 24 PCS
Carton size: 44x10x10 cm

Cold chisel

DESCRIPTION
Anti-slip rubber & double color handle
Surface heat treatment

Item No.	Size
FHCCF5019	19x16x254mm
FHCCF5025	25x19x305mm

65C Hrc 55-60



QTY: 10PCS
Carton size: 18x12x11cm
QTY: 10PCS
Carton size: 17x13x12cm

PVC pipe cutter

DESCRIPTION
65# carbon steel blade
Aluminum alloy handle

Item No.	Size	Φ
FHPPC042	180mm/7"	3-42mm
FHPPC142	225mm/9"	3-42mm



7" QTY: 4PCS
Carton size: 18x12x11cm
9" QTY: 4PCS
Carton size: 18x12x11cm

Cable cutter

DESCRIPTION
Heavy duty strengthened cable cutter
Soft grip handles for comfort of work
Induction hardened cutting blades

Model	Size	Total Length	Handle Length	MAX. Cutting Range
FHCC040	6"	165 mm	51 mm	25 mm ²
FHCC040	8"	210 mm	51 mm	35 mm ²
FHCC040	10"	254 mm	51 mm	45 mm ²




QTY: 30PCS
Carton size: 41x23x23cm
QTY: 30PCS
Carton size: 41x23x23cm
QTY: 30PCS
Carton size: 41x23x23cm

Concrete chisel

DESCRIPTION
Anti-slip rubber & double color handle
Surface heat treatment

Item No.	Size
FHCC5016	4x16x254mm
FHCC5019	4x19x305mm

65C Hrc 55-60



QTY: 18PCS
Carton size: 38x27x11 cm
QTY: 18PCS
Carton size: 37x27x11 cm

Concrete Chisel

DESCRIPTION
45# carbon steel HRC48-52
Powder coated

Item No.	Size
FHCC250	4x16x250mm
FHCC300	4x18x300 mm



QTY: 24 PCS
Carton size: 18x12x11cm
QTY: 24 PCS
Carton size: 16x47x21.5cm

Tin Snip

DESCRIPTION
American Type
High carbon steel
Dipped pvc handle
Cutting range from 0.5- 1.0mm
Sand blast for surface treatment

Item No.	Size
FHTS0010	250mm/10"
FHTS0012	300mm/12"



QTY: 4PCS
Carton size: 14x12x3cm
QTY: 4PCS
Carton size: 14x12x3cm

Multi-purpose scissor

DESCRIPTION
Stainless steel blade
Blade material: 3Cr13

Item No.	Size
FHSS1801	180mm/7"

Cr-V



QTY: 12PCS
Carton size: 29.2x18x4cm

Aviation tin Snip

DESCRIPTION
 Chrome Vanadium
 Bulk heat treatment:58-62HRC
 Handle Lock for Safe Storage
 Cutting range from 0.7-1.2mm
 Sand blast for surface treatment



Item No.	Size
FHATL010	250mm/10"

Cr-V Left



QTY:30PCS
 Carton Size:34.5x21.5x17cm


Aviation tin Snip

DESCRIPTION
 Chrome Vanadium
 Bulk heat treatment:58-62HRC
 Handle Lock for Safe Storage
 Cutting range from 0.7-1.2mm
 Sand blast for surface treatment



Item No.	Size
FHATS010	250mm/10"

Cr-V Straight



QTY:30PCS
 Carton Size:34.5x21.5x17cm

Aluminum handle square

DESCRIPTION
 Material:stainless steel
 and aluminum
 Specification:12"



Item No.	Size	W(mm)	T(mm)
FHAH5012	300mm/12"	41	1

Aluminum



QTY:60PCS
 Carton Size:44x29x25cm


Aviation tin Snip

DESCRIPTION
 Chrome Vanadium
 Bulk heat treatment:58-62HRC
 Handle Lock for Safe Storage
 Cutting range from 0.7-1.2mm
 Sand blast for surface treatment



Item No.	Size
FHATR010	250mm/10"

Cr-V Right



QTY:30PCS
 Carton Size:34.5x21.5x17cm

Stainless steel ruler



DESCRIPTION
 Stainless 2Cr13
 Packing:PVC bag+sticker

Item No.	length	width
FHSSR150	150mm/6"	19mm
FHSSR300	300mm/12"	25mm
FHSSR600	600mm/24"	30mm
FHSSR1000	1000mm/40"	40mm

Cr-V



QTY:50PCS
 Carton Size:30x20x9cm
 QTY:30PCS
 Carton Size:34x24x10cm
 QTY:12PCS
 Carton Size:44x17x7cm
 QTY:6PCS
 Carton Size:100x13x6cm

Steel measuring tape

DESCRIPTION
 ABS shell with Rubber-coated
 Humanized design for non-slip
 High accuracy,class II



Item No.	Length	Width
FHSMT103	3m	16mm
FHSMT105	5m	19mm
FHSMT175	7.5m	25mm

Metric and Inch



3m QTY:120PCS
 Carton Size:17x20x10cm
 5m QTY:72PCS
 Carton Size:34x24x10cm
 7.5m QTY:48PCS
 Carton Size:44x17x7cm

Steel measuring tape

DESCRIPTION
 ABS shell with Rubber-coated
 Auto lock for convenient use
 Humanized design for non-slip
 High accuracy,class II



Item No.	Length	Width
FHSMT203	3m	16mm
FHSMT205	5m	19mm
FHSMT275	7.5m	25mm
FHSMT210	10m	25mm

Metric and Inch



3m QTY:120PCS
 Carton Size:17x20x10cm
 5m QTY:72PCS
 Carton Size:34x24x10cm
 7.5m QTY:48PCS
 Carton Size:44x17x7cm
 10m QTY:36PCS
 Carton Size:47x22x9.5cm

Steel measuring tape

DESCRIPTION
 Case material:New ABS
 Blade thickness:0.10mm
 Blade color:yellow



Item No.	Length	Width
FHSMT303M	3m	16mm
FHSMT105M	5m	19mm
FHSMT175M	7.5m	25mm



3m QTY:120PCS
 Carton Size:17x20x10cm
 5m QTY:72PCS
 Carton Size:34x24x10cm
 8m QTY:48PCS
 Carton Size:44x17x7cm

Fiberglass measuring Tape

DESCRIPTION
 First-grade new ABS Plastic
 British-metric,metric
 Fiberglass blade
 The steel hook
 0.5mm thickness blade



Item No.	Length	Width
FHFM4020	20m	12.5mm
FHFM4030	30m	12.5mm
FHFM4050	50m	12.5mm

Fiberglass



20m QTY:60PCS
 Carton Size:57x29x9cm
 30m QTY:40PCS
 Carton Size:57x34x9cm
 50m QTY:20PCS
 Carton Size:64x22x9cm

Steel measuring tape

DESCRIPTION
 Case material:New ABS
 Blade thickness:0.10mm
 Blade color:yellow



Item No.	Length	Width
FHSMT303	3m	16mm
FHSMT305	5m	19mm
FHSMT308	8m	25mm
FHSMT310	10m	25mm

Metric and Inch




3m QTY:120PCS
 Carton Size:17x20x10cm
 5m QTY:72PCS
 Carton Size:34x24x10cm
 8m QTY:48PCS
 Carton Size:44x17x7cm
 10m QTY:36PCS
 Carton Size:47x22x9.5cm

Steel measuring tape

DESCRIPTION
 Case material:New ABS
 Blade thickness:0.10mm
 Blade color:white



Item No.	Length	Width
FHSMT103M	3m	16mm
FHSMT105M	5m	19mm
FHSMT175M	7.5m	25mm



3m QTY:120PCS
 Carton Size:17x20x10cm
 5m QTY:72PCS
 Carton Size:34x24x10cm
 8m QTY:48PCS
 Carton Size:44x17x7cm

Vernier Caliper

DESCRIPTION
 Stainless Steel
 0-150mm Range
 0.02mm Resolution
 Metric Marking



Item No.	Range	Reading
FHVC0150	0-150mm	0.02mm

Stainless



QTY:20PCS
 Carton Size:47x22x9cm

Vernier caliper



DESCRIPTION
Carbon steel material
Packing: Plastic box

Item No.	Range	accuracy
FHVC0152	0-150mm	0.05mm

Cr-V



QTY:50PCS
Carton size:43x28x24cm

Dial vernier caliper

DESCRIPTION
Range: 0-150mm
Accuracy: 0.02mm
Material: Stainless steel



Item No.	Range
FHVC0153	0-150mm

Cr-V



QTY:50 PCS
Carton size:43x28 x21cm

Plastic Digital Caliper

DESCRIPTION
Material: Plastic
Range: 0-150mm/0-6"
Reading: 0.1mm/0.01"
Battery: 1.5v
Metric/inch system



Item No.	Range	Reading
FHVC0151	0-150mm	0.1mm



QTY:100 PCS
Carton size:44x37x33cm

Micrometer

DESCRIPTION
Carbon steel material
Packing: Plastic box



Item No.	Range	accuracy
FHMM2501	0-25mm	0.01mm

Cr-V



QTY:40PCS
Carton size:42x29 x16.5cm

Spirit level

DESCRIPTION
High transparent super clear bubbles
First class accuracy: 0.5mm/m
Comfortable handle



Item No.	Length	T[AI]
FHSL03023	23cm/9"	0.5mm

X3



QTY:120PCS
Carton size:42x28x21cm

Spirit level

DESCRIPTION
High transparent super clear bubbles
First class accuracy: 1mm/m
Comfortable handle



Item No.	Length	T[AI]
FHSL01040	40cm/16"	1mm
FHSL01060	60cm/24"	1mm
FHSL01080	80cm/32"	1mm
FHSL01100	100cm/40"	1mm

X3



QTY:40PCS
Carton size:42x28x21cm
QTY:40PCS
Carton size:42x28x21cm
QTY:30PCS
Carton size:100x31x15cm

Spirit level

DESCRIPTION
High transparent super clear bubbles
First class accuracy: 0.5mm/m
Comfortable handle



Item No.	Length	T[AI]
FHSL06040	40cm/16"	0.5mm
FHSL06060	60cm/24"	0.5mm
FHSL06080	80cm/32"	0.5mm
FHSL06100	100cm/40"	0.5mm
FHSL06120	120cm/48"	0.5mm

X3



QTY:30PCS
Carton size:42x28x21cm
QTY:30PCS
Carton size:42x28x21cm
QTY:30PCS
Carton size:42x28x21cm
QTY:30PCS
Carton size:100x31x15cm

Spirit level

DESCRIPTION
High transparent super clear bubbles
First class accuracy: 1mm/m
Comfortable handle



Item No.	Length	T[AI]
FHSL08030	30cm/12"	1mm
FHSL08040	40cm/16"	1mm
FHSL08060	60cm/24"	1mm
FHSL08080	80cm/32"	1mm
FHSL08100	100cm/40"	1mm
FHSL08120	120cm/48"	1mm

X3



QTY:40PCS
Carton size:37x29x16cm
QTY:40PCS
Carton size:37x29x26.5cm
QTY:40PCS
Carton size:42x28x26.5cm
QTY:30PCS
Carton size:42x28x21cm
QTY:30PCS
Carton size:42x28x21cm
QTY:30PCS
Carton size:100x31x15cm

Laser distance meter

DESCRIPTION
Measuring accuracy: ±2mm
Laser type: 620-690nm
Laser class: II Class, <1mW
Single measurement time: 0.25s



Item No.	Measuring range
FHLDM50	0.05m~50m
FHLDM70	0.05m~70m
FHLDM100	0.05m~100m



QTY:30 PCS
Carton size:29x30x52x1.5m

Cast aluminium level

DESCRIPTION
Aluminum, Milled bottom



Item No.	Length	T[AI]
FHSL07040B	40cm/16"	1mm
FHSL07060B	60cm/24"	1mm



QTY:40PCS
Carton size:41x28x23cm
QTY:40PCS
Carton size:41x28x23cm

Spirit level

DESCRIPTION
High transparent super clear bubbles
First class accuracy: 1mm/m
Comfortable handle



Item No.	Length	T[AI]
FHSL09030	30cm/12"	1mm
FHSL09040	40cm/16"	1mm
FHSL09060	60cm/24"	1mm
FHSL09080	80cm/32"	1mm
FHSL09100	100cm/40"	1mm
FHSL09120	120cm/48"	1mm

X3



QTY:40PCS
Carton size:37x29x16cm
QTY:40PCS
Carton size:37x29x26.5cm
QTY:40PCS
Carton size:42x28x26.5cm
QTY:40PCS
Carton size:42x28x26.5cm
QTY:30PCS
Carton size:42x28x21cm
QTY:30PCS
Carton size:42x28x21cm
QTY:30PCS
Carton size:100x31x15cm

Laser level

DESCRIPTION
Accuracy: ±1.5mm/5m
Laser Class: Class II, <1mW
Laser Wave length: 650 nm



Item No.	Feature
FHLL0201	Red line
FHLL0202	Green line



Green Line
Red Line
QTY: 5PCS
Carton size: 44x46x27.5cm
QTY: 5PCS
Carton size: 44x46x27.5cm

Laser level



DESCRIPTION
5 lines 8 points
360° rotary base
1.5s rapid alignment
0 °c ~+40 °c working temperature
Precise leveling

Item No.	Feature
FHLL04	Red line



Red Line QTY: 8PCS Carton size: 43 x 43 x 27.5cm

Laser level



DESCRIPTION
5 lines green lines
Laser line width: ±1/5m
Laser diode: 532nm, 10mw
working range: <15m

Item No.	Feature
FHLL0502	Green line



QTY: 8PCS Carton size: 43 x 43 x 24.5cm

Adjustable laser level tripod



DESCRIPTION
Lightweight tripod with adjustable height legs and rubber feet
Compatible with most video cameras, digital cameras, still cameras, GoPro devices, smartphone adapters, and scopes.

Item No.	Size
FHLLS15	1.5m



QTY: 10PCS Carton size: 75 x 55 x 23cm

Prism Pole



DESCRIPTION
5 meters
Compression Lock
With carrying bag

Item No.	Size
FEPW05	5.0m



QTY: 10PCS Carton size: 59 x 56 x 23.5cm

Laser level



DESCRIPTION
12 Lines
Laser line width: 100LUX, 3mm/5m
Laser diode: 510-520nm, 10mw
working range: 20m

Item No.	Feature
FHLL3601	Green line



QTY: 20PCS Carton size: 26 x 33 x 44cm

Laser level



DESCRIPTION
12 Lines
Wave length: 520 nm
Accuracy: ±1mm/5m
Leveling Range: ±3°

Item No.	Feature
FHLL3602	Green line



QTY: 20PCS Carton size: 34 x 33 x 44cm

Screwdriver tester

DESCRIPTION
Test range: 110-500V
Body material: ABS
Feeler material: Crv
Blade type: slot

Item No.	Size(mm)	Voltage
FHSDT140	3x140	AC100-500V



QTY: 40PCS Carton size: 52 x 26 x 32.5cm

Screwdriver tester

DESCRIPTION
Test range: 110-500V
Body material: ABS
Feeler material: Crv
Blade type: slot

Item No.	Size(mm)	Voltage
FHSDT180	4x180	AC100-500V



QTY: 40PCS Carton size: 52 x 26 x 32.5cm

Automatic Optical Level



32X
HIGH REFRACTIVE OPTICAL LENS
120m
WORKING RANGE



Item No.	32 X	Leveling	Auto	Auto	360°
FAL32120					



QTY: 4PCS Carton size: 43 x 42 x 23.5cm

Automatic Level Tripod



DESCRIPTION
Quick release flip locks
3-section aluminum legs with brace
Material: Aluminum

Item No.	Size
FALT163	95-160cm



QTY: 18PCS Carton size: 79 x 54 x 72cm

Screwdriver tester

DESCRIPTION
Test range: 110-500V
Body material: ABS
Feeler material: Crv
Blade type: slot

Item No.	Size(mm)	Voltage
FHSDT190	4x190	AC100-500V



QTY: 40PCS Carton size: 52 x 26 x 32cm

AC voltage detector

DESCRIPTION
FIVD10001
Working temperature: 0-40 °C
Storage temperature: -10-50 °C
Storage humidity: <95%
Altitude: <2000 Meter
Safety level: CAT.III 1000V; CAT.IV 600V; 12-1000V
Power supply: 2 x 1.5V AAA Batteries



- 12-110V AC CAT III
- Automatic Power off
- LED Flash Light
- Double Alert



QTY: 50PCS Carton size: 59 x 24 x 24cm

Digital multimeter

DESCRIPTION

FHDM001
 DC Voltage : 0.1mV-600V ±(0.8%+5)
 AC Voltage : 1mV-600V ±(1.0%+3)
 DC Current : 1µA-10A ±(1.0%+2)
 AC Current : 0.01µA-10A ±(1.0%+5)
 Resistance : 0.1Ω-60MΩ ±(0.8%+2)
 Capacitance : 1nF-6000µF ±(3.0%+5)
 Frequency : 10-10MHz ±(0.1%+5)
 Diodes : 3.2V



Digital clamp multimeter

DESCRIPTION

FHDM002
 DC Voltage : 1mV- 1000V ±(0.5%+3)
 AC Voltage : 1mV- 750V ±(1.2%+10)
 AC Current : 0.01A-600A ±(3.0%+10)
 Resistance : 10- 40MΩ ±(1.2%+8)
 Capacitance : 1nF-3000µF ±(5.0%+10)
 Frequency : 10Hz-10MHz ±(0.1%+3)
 Temperature test : -20-1000°C ±(1°C)
 Continuity : 50Hz-5000Hz



Utility knife

DESCRIPTION
 Body material:PS

Item No.	Blade size
FHUC0901	9x80mm



Utility knife

DESCRIPTION
 Body material:PS

Item No.	Blade size
FHUC1801	18x100mm



Electrician's knife

CURVED
 STAINLESS
 KNIFE

DESCRIPTION

Fine polished wooden handle
 Package:Blister card

Item No.	Length	Thickness
FHEK01	190mm	3mm



Electrician's knife

STRAIGHT
 STAINLESS
 KNIFE

DESCRIPTION

Fine polished wooden handle
 Package:Blister card

Item No.	Length	Thickness
FHEK02	200mm	3mm



Utility knife

DESCRIPTION
 Ideal for craft & industry
 Perect for cutting

Item No.	Blade size
FHUC0902	9x80mm



Utility knife

DESCRIPTION
 Ideal for craft & industry
 Perect for cutting

Item No.	Blade size
FHUC1901	19x61mm



Snap-off blade knife

DESCRIPTION

18mm Aluminium-Alloy cutter
 with TPR grip
 Ideal for craft & industry
 Perect for cutting

Item No.	Blade size
FHUC0001	18x100mm



Utility knife

DESCRIPTION

6 pcs self-loading Zinc-Alloy cutter
 Ideal for craft & industry
 Perect for cutting

Item No.	Blade size
FHUC0003	19x61mm



Folding knife

DESCRIPTION
 Aluminum alloy handle and housing
 Safety lock-back system
 Quick change blade mechanism
 Including 6 Pcs blades

Item No.	Blade size
FHUC0004	19x61mm



Utility knife blade

DESCRIPTION
 10Pcs Blade set
 Material:SK5

Item No.	Blade size
FHUCB1019	61x19mm



Utility Knife Blade



DESCRIPTION
10Pcs Blade set
Material: 60# steel

Item No.	Blade size
FHUCB1018	18x100mm



QTY: 10PCS
Carton size: 22x21.5x14.5cm

Utility Knife Blade



DESCRIPTION
10Pcs Blade set
Material: 60# steel

Item No.	Blade size
FHUCB1009	9x80mm



QTY: 10PCS
Carton size: 22x13x13cm

Glass cutter



DESCRIPTION
Blade material: Zinc alloy
With 6 wheeled blades

Item No.	Φ	Length
FHGC01	4.2mm	130mm



QTY: 10PCS
Carton size: 46x25x21cm

Oil feed glass cutter



DESCRIPTION
With a suction pipe

Item No.	Φ	Length
FHGC02	3.2mm	165mm



QTY: 20PCS
Carton size: 46x25x21cm

4 pcs wood chisel set

DESCRIPTION
Chrome Vanadium
TPR dual color handle



Item No.	Width(mm)
FHWCZT04	6/12/19/25



QTY: 4PCS
Carton size: 34x32.5x21.5cm

Wood chisel

DESCRIPTION
Chrome Vanadium
TPR double color handle



Item No.	Length
FHWC2006	6mm/1/4"
FHWC2012	12mm/1/2"
FHWC2016	16mm/5/8"
FHWC2019	19mm/3/4"
FHWC2025	25mm/1"
FHWC2032	32mm/1-1/4"



1/4" QTY: 40PCS
Carton size: 34x32.5x21.5cm
1/2" QTY: 40PCS
Carton size: 34x32.5x21.5cm
5/8" QTY: 40PCS
Carton size: 34x32.5x21.5cm
3/4" QTY: 40PCS
Carton size: 34x32.5x21.5cm
1" QTY: 40PCS
Carton size: 34x32.5x21.5cm
1-1/4" QTY: 40PCS
Carton size: 34x32.5x21.5cm

5pcs steel file set

DESCRIPTION
Blade material: T12
Dual color plastic handle



Item No.	Spec
FHFS005	Flat steel file x1 Triangle steel file x1 Round steel file x1 Square steel file x1 Half round steel file x1



QTY: 20PCS
Carton size: 46x25x21cm

6pcs file set

DESCRIPTION
Blade material: T12
TPR dual color handle



Item No.	Length	Φ
FHFSS006	160mm/6"	4mm



QTY: 10PCS
Carton size: 34x35x22.5cm

Flat wood file

DESCRIPTION
High-quality carbon steel
TPR double color handle



Item No.	Length
FHFW5008	200mm/8"



QTY: 40PCS
Carton size: 46x41x29cm

Half round wood file

DESCRIPTION
High-quality carbon steel
TPR double color handle



Item No.	Length
FHHR5008	200mm/8"



QTY: 40PCS
Carton size: 46x41x29cm

Round wood file

DESCRIPTION
High-quality carbon steel
TPR double color handle



Item No.	Length
FHRW5008	200mm/8"



QTY: 40PCS
Carton size: 46x41x29cm

Slim taper file

DESCRIPTION
Blade material: T12




Item No.	Length
FHSTF008	200mm/8"



QTY: 20PCS
Carton size: 34x32x16cm

Triangle steel file

DESCRIPTION
Blade material : T12



Item No.	Length
FHTSF008	200mm/8"



QTY: 100PCS
Carton size: 29.5x29.5x10cm

Flat steel file

DESCRIPTION
Blade material : T12



Item No.	Length
FHFSF008	200mm/8"



QTY: 100PCS
Carton size: 29.5x29.5x10cm

Half round steel file

DESCRIPTION
Blade material : T12




Item No.	Length
FHHRSF08	200mm/8"



QTY: 100PCS
Carton size: 29.5x29.5x10cm

Round steel file

DESCRIPTION
Blade material : T12



Item No.	Length
FHRSF008	200mm/8"



QTY: 100PCS
Carton size: 29.5x29.5x10cm

Planer

DESCRIPTION
Blade 65Mn steel
Punched body, light-weighted. Handy
Compact, adjustable, precise



Item No.	Size
FHPLO235	235x50mm



QTY: 30PCS
Carton size: 52x42x12cm

Wall Board Saw

DESCRIPTION
Made of 65 Mn steel, heat treated
Saw teeth HRC>53, hardened and sharp
Two sides grinding teeth
Soft TPR handle



Item No.	Size
FHWS150	150mm



QTY: 80PCS
Carton size: 56x42x38cm

Plastic Water Pipe Saw

DESCRIPTION
Made of 65 Mn steel, heat treated
Saw teeth HRC>53, hardened and sharp
Two sides grinding teeth



Item No.	Size
FHPPS350	14"(350mm)



QTY: 40PCS
Carton size: 54x42x38cm

Mitre box with back saw set

DESCRIPTION
Size of saw: 12"(300mm)
12 TPI 65Mn blade
Thickness: 0.8mm
Size of the mitre box:
300x140x80mm 340g
ABS material



Item No.	Size
FHHS300MB	12"(300mm)



QTY: 30PCS
Carton size: 48x41.5x58cm

Hacksaw frame

DESCRIPTION
Blade material : high carbon steel
Length : 12"(300mm)
Weight: 460g
Harden teeth saw blade



Item No.	L(mm)
FHHF1300	300/12"



QTY: 30PCS
Carton size: 47.5x16x79cm

Hand saw

DESCRIPTION
Ideal for: timber, pvc, plastic,
plasterboard



Item No.	Length
FHHS0400	400mm/16"
FHHS0450	450mm/18"
FHHS0500	500mm/20"



QTY: 30PCS
Carton size: 112x90x10cm
QTY: 30PCS
Carton size: 162x90x10cm
QTY: 30PCS
Carton size: 112x90x10cm

Square tube hacksaw

DESCRIPTION
TPR Handle
Blade material : high carbon steel
Length : 12"(300mm)
Weight: 510g
Harden teeth saw blade



Item No.	L(mm)
FHHF0300	300/12"



QTY: 30PCS
Carton size: 41x32x40.5cm

Bi-metal hacksaw blade



Item No.	Teeth	Size
FHBH01812	18TPI	300mm/12"
FHBH02412	24TPI	300mm/12"



QTY: 80PCS
Carton size: 36x36x12.5cm

Lopper

DESCRIPTION
Blade material : 50# carbon steel
Blade thickness: 4.0mm
Dual color plastic handle



Item No.	Length
FHLP0054	540mm/21"
FHLP0070	700mm/27"



QTY:16PCS
Carton size:43.5x23.5x30cm

QTY:12PCS
Carton size:76x17.5x23.5cm

Garden scissors

DESCRIPTION
Blade material:46Cr13
Blade thickness:3.0mm
Aluminum alloy handle
15mm cutting capacity



Item No.	Length
FHGS0008	200mm/8"



QTY:48PCS
Carton size:40.5x26x28.5cm

Hedge shear

DESCRIPTION
Blade material : 50# carbon steel
Blade thickness: 4.0mm
Dual color plastic handle



Item No.	Length
FHHS052	520mm/20"



QTY:16PCS
Carton size:42.5x27.5x27.5cm

Folding saw

DESCRIPTION
ABS handle with rubber wrapped
65 manganese steel saw blade
1.2mm thick blade, 3.6mm teeth pitch
Ground teeth with three cutting edges



Item No.	Length
FHFS0180	180mm/7"



QTY:48PCS
Carton size:31.5x23.5x31.5cm

Pruning Saw

DESCRIPTION
Ideal for pruning, trimming leaves at forestry, lawn, garden and other place that needs to trim the branches and leaves.



Item No.	Length
FHPS4001	400mm/16"



QTY:28 PCS
Carton size:44x28x16.5cm

Hand riveter

DESCRIPTION
High quality carbon steel
3 jaw in hardened steel
With 4pcs nozzle for 2.4/3.2/4.0/4.8mm rivets
1.8mm thickness, with mini wrench
Main body black finishing



Item No.	Length	Rivet size Φ(mm)
FHRG0010	10"	2.4, 3.2, 4, 4.8



QTY:48PCS
Carton size:47.5x28x19cm

Hand Riveter

DESCRIPTION
Rivet size:
2.4mm 3.2mm 4.0mm 4.8mm
Material:
Aluminium alloy+carbon steel body




Item No.	Size
FHRG0105	10.5"(266mm)



QTY:24 PCS
Carton size:64.5x38.5x19.5cm

Blind Rivets

DESCRIPTION
Fastening: Sheet Metal, Plastic, Wood, & Fabric.
Material: Aluminium with a central steel mandrel.
Ideal for joining thin metal or plastic sheets.



Item No.	L(mm)	Ø(mm)	DK(mm)
FHBR3208	8.0	3.2	6.0
FHBR3210	10	3.2	6.0
FHBR4010	10	4.0	8.0
FHBR4012	12	4.0	8.0
FHBR4812	12	4.8	9.5
FHBR4816	16	4.8	9.5



QTY:400 PCS
Carton size:34x23.5x12.5cm

Folding Hand Riveter

DESCRIPTION
Rivet size:
3.2mm 4.0mm 4.8mm 6mm 6.4mm
Material:
Aluminium alloy+carbon steel body



Item No.	Size
FHRG0032	32"(815mm)



QTY:10 PCS
Carton size:42.5x32x28.5cm

Staple gun

DESCRIPTION
All metal construction
Quick jam release button
Impact power adjustment
Surface: paint coating



Item No.	Size(mm)
FHSG414	4-14



QTY:24PCS
Carton size:35x43.5x34cm

Tile cutter

DESCRIPTION
For parallel & angled cuts
Die casting cutting assembly
with ball bearing



Item No.	Cutting length
FHTC0400	400mm/16"



QTY:16PCS
Carton size:54x28x48.5cm

Tile cutter

DESCRIPTION
For parallel & angled cuts
Die casting cutting assembly
with ball bearing



Item No.	Cutting length
FHTC0600	600mm/24"



QTY:3PCS
Carton size:48x22.5x30cm

Tile cutter

DESCRIPTION

For parallel & angled cuts
Die casting cutting assembly
with ball bearing



Item No.	Cutting length
FHTC0800	800mm/32"
FHTC12001	1200mm/48"



QTY: 2PCS
Carton size: 100x23x38cm

Glass Suction Cup

DESCRIPTION

Cup diameter: 118mm
Max. pull: 40KG
Material: ABS+Rubber



Item No.	size
FHSK40	40KG



QTY: 30PCS
Carton size: 43x40x25cm

Glass Suction Cup



DESCRIPTION

Cup diameter: 118mm
Max. pull: 80KG
Material: ABS+Rubber

Item No.	size
FHSK80	80KG



QTY: 30PCS
Carton size: 43x40x25cm

Hand scrapers



DESCRIPTION

Body material: ABS
With 6 blades



Item No.	Blade size
FHSP1401	100X14mm



QTY: 48PCS
Carton size: 44x39x27.5cm

Hand scrapers



DESCRIPTION

Body material: ABS
Blade material: 60# carbon steel

Item No.	Blade size
FHSP1801	100X18mm



QTY: 144PCS
Carton size: 44x39x27.5cm

Silicone trowel & scraper

DESCRIPTION

Scraper push forward
Scraper pull backward
Surface cleaning blade
Exchange different pad



Item No.	Size(mm)
FHMST190	27x204x45.5



QTY: 60PCS
Carton size: 44.5x29x27cm

Putty Knife

DESCRIPTION

Stainless steel blade
1.0mm Blade thickness
Dual-color soft grip plastic handle
Finishes mirror polishing



Item No.	Size	T
FHPK1002	50mm/2"	1.0mm
FHPK1003	76mm/3"	1.0mm
FHPK1004	100mm/4"	1.0mm
FHPK1005	125mm/5"	1.0mm
FHPK1006	150mm/6"	1.0mm
FHPK1008	180mm/8"	1.0mm



2" QTY: 120PCS
Carton size: 32x27x14.5cm
3" QTY: 120PCS
Carton size: 32x27x14.5cm
4" QTY: 120PCS
Carton size: 32x27x14.5cm
5" QTY: 120PCS
Carton size: 32x27x14.5cm
6" QTY: 120PCS
Carton size: 32x27x14.5cm
8" QTY: 120PCS
Carton size: 34x29x27cm

Mud pan

DESCRIPTION

Top size: 35.8x11.8cm
Bottom size: 32x7.5cm
high: 9.0cm



Item No.	Top size	Bottom size
FHMP101	35.8x11.8cm	32x7.5cm



QTY: 54PCS
Carton size: 38.5x28x13.5cm

Plastering trowel

DESCRIPTION

Carbon steel blade
0.7mm Blade thickness
Dual-color soft grip plastic handle
Finishes Common polished



Item No.	Size	T
FHPT2115	280x115mm	0.7mm



QTY: 60PCS
Carton size: 29x39x32cm

Putty Knife

DESCRIPTION

Thickness: 0.4mm
Stainless steel
Mirror polish
Two color handle



Item No.	Size	T
FHPK2010	250mm/10"	0.4mm
FHPK2012	300mm/12"	0.4mm



10" QTY: 60PCS
Carton size: 28x23x13cm
12" QTY: 60PCS
Carton size: 28x23x13cm

7 in 1 putty knife

DESCRIPTION

Length: 225mm
Blade thickness: 1.3mm



Item No.	size
FHPK2025	76mm/3"



QTY: 120PCS
Carton size: 31.5x21x13cm

Plastering trowel

DESCRIPTION

Carbon steel blade
0.7mm Blade thickness
Dual-color soft grip plastic handle
Finishes Common polished



Item No.	Size	T
FHPT2130	280x130mm	0.7mm



QTY: 60PCS
Carton size: 34x39x32cm

EVA foam trowel

DESCRIPTION
 Size: 240x100x12mm
 Material: EVA foam
 Handle: plastic



Item No.	Size(mm)
FHEVA2412	240x100x12



QTY: 50PCS
 Carton size: 44x32x57cm

Foam rubber trowel

DESCRIPTION
 Size: 240x100x19mm
 Material: rubber
 Handle: plastic



Item No.	Size(mm)
FHFRT2419	240x100x19



QTY: 60PCS
 Carton size: 61x38x64cm

Bricklaying trowel

DESCRIPTION
 Carbon steel blade
 1.0mm Blade thickness
 Dual-color soft grip plastic handle
 Finishes Common polished



Item No.	Size
FHBT0006	150mm/6"
FHBT0008	200mm/8"
FHBT0010	250mm/8"



6"
 QTY: 75PCS
 Carton size: 41x38x34cm

8"
 QTY: 75PCS
 Carton size: 41x38x37cm

10"
 QTY: 75PCS
 Carton size: 41x38x39cm

Bricklaying trowel

DESCRIPTION
 Carbon steel blade
 1.0mm Blade thickness
 Dual-color soft grip plastic handle
 Finishes Common polished



Item No.	Length
FHBT1010	250mm/10"



QTY: 60PCS
 Carton size: 56x31x27cm

Paint brush



Item No.	size
FHWB0101	1"x44mm
FHWB0102	2"x51mm
FHWB0103	3"x51mm
FHWB0104	4"x57mm
FHWB0115	1.5"x44mm
FHWB0125	2.5"x51mm



QTY: 600 PCS
 Carton size: 45x42x28cm

QTY: 300 PCS
 Carton size: 45x42x28cm

QTY: 180PCS
 Carton size: 37x25x43cm

QTY: 120 PCS
 Carton size: 48x26x43cm

QTY: 40 PCS
 Carton size: 47x42x31cm

QTY: 30 PCS
 Carton size: 41x24x37cm

Paint brush



Item No.	size
FHPB0301	1"x44mm
FHPB0302	2"x51mm
FHPB0303	3"x51mm
FHPB0304	4"x57mm
FHPB0315	1.5"x44mm
FHPB0325	2.5"x51mm



QTY: 600PCS
 Carton size: 43.5x41.5x31cm

QTY: 300PCS
 Carton size: 46x42x35cm

QTY: 240PCS
 Carton size: 47x38x40cm

QTY: 120PCS
 Carton size: 48x26x47cm

QTY: 40PCS
 Carton size: 44x41x34cm

QTY: 30PCS
 Carton size: 41x24x39cm

Mini roller




Item No.	size
FHPR0504	4"x11mm



QTY: 180 PCS
 Carton size: 46x38x32cm

Mini Roller



Item No.	size
FHPR0604	4"x4mm



QTY: 180 PCS
 Carton size: 46x38x32cm


Roller Cover



Item No.	size
FHRC0504-1	4"x11mm



QTY: 600 PCS
 Carton size: 52x23x11cm




Roller Cover




Item No.	size
FHRC0604-1	4"x4mm



QTY: 600 PCS
 Carton size: 52x23x11cm



Paint roller



Item No.	size
FHPR0609	9"x11mm



QTY: 50PCS
 Carton size: 46x42x28cm

Paint roller



Item No.	size
FHPR0709	9"x8mm



QTY: 50PCS
 Carton size: 55x42x28cm

Roller Cover



Item No.	size
FHRC0609-1	9"x11mm



QTY: 100 PCS
Carton size: 35x28x47cm

Roller Cover



Item No.	size
FHRC0709-1	9"x8mm



QTY: 100 PCS
Carton size: 35x28x47cm

Paint roller



Item No.	size
FHPR0810	10"x11mm



QTY: 50PCS
Carton size: 40x42x36cm

Paint roller



Item No.	size
FHPR0910	10"x8mm




QTY: 50PCS
Carton size: 40x42x36cm

Roller Cover



Item No.	size
FHRC0810-1	10"x11mm




QTY: 40PCS
Carton size: 31x31x51cm

Roller Cover



Item No.	size
FHRC0910-1	10"x 8mm



QTY: 50PCS
Carton size: 31x31x51cm

Paint tray



Item No.	size
FHPT0009	9"



QTY: 50PCS
Carton size: 57x37x28cm

Caulking gun

DESCRIPTION
Material of handle : aluminum alloy
Surface treatment : powder coating
Gun weight : 280g
Hex rod



Item No.	Thickness	Length	Size	Diameter
FHCG0109	1.6mm	235mm	9"	51mm



QTY: 20PCS
Carton size: 34.5x28x34cm

Cable Tie



DESCRIPTION
White color

Item No.	size
FHCT25100W	2.5x100mm
FHCT36200W	3.6x200mm
FHCT46250W	4.6x250mm
FHCT46300W	4.6x300mm
FHCT46400W	4.6x400mm

QTY: 40PCS
Carton size: 43.5x22.5x30mm

QTY: 40PCS
Carton size: 43.5x22.5x30mm

QTY: 100PCS
Carton size: 54x33x32mm

QTY: 40PCS
Carton size: 43.5x22.5x30mm

QTY: 100PCS
Carton size: 54x33x32mm

Caulking gun

DESCRIPTION
Material of gun body : steel
Material of handle : steel
Surface treatment : powder coating
Gun weight : 360g
Rod diameter : 6.5mm



Item No.	Thickness	Length	Size	Diameter
FHCG0009	1.0mm	235mm	9"	51mm



QTY: 20PCS
Carton size: 42x38x54cm

Aluminium caulking gun

DESCRIPTION
Pre-Configured for sausage application
Drawn aluminum barrel
Aluminium handle with metal trigger
Quick release end cap
Sprung trigger



Item No.	Length	Size	Diameter
FHCG0209	235mm	9"	51mm
FHCG0215	375mm	15"	55mm



9" QTY: 20PCS
Carton size: 48x29x47cm

15" QTY: 20PCS
Carton size: 48x29x47cm

Cable Tie



DESCRIPTION
Black color

Item No.	size
FHCT25100B	2.5x100mm
FHCT36200B	3.6x200mm
FHCT46250B	4.6x250mm
FHCT46300B	4.6x300mm
FHCT46400B	4.6x400mm

QTY: 40PCS
Carton size: 43.5x22.5x30mm

QTY: 40PCS
Carton size: 43.5x22.5x30mm


QTY: 100PCS
Carton size: 54x33x32mm

QTY: 40PCS
Carton size: 43.5x22.5x30mm

QTY: 100PCS
Carton size: 54x33x32mm

Hose clamp

Item No.	Clamping Range	Width	Nut
FHSC01016-4	ø16mm (5/8")-ø16mm(5/8")	8.8mm (5/16")	M6
FHSC01319-4	ø13mm (1/2")-ø19mm(3/4")	8.8mm (5/16")	M6
FHSC131325-2	ø13mm (1/2")-ø25mm(1")	12.7mm (1/2")	M8
FHSC132751	ø27mm (1-1/16")-ø51mm(2")	12.7mm (1/2")	M8
FHSC135276	ø52mm (2")-ø76mm(3")	12.7mm (1/2")	M8



QTY: 250PCS
Carton size: 30x29x14 cm

QTY: 200 PCS
Carton size: 30x29x14 cm

QTY: 300 PCS
Carton size: 41x29x27 cm

QTY: 300 PCS
Carton size: 41x29x27 cm

QTY: 200 PCS
Carton size: 41x29x27 cm



Clear packing tape



Item No.	Length	Width
FTPT4830T	30m	48mm
FTPT4850T	50m	48mm
FTPT48100T	100m	48mm

QTY: 98 PCS
Carton size: 47x29x31 cm

QTY: 99 PCS
Carton size: 53x32x31 cm

QTY: 72 PCS
Carton size: 53x32x31 cm



Insulation tape



Item No.	Length	Width
FHIT189	9m	18mm



QTY: 200PCS
Carton size: 34x24x24 cm

Thread seal tape



Item No.	Length	Width
FHTST1215	12m	15mm
FHTST1915	19m	15mm



QTY: 500PCS
Carton size: 30x16x11.5cm

QTY: 500PCS
Carton size: 53x32x11.5cm

Brown packing tape



Item No.	Length	Width
FTPT4850B	50m	48mm
FTPT48100B	100m	48mm



QTY: 90 PCS
Carton size: 53x32x11 cm

QTY: 75 PCS
Carton size: 53x32x11 cm

Masking tape



Item No.	Length	Width
FTMT1830	30m	18mm
FTMT2430	30m	24mm
FTMT3630	30m	36mm
FTMT4830	30m	48mm



QTY: 240PCS
Carton size: 55.5x34x11 cm

QTY: 180 PCS
Carton size: 55.5x34x11 cm

QTY: 120PCS
Carton size: 55.5x34x11 cm

QTY: 90PCS
Carton size: 51x26.5x10 cm

Resin solder dispenser



DESCRIPTION
Tin-Lead solder bar

Item No.	size
FHR5D10	1mm



QTY: 300PCS
Carton size: 30x29x11 cm

Brass padlock



Item No.	Size	Key
FLK4003	40mm	2



QTY: 90PCS
Carton size: 44.5x27.8x28.5cm

Duct tape



Item No.	Length	Width
FTDT4830	30m	48mm



QTY: 48PCS
Carton size: 51x24.5x30 cm

Drywall joint tape



Item No.	Length	Width
FTDJT4850	50m	48mm



QTY: 90PCS
Carton size: 44x30x19 cm

Iron padlock



Item No.	Size	Key
FLK3202	32mm	3
FLK3802	38mm	3
FLK5002	50mm	3
FLK6302	63mm	3



QTY: 180PCS
Carton size: 24.5x28x14 cm

QTY: 120PCS
Carton size: 25x28x14 cm

QTY: 60PCS
Carton size: 26.5x17.8x15.9 cm

QTY: 30PCS
Carton size: 27.2x17.7 cm

Brass padlock



Item No.	Size	Key
FLK2001	20mm	3
FLK3001	30mm	3
FLK4001	40mm	3
FLK5001	50mm	3
FLK6001	60mm	3



QTY: 180PCS
Carton size: 24.5x28x14 cm

QTY: 120PCS
Carton size: 25x28x14 cm

QTY: 60PCS
Carton size: 26.5x17.8x15.9 cm

QTY: 30PCS
Carton size: 27.2x17.7 cm

Brass block padlock

DESCRIPTION
Material:brass
key:2pcs



Item No.	size
FLK6003	60mm
FLK7003	70mm
FLK8003	80mm
FLK9003	90mm



QTY:60 PCS
Carton size:48x24.5x21cm

LED Flash light

DESCRIPTION
Power:3x1.5V
Retractable zoom



Item No.	Battery type
FLO2M	3xAAA



QTY:180PCS
Carton size:41x20.5x42.5cm

LED Flash light

DESCRIPTION
Power:3.7V
IP64



Item No.	Battery type
FLO2S	1xAA



QTY:100PCS
Carton size:61x19.5x34.5cm

LED Flash light

DESCRIPTION
Power:4.5V
3 leds



Item No.	Battery type
FLO3M	4xLR44



QTY:100PCS
Carton size:61x19.5x34.5cm

LED Flash light

DESCRIPTION
Power:3x1.5V
Retractable zoom



Item No.	Battery type
FLO2L	3xD



QTY:24PCS
Carton size:44x24.5x22.5cm

LED Flash light

DESCRIPTION
Power:2x1.5V
3 leds



Item No.	Battery type
FLO103P	2xAA



QTY:200PCS
Carton size:43x38.4x41cm

Ratchet tie down

Item No.	Width	Length	Lashing capacity
FHRT250615	25mm/1"	6m	1500 daN (kgs)
FHRT381002	38mm/1.5"	10m	2000 daN (kgs)
FHRT501003	50mm/2"	10m	3000 daN (kgs)
FHRT501005	50mm/2"	10m	5000 daN (kgs)
FHRT25051	25mm/1"	5m	135 daN (kgs)
FHRT500905	50mm/2"	9m	5000 daN (kgs)



QTY:40PCS
Carton size:44x24.5x22.5cm

QTY:10PCS
Carton size:98x30x29cm

QTY:50PCS
Carton size:31x27x54cm

QTY:10PCS
Carton size:54x20x20cm

QTY:10PCS
Carton size:68x28x27cm

2pcs ratchet tie down set

DESCRIPTION
Lashing capacity:225 daN (kgs)
Break Strength: 450 daN (kgs)

Item No.	Width	Length
FHRT25052	25mm/1"	5m



QTY:10PCS
Carton size:44x24.5x22.5cm

LED Flash light

DESCRIPTION
Power:2x1.5V
7 leds



Item No.	Battery type
FL0107P	2xD



QTY:40PCS
Carton size:44x24.5x22.5cm

LED Headlamp

DESCRIPTION
Power:3x1.5V
12+2 leds



Item No.	Battery type
FLH01	3xAAA



QTY:144PCS
Carton size:43x38.4x41cm

Ratchet tie down set

Item No.	Width	Length	Lashing capacity
FHRT25054	25mm/1"	6m	225 daN (kgs)



QTY:1PCS
Carton size:38x27x28cm

Reflection vest

Item No.	Size
FPRV011	M
FPRV012	L
FPRV013	XL
FPRV014	XXL
FPRV015	XXXL



Item No.	Size
FPRV021	M
FPRV022	L
FPRV023	XL
FPRV024	XXL
FPRV025	XXXL



QTY:10PCS
Carton size:38x27x28cm

Tool vest



Item No. FHWV01



QTY: 20PCS
Carton size: 52x42x31cm

Tool Backpack

DESCRIPTION

- Made of 600D polyester Oxford material, wear resistance and tear resistance.
- The back of the backpack has thickened sponges, make people feel comfortable and protect their back.
- Suitable for a variety of purposes, for tools storage, daily use and travel.



Item No.	Size	Weight
FHTB01	33x18x40cm	1.0Kg



QTY: 8 PCS
Carton size: 42x40x40cm

Auto darkening welding glasses



DESCRIPTION

Filter Size: 108*50*5.5mm
Active Viewing Area: 90*30mm
Switching time: 1/10000s
Delay time: 0.2s
Power Supply: Lithium Battery & Solar Powered
Rated Capacity Of Lithium Battery: 60mAh
Operating Temperature: -10°C-65°C

Item No.	area
FWG01	90x30mm



QTY: 100 PCS
Carton size: 51x44x35cm

Safety helmet



Item No. FPSH01



QTY: 30PCS
Carton size: 65x40x55cm

Safety goggles



Item No. FPSG04



QTY: 100PCS
Carton size: 44x34x30cm

Safety goggles



Item No. FPSG02



QTY: 100PCS
Carton size: 44x34x30cm

Safety goggles



Item No. FPSG03



QTY: 100PCS
Carton size: 50x34x34cm

Safety goggles



Item No. FPSG01



QTY: 100PCS
Carton size: 51x41x21.5x40cm

Face shield



Item No. FSSGA1



QTY: 40PCS
Carton size: 42x42x48cm

Welding mask



Item No. FWH01



QTY: 40PCS
Carton size: 71x26x16cm

Welding mask

DESCRIPTION

Filter Size(mm): 110*90*9
Viewing area(mm): 93*43



Item No. FWH02



QTY: 70PCS
Carton size: 57x44x57cm

Working gloves



Item No. FPCG0620
size 10"



QTY: 20PCS
Carton size: 52x25x48cm

Knitted & PVC dots gloves



Item No.	size
FPCG0750	10"

XL



QTY: 240PCS
Carton size: 52x25x53cm

Latex coated gloves



Item No.	size
FPLCG01	10"

XL



QTY: 120PCS
Carton size: 70x28x35cm

Nitrile gloves



Item No.	size
FPMG01	10"

XL



QTY: 120PCS
Carton size: 44x26x26cm

Cow split leather gloves



Item No.	size
FPLG010	10.5"

FULL PALM



QTY: 120PCS
Carton size: 52x28x35cm

Welding leather gloves



Item No.	size
FPWG014	14"



QTY: 60PCS
Carton size: 31x24x70cm

Mechanic gloves

DESCRIPTION
 ★ Aramid & HPPE palm with PVC reinforced palm patch & finger tips;
 ★ Touch screen fingertips;
 ★ Spandex & mesh back;
 ★ Uwrst design with Hook & loop closure cuff.



Item No.	SIZE
FPMG101	10" (XL)



QTY: 60 Pairs
Carton size: 31x25x28cm

Cut Resistance Gloves

DESCRIPTION
 ★ HPPE Liner For Cut Resistance Reaching EN388 Level 4X42C.
 ★ HPPE Liner with PU coating for abrasion resistance.
 ★ Elastic knitted cuff For Snug Fit at the wrist.



Item No.	SIZE
FPCRG010	10" (XL)



QTY: 120 Pairs
Carton size: 52x27x34cm

Industrial Latex Gloves

DESCRIPTION
 ★ Highgrade natural latex possess a excellent chemical resistance and tear resistance.
 ★ Reinforced durability, ideal thickness and soft latex give a fantastic secure protection yet still tactile sensitive.



Item No.	Length
FPLG012	32cm



QTY: 120 Pairs
Carton size: 37x31x27 cm

Ear mask



Item No.	FPEM01
----------	--------



QTY: 10PCS
Carton size: 40x44x40cm

Mechanic gloves

DESCRIPTION
 ★ Synthetic palm with PVC reinforced palm patch;
 ★ Touch screen fingertips;
 ★ Spandex & mesh back with TPR protector on back;
 ★ Uwrst design with Hook & loop closure cuff.



Item No.	SIZE
FPMG102	10" (XL)



QTY: 60 Pairs
Carton size: 31x25x28cm

Earplug



Item No.	FPEP01
----------	--------



QTY: 20 PCS
Carton size: 11x11x11cm

Safety boots



Item No.	Size
FPSB1140	40
FPSB1141	41
FPSB1142	42
FPSB1143	43
FPSB1144	44
FPSB1145	45

PVC



QTY: 10PCS
Carton size: 31x31x31cm

Safety boots



Item No.	Size
FPSB0140	40
FPSB0141	41
FPSB0142	42
FPSB0143	43
FPSB0144	44
FPSB0145	45



QTY: 1 PCS
Carton size: 62x44x34cm

Knee pad



DESCRIPTION
PE cap
600D polyester
EPE foam

Item No.	Size
FPKP240	240mm



QTY: 24PCS
Carton size: 83x59x45cm

Pneumatic wheel



DESCRIPTION
16"X4.00-8
Weight:3kg
Wheel diameter:395mm
Wheel width:95mm
Load:200kg

Item No.	Diameter
FHWB16	395mm/16"



QTY: 5PCS
Carton size: 36.5x41.5x41.5cm

Feather banner



Item No. A010A A010B



QTY: 3PCS
Carton size: 36.5x36.5x27cm

Hand Pallet Truck



FBPT300G
FBPT3001G
FBPT500G

Load Capacity	3T/5T
Fork Length	1200 mm
Fork Width	490 mm
Max. Lifting Height	260 mm
Min. Lifting Height	85 mm
Weight	70 KGS



QTY: 4 PCS
Carton size: 230x110x85cm

Wheel Barrow



DESCRIPTION
Load Capacity(kg):130
Water Capacity(L):80;
Sand Capacity(CBF):5.5;
The size of tray:930*690*230mm

Item No.	Capacity
FHWB13080	150KGS



QTY: 50PCS
Carton size: 110x110x200cm

Outdoor parasol



Item No. A018



QTY: 3PCS
Carton size: 36.5x36.5x27cm

Folding tent



Item No. A017



QTY: 3PCS
Carton size: 36.5x36.5x27cm

Wheel Barrow



DESCRIPTION
Load Capacity(kg):150
Water Capacity(L):90;
Sand Capacity(CBF):6;
The size of tray:885*600*285mm

Item No.	Capacity
FHWB15090	150KGS



QTY: 50PCS
Carton size: 170x110x220cm

Wheel Barrow



DESCRIPTION
Load Capacity(kg):150
Water Capacity(L):90;
Sand Capacity(CBF):6;
The size of tray:885*600*285mm

Item No.	Capacity
FHWB15090-1	150KGS



QTY: 50PCS
Carton size: 170x110x220cm

Display rack



lateral view

A001



QTY: 1PCS
Carton size: 120x45x94cm

Display rack



FRS06



QTY: 1PCS
Carton size: 120x45x94cm

ПОЛНЫЙ СПЕКТР ПРОФЕССИОНАЛЬНЫХ ИНСТРУМЕНТОВ



Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://fixtec.nt-rt.ru> || fcg@nt-rt.ru